

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals

FORM APPROVED
OMB NO. 1004-0135
EXPIRES: NOVEMBER 30, 2000

SUBMIT IN TRIPLICATE

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other _____

2. Name of Operator
DEVON ENERGY PRODUCTION COMPANY, LP

3. Address and Telephone No.
20 North Broadway, Ste 1500, Oklahoma City, OK 73102 405-552-4615

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
660 FSL 660 FEL P 25 T23S R31E

5. Lease Serial No.
NM-0544986

6. If Indian, Allottee or Tribe Name
NA

7. Unit or CA Agreement Name and No.
NA

8. Well Name and No.
TODD 25P FEDERAL 16

9. API Well No.
30-015-28817

10. Field and Pool, or Exploratory
INGLE WELLS (DELAWARE)

12. County or Parish 13. State
EDDY NM

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input checked="" type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work and approximate duration thereof. If the proposal deepens directionally or recompletes horizontally, give subsurface location and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirement, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection)

Devon received approval to plug and abandon the Todd 25P Federal 16 on 10/20/05, but Devon now would like to convert this well to salt water disposal. A C108 application for salt water disposal will be forthcoming. Until this well can be converted to salt water disposal, Devon respectfully requests permission to Temporarily Abandon the Todd 25P Federal #16.

Devon's proposed procedure to Temporarily Abandon:

1. MIRU. POOH with existing 2-7/8" & 2-3/8" production tubing.
2. Pump a balanced cement plug from 7075' to 7175' (100') to isolate the Delaware perforations from 7202' to 8230'. A casing part at 6185' prevents setting a CIBP above the Delaware perfs (7202-8230).
3. WOC and Tag cement plug.
4. Set a cement retainer at 5970'. Pump 200 sx cement below retainer. (Isolates casing part at 6185').
5. Fill hole with 2% KCl.
6. Pressure test 5-1/2" casing to 500 psi for 30 minutes for a Mechanical Integrity Test and record on chart. BLM will be notified of date and time of Mechanical Integrity Test.

APPROVAL SUBJECT TO
GENERAL REQUIREMENTS AND
SPECIAL STIPULATIONS ATTACHED

Accepted for record
NMOCD

14. I hereby certify that the foregoing is true and correct

Signed Ronnie Slack Name Ronnie Slack Title Engineering Technician Date 11/3/2005

(This space for Federal or State Office use)

Approved by (ORIG. SGD.) ALEXIS C. SWOBODA Title PETROLEUM ENGINEER Date NOV 16 2005

Conditions of approval, if any:

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: TODD 25P FED 16		Field: INGLE WELLS	
Location: 660' FSL & 660' FEL; SEC 25-T23S-R31E		County: EDDY	State: NM
Elevation: 3541' GL		Spud Date: 5/10/1997	Compl Date: 6/19/1997
API#: 30-015-28817	Prepared by: Ronnie Slack	Date: 11/03/05	Rev:

■ Proposed Temporarily Abandon

17-1/2" hole
13-3/8", 48#, H40, ST&C, @ 1026'
 Cmt'd w/810 sx

TOC @ 3680' (CBL)

11" hole
8-5/8", 32#, J55, ST&C, @ 4471'
 Cmt'd w/1325 sx

DV Tool @ 5505'

Cement @ 5970' (CBL)

Casing Part @ 6185' →

TOC @ 6750' (CBL)


DELAWARE (Cmplt'd 6/19/97)

7202'-7222'
 7238'-7246'

7540'-7560'

8121'-8129'
 8158'-8173'
 8210'-8230'

7-7/8" Hole
5-1/2", 15.5# & 17#, J55, LT&C, @ 8707'
 Cmt'd w/970 sx



Proposed:
 Set retainer @ 5970'
 Pump 200 sx below retainer (1975')

Proposed:
 Spot balanced cement plug from 7075' to 7175' (100')
 WOC & Tag

PBDT @ 8625'

TD @ 8708'

**Accepted for record
 NMOCD**

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: TODD 25P FED 16		Field: INGLE WELLS	
Location: 660' FSL & 660' FEL; SEC 25-T23S-R31E		County: EDDY	State: NM
Elevation: 3541' GL		Spud Date: 5/10/1997	Compl Date: 6/19/1997
API#: 30-015-28817	Prepared by: Ronnie Slack	Date: 10/11/05	Rev:

■ CURRENT

17-1/2" hole
13-3/8", 48#, H40, ST&C, @ 1026'
 Cmt'd w/810 sx

TOC @ 3680' (CBL)

11" hole
8-5/8", 32#, J55, ST&C, @ 4471'
 Cmt'd w/1325 sx

10-2-05: Production Tubing
 194 Jts 2-7/8", J55 + 26 Jts 2-3/8", J55
 EOT @ 7150'

DV Tool @ 5505'

Cement @ 5970' (CBL)

Casing Part @ 6185'

TOC @ 6750' (CBL)

DELAWARE (Cmplt'd 6/19/97)
 7202'-7222'
 7238'-7246'

7540'-7560'

8121'-8129'
 8158'-8173'
 8210'-8230'

7-7/8" Hole
5-1/2", 15.5# & 17#, J55, LT&C, @ 8707'
 Cmt'd w/970 sx

PBTD @ 8625'

TD @ 8708'

Accepted for record
 NMOCD