District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505 office

ls pit or below-grade tan	rade Tank Registration or Clost ik covered by a "general plan"? Yes [or below-grade tank	
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mai Address: 105 South 4 th Street, Artesia, N.M. 88210 Facility or well name: Crow ASM State Com 2 API #: 30-015-34031 U/L or County: Eddy Latitude: 32.88095 Longitude: 10 Surface Owner: Federal State Private Indian	Otr/Otr_H_Sec 32_T_16SR28E	RECEIVED SEP 1 4 2005 OULEANTICOM
Pit Type: Drilling ☑ Production ☐ Disposal ☐ Work over ☐ Emergency ☐ Lined ☑ Unlined ☐ Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Pit Volume 20,000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	If not, explain why not.
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) XXXX (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX
	Ranking Score (Total Points)	20 points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relating place) onsite offsite offsite. If offsite, name of facility NA Groundwater encountered: No yes offsite for ground surful for the soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. An encapsulation tree contents will be excavated and emplaced into the encapsulation trench using a cement will be mixed using a track hoe and water added if needed. After compencapsulation trench will then be capped using a 20 mil synthetic liner and bactood will be made before pit closure action begins. Beginning pit closure date: Thereby certify that the information above is true and complete to the best of the properties.	(3) Attach a general description of remedial acfaceft. and attach sample results. Inch will be constructed and lined with 12 mil synmixture of three to one pit material and Class Heletion of solidifying pit material in cement and pkfilled to grade using a minimum of 3' of like not accomplished. N/A. Ending pit closure date: N/A A.S. pit	nthetic liner next to existing drilling pit. The drilling pit bulk cement or CKD. The emulsion of pit material and bit contents have set in place for a minimum of 24 hours, the material and clean soil. A one call and 48 hour notification to a condition of approval, if during construction water is encountered
I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines , a gas a part of the property of the prope	general permit , or an (attached) alte	if water seeps in pits after nstruction the OCD MUST BE DNTACTED IMMEDIATELY! ts of the pit or tank contaminate ground water or otherwise federal, state, or local laws and/or regulations.
Approval: Field Supervisor Printed Name/Title	_ SignaturePIT CLOSURE !	SEP 2 0 2005
ACCEAGASC SCE SOCORT - NMOCD	DATE 11/16/200	

Accepted the booted - NMOCD /2-5-05