

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-015-30851
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: OXY Pearl State
8. Well Number 2
9. OGRID Number 192463
10. Pool name or Wildcat Rattlesnake Well Strawn

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	RECEIVED DEC 12 2005 OCD-ARTESIA
2. Name of Operator OXY USA WYP Limited Partnership	
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	
4. Well Location Unit Letter <u>A</u> : <u>860</u> feet from the <u>north</u> line and <u>660</u> feet from the <u>east</u> line Section <u>32</u> Township <u>19S</u> Range <u>29E</u> NMPM County <u>Eddy</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3280'	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type <u>Steel</u> Depth to Groundwater <u>N/A</u> Distance from nearest fresh water well <u>N/A</u> Distance from nearest surface water <u>N/A</u> Pit Liner Thickness: <u>N/A</u> mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐

OTHER: Set CIBP, Run CIT & TA ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attachment

Temporary Abandoned Status approved  
under 12-2-10

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 12/19/05

Type or print name David Stewart

E-mail address: david\_stewart@oxy.com  
Telephone No. 432-685-5717

For State Use Only

APPROVED BY Gerry Guye TITLE Compliance Officer DATE 12-13-05

Conditions of Approval, if any:

OXY USA WTP LP requests to temporarily abandon this well for possible future use.

TD-11575' PBTD-10265' Perfs-10315-10326' Pkr-10265'

11/22/2005 CMIC: Davis

MIRU POOL #239 800# SITP and 800# SICP opened well to battery conditioned wellhead bolts. SDON

11/23/2005 CMIC: Davis

Killed w/ 39 BW NDWH NU BOP Tallied POOH w/tbg. Started RIH w/ 4-1/2 CIBP on 66 stands. SION

11/24/2005 CMIC: Davis


200# SICP Bled well down finished RIH set CIBP @ 10265'. CH w/ packer fluid tested csg to 500# did not run chart. POOH w/ tbg LD setting tool. SD till Monday.

11/29/2005 CMIC: Davis

Repaired pulling unit. Started RIH w/ 66 jts tbg had to SD due to High wind.

11/30/2005 CMIC: Davis:

Finished RIH w/ 248 jts 2-3/8 tbg. Total of 314 jts ran back in well. RDMO Will set up MIT w/ NMOC at later date



GRAPHIC CONTROLS CORPORATION  
BUFFALO, NEW YORK  
oxy Pearl St #2

TA  
OK 12-2-25

30-015-30851

800227

Send ORIGINAL to  
requesting temporary  
status. Show procedure used to  
prepare well for V.I. 500  
used to