<u>District 1</u> 1625 N. French Dr., Hobbs, NM 88240 District [] 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

E-mailed Oyke 11/16/08.

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

June 1, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fc office

Type of action: Registration of a pit of	k covered by a "general plan"? Yes 🛛 No or below-grade tank 🗌 Closure of a pit or below-gra	de tank 🛛
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail address: mikes@ypcnm.com Address: 105 South 4th Street Artesia, N.M. 88210 Facility or well name: Clarence BCU Com 6 API #: 30-015-34168 U/L or Qtr/Qtr C Sec 23 T 16S R 26E County: Eddy Latitude: 32.91339 Longitude: 104.35383 NAD: 1927 2 1983 Surface Owner: Federal State Private Indian		RECEIVED NOV 0 2 2005
Pit Type: Drilling Production Disposal L Work over Emergency Lined Unlined L Liner type: Synthetic Thickness 12 mil Clay Pit Volume 20,000 bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Yes No Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (0 points) XXXX (20 points) (10 points) (0 points) XXXX
Groundwater encountered: No Tes If yes, show depth below ground surf	. (3) Attach a general description of remedial action taceft. and attach sample results.	aken including remediation start date and end date. (4)
Additional Comments: Closure work plan for drilling pit. An encapsulation trench using a contents will be excavated and emplaced into the encapsulation trench using a cement will be mixed using a track hoe and water added if needed. After compencapsulation trench will then be capped using a 20 mil synthetic liner and bac OCD will be made before pit closure action begins. Beginning pit closure date:	mixture of three to one pit material and Class H bulk letion of solidifying pit material in cement and pit con kfilled to grade using a minimum of 3' of like materi	cement or CKD. The emulsion of pit material and tents have set in place for a minimum of 24 hours, the
I hereby certify that the information above is true and complete to the best of motion been/will be constructed or closed according to NMOCD guidelines , a grant place of the best of the	general permit , or an (attached) alternative OC Signature	bove-described pit or below-grade tank has D-approved plan
Approval: Gerry Guye Printed Name/Title Compliance Officer RR 9/24/2005 SEE 7	Signature Derry der AHachet Procedure	Date:

Accepted for record - NMOCD

1-19-06