

Submit To Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105

Revised June 10, 2003

WELL API NO.

30-015-34395

5. Indicate Type of Lease

STATE ☒ FEE ☐

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

b. Type of Completion:

NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF.
WELL OVER BACK RESVR. ☐ OTHER ☐

2. Name of Operator

MARBOB ENERGY CORPORATION

3. Address of Operator

PO BOX 227, ARTESIA, NM 88211-0227

4. Well Location

Unit Letter D : 451 Feet From The NORTH Line and 491 Feet From The WEST Line

Section 26 Township 17S Range 28E NMPM EDDY County

10. Date Spudded

11/30/05

11. Date T.D. Reached

12/6/05

12. Date Compl. (Ready to Prod.)

12/27/05

13. Elevations (DF& RKB, RT, GR, etc.)

3591' GL

14. Elev. Casinghead

15. Total Depth

3500'

16. Plug Back T.D.

3467'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

0 - 3500'

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

2321' - 3017' YESO

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

DLL, CSNG

22. Was Well Cored

NO

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	525'	12 1/4"	375 SX, CIRC	NONE
5 1/2"	17#	3498'	7 7/8"	650 SX, CIRC	NONE

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	3076'	

26. Perforation record (interval, size, and number)

2321' - 3017' (32 SHOTS)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

AMOUNT AND KIND MATERIAL USED

2321' - 3017'

ACDZ W/ 4000 GAL NEFE 15% HCL

2321' - 3017'

FRAC W/ 303K# BRADY SAND

28. PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
12/28/05		PUMPING				PROD	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
12/31/05	24			31	39	372	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

Test Witnessed By

JONATHAN GRAY

30. List Attachments

LOGS, DEVIATION SURVEY

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature

Diana J. Briggs

Printed Name

DIANA J. BRIGGS

Title PRODUCTION ANALYST

Date 1/11/06

E-mail Address

PRODUCTION@MARBOB.COM

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates 484'	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers 712'	T. Devonian	T. Menefee	T. Madison
T. Queen 1274'	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 1956'	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T. BOWERS 1054'	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS

PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

December 9, 2005

DEC 16 2005

Marbob Energy Corporation
PO Drawer 227
Artesia, NM 88211-0227

RE: Arco 26-A State #9
451' FNL & 491' FWL
Sec. 26, T17S, R28E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION	DEPTH	DEVIATION
242'	3/4°	2273'	1/2°
502'	1/2°	2773'	3/4°
777'	3/4°	3270'	3/4°
1245'	1°	3488'	1/4°
1775'	1°	3500'	1/4°



Very truly yours,



Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me this 9th day of December, 2005.


Notary Public

SERVING SOUTHEAST NEW MEXICO AND WEST TEXAS SINCE 1978

05-12-85