District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 **District III** 1000 Rio Brazos Road, Aztec, NM 87410 **District IV** 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit

## State of New Mexico **Energy Minerals and Natural** Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

June 1, 2004

Form C-144


For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes ⋈ No ☐

Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) Operator: Yates Petroleum Corporation\_\_\_\_ Telephone: 505-748-4500\_\_e-mail address: mikes@ypcnm.com Address: 105 South 4th Street, Artesia, N.M. 88210 **RECEIVED** Facility or well name: Allison CQ Federal 5 API #: 30-015-23145 U/L or Qtr/Qtr C Sec 13 T 19S R 24E FEB 0 9 2006 Longitude 104.54328 NAD: 1927 ⊠ 1983 □ Latitude 32.66643 Surface Owner: Federal ☐ State ☑ Private ☐ Indian ☐ WIGHT IN-UUU Below-grade tank Type: Drilling | Production | Disposal | Volume: \_\_\_\_bbl Type of fluid: \_\_\_\_\_ Construction material: Work over ⊠ Emergency □

Lined ☑ Unlined ☐  Liner type: Synthetic ☑ Thickness <u>12</u> mil Clay ☐	Double-walled, with leak detection? Yes If not, explain why not.				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points) XXXX  (20 points) ( 0 points) XXXX  (20 points) (10 points) ( 10 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No				
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more				
	Ranking Score (Total Points)	0 Points			
are burying in place) on-site  off-site  foff-site, name of facility  date and end date. (4) Groundwater encountered: No  Yes  for If yes, sh  (5) Attach soil sample results and a diagram of sample locations and excave  Additional Comments: Work plan for the Closure of Work-over Pit. A 20  Backfill encapsulated wastes with a minimum of 3' of clean soil or like m  A one-call and 48 hour notice will be provided to OCD prior to pit closure	how depth below ground surfaceft, ations.  D mil liner will be placed 3' below grade with a min naterial capable of supporting native plant growth.	and attach sample results.			
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guidelin  Date: 01/27/06  Printed Name/Title Mike Stubblefield / Regulatory Agent  Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	signature  Signature  not relieve the operator of liability should the conte	rnative OCD-approved plan			
Approval: Gerry Guye Printed Name/Title Compliance Officer	Signature Berry Duy	Date: 0-16-06			



New Mexico Office of the State Engineer  POD Reports and Downloads    Colored 5								
Township: 19S Range: 24E Sections:								
NAD27 X: Zone: Search Radius:								
County: Basin: Number: Suffix:								
Owner Name: (First) (Last) . Non-Domestic ODomestic								
POD / Surface Data Report Avg Depth to Water Report  Water Column Report								
Clear Form iWATERS Menu Help								

## AVERAGE DEPTH OF WATER REPORT 01/27/2006

								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
RA	19S	24E	10				1	335	335	335
RA	19S	24E	12				2	265	300	283
RA	19S	24E	16				1	25	25	25
RA	19S	24E	21				1	307	307	307
RA	19S	24E	26		•		1	322	322	322
RA	19S	24E	28				1	558	558	558
RA	19S	24E	34				1	270	270	270

Record Count: 8