

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO.
30-005-00333

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
VA-1411

7. Lease Name or Unit Agreement Name:

Caleb AVE State

8. Well No.

1

9. Pool name or Wildcat
Wildcat Mississippian

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator

Yates Petroleum Corporation

3. Address of Operator

105 S. 4th Street Artesia, NM 88210

4. Well Location

Unit Letter O : 660 feet from the South line and 1980 feet from the East line

Section 10 Township 12S Range 27E NMPM Chaves County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3672'GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. ** Perf csy @ 1750' - Place 100' of cmf inside & outside csy 1650-1750 - 729*

** Plug csy @ 307 Place 100' of cmf inside & outside csy 207-307 - 729*

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. Notify the NMOCD at least 24 hrs before starting the plugging work. Release the packer at 5724' and release the RBP at 6150'.
2. Dump 35' of cement on top of the CIBP at 6350'. Set 4-1/2" CIBP at 5750'. Circulate the hole with 10.0 ppg mud with 25#/bbl of gel in the mud then spot 25 sx cement on top of the CIBP. ** 25 sx plug @ 4822' leave no cement in csy 2450-25*
3. Shoot 4 holes at 2550' and squeeze 50 sx cement behind the casing to cover the Gloria. *2075-2025* Shoot 4 holes at 2075-2025' and squeeze 50 sx cement behind the casing to cover the base of the 9-5/8" casing. Shoot 4 holes at 100' then screw in a casing swage and squeeze 50 sx cement behind the casing to the surface. Spot 5 sx cement at the surface to fill up the casing if necessary. *-woc 24 Hrs - 729*
4. Remove the wellhead and install a dry-hole marker and clean up the location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina L. Huerta TITLE Regulatory Compliance Supervisor DATE June 13, 2003

Type or print name Tina L. Huerta

Telephone No. 505-748-1471

(This space for State use)

APPROVED BY [Signature]

TITLE Field Rep ID

DATE 6-24-03

Conditions of approval, if any:

OPERATOR: Yates Petroleum Corp.

API# 30-005-00333

WELL: Caleb AVE State # 1

LOCATION: O-10-12-27

SURFACE CSG- HOLE SIZE " CSG. SIZE 13 3/8" SET @ 257' SX. CMT. TOC. Circ

INT. CSG- HOLE SIZE " CSG. SIZE 9 5/8" SET @ 2024' SX. CMT. TOC. Circ

LONG STRING- HOLE SIZE " CSG. SIZE 4.5 SET @ 7001' SX. CMT. TOC. 4140'

OTHER 7" liner 0' - 1669'

TOPS

Fresh Wtr. _____

T. Salt _____

B. Salt _____

Yates ' _____

Glorieta 2551'

Delaware _____

Bone Sp. _____

Abo 4822'


Wolfcamp 5728'

Morrow _____

Devonian _____

Fusselman _____

Other _____



WELLNAME: Caleb "AVE" State #1 FIELD: Wildcat
 LOCATION: 660' FSL & 1980' FEL, Sec 10, T12S, R27E CHAVES Co NM
 GL: 3,672' ZERO: _____ AGL: _____ KB: 3,680'
 SPUD DATE: 5/6/48 COMPLETION DATE: _____
 COMMENTS: DA 8/23/48

CASING PROGRAM	
SIZE/WT/GR/CONN	DEPTH SET
13 3/8", 61.0 #/ft, ST&C	257'
9 5/8", 32.30 #/ft, ST&C	2,024'
7", 23.0 #/ft, J-SS, FS	1,699'
4 1/2", 10.50 #/ft, J-SS, LTR	7,001'

