District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

						OPERATO	Initial	Report			
Name of Company: Chesapeake Operating, Inc.						Contact: Bradley Blevins					
Address: 5014 Carlsbad Highway						Telephone No.: (505) 391-1462, ext. 6224					
Facility Nar	ne: Mosaic	34 Federal	#2H			Facility Type:	Production Wel	<u> </u>			
Surface Owner: United States Government- Bureau of Land Management Bureau of Land						r: United States Government- Management Lease No.: API #30-015-35831					
				LOCAT	IOI	N OF RELE	ASE				
Unit Letter N	Section 34	Township 24S	Range 28E	Feet from the 371	Noi	rth/South Line South	Feet from the 365	Enst/West Lii East	ne	County Eddy	
			Latitu	ıde: <u>N 32° 10′ 01</u>		_		2"			
Tama of Dala	vas Datualas	us aud/on Dea	du atía m Ou		RE	OF RELEA		17-1 D		10 h	
Type of Relea					Volume of Release: -40 barrels Volume Recovered: 20 barrels Date and Hour of Occurrence: Date and Hour of Discovery:						
Source of Release: 2-to-1 reducer on circulating pump						October 26, 2010 @ 8:00 am October 26, 2010 @ 2:00 pm					
Was Immediate Notice Given? ⊠ Yes □ No □ Not Required						If YES, To Whom? Mike Bratcher, NMOCD- Artesia					
By Whom? Bradley Blevins, Chesapeake Operating, Inc.						Date and Hour: October 26, 2010 @ 2:00 pm					
Was a Watercourse Reached? ☐ Yes ⊠ No						If YES, Volume Impacting the Watercourse; Not Applicable					
If a Watercon	rse was Im	pacted, Desc	ribe Fully.	* Not Applicable	-						
products. App	roximately	40 barrels of p	etroleum	n Taken: A 2-to-1 products were releaved disposal or ren	ised o	ento the location.					
Samples were	taken and si D remedial	ibmitted to Ca threshold goal	ırdinal Lab	ken: Affected area poratories for testin pproval from Chesa	g of "	TPH, BTEX, and	Chlorides. Test r	esults received fi	rom Cardii	ial Laboratories are	
regulations all public health o should their op	operators ar r the enviror erations hav nent. In add	e required to a nment. The ave re failed to add lition, NMOC	report and/ eceptance or equately in D acceptan	strue and complete for file certain relea of a C-141 report b avestigate and reme nce of a C-141 repo	se no y the diate	tifications and po NMOCD marke contamination the	erform corrective d as "Final Report tat pose a threat to	actions for releas t" does not reliev o ground water, s	es which r e the opera urface wat	nay endanger ator of liability er, human health	
Signature: Frankley Slewin						OIL CONSERVATION DIVISION					
Printed Name	Bradley B	levins			ام ا	Approved by Dis	triet Supervisor:	MM			
Title: Field Technician						Approval Date: 2/1/14 Expiration Date: 4//					
E-mail Address: bblevins@chkenergy.com						Conditions of Ap	proval: F		Attached		
Date: Decembe				xt. 6224			<u> </u>	W/			
Attach Additi	onal Shee	ts If Necessa	ıry					•	rep	- 487	