	NM OIL CONSERVATION State of New Mexico Dr., Hobbs, NM 882/RTESIA DISTRICTEnergy Minerals and Natural Resources Form C-129 Artosin NM 88210 0.2010 Oil Conservation Division		
istrict III 100 Rio Brazos 15trict IV	Artesia, NM 88210 Road, Aztec, NM 87410 AUG 1 9 2016 Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit one copy to appropriate District Office		
20, S. St. Franc	vis Dr., Santa Fe, NM 87505 RECEIVED NFO Permit No		
	APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)		
Α.	Applicant Apache Corporation		
	whose address is, 1945 Bluestem Road, Artesia, NM 88210,		
	hereby requests an exception to Rule 19.15.18.12 for90days or until		
	, Yr, for the following described tank battery (or LACT):		
	Name of Lease Washington 33 ST 56 Battery Name of PoolYeso		
	Location of Battery: Unit Letter K Section 33 Township 17S Range 28E		
	Number of wells producing into battery		
В.	Based upon oil production ofbarrels per day, the estimated * volume		
	of gas to be flared is MCE; Value per day.		
C.	Name and location of nearest gas gathering facility: Artesia DCP Gas Plant		
D.	DistanceEstimated cost of connection		
E.	This exception is requested for the following reasons: DCP curtails their gas due to repairs or plant problems. This is an extension to the one that expires		
	.08/31/2016:		
	30-015-40116		
ivision have l	that the rules and regulations of the Oil Conservation been complied with and that the information given above Approved Until NOV. 30, 2016		
true and con-	Jackel Halbson By Analia Bastanante		
ignature			
rinted Nam			
	Isabel Hudson - Regulatory Analyst Isabel Hudson @anachecoro.com		

* Gas-Oil ratio test may be required to verify estimated gas volume:

ij

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

. . . .

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

1. Venting gas is absolutely not allowed.

- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here 77

DATE: 0/19/16

State of New Mexico

Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary AT NON

David Catanach Division Director Olf Conservation Division



FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- · Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- · Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies. State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



NOTICE TO OPERATORS

The Oil Conservation Division ("OCD") has been tasked to study flaring and develop a gas capture plan by the end of the year with the ultimate goal to reduce natural gas emissions.

Current OCD reporting has no specific method to differentiate flared and vented volumes reported on C-115 reports. This prevents the OCD from having quantifiable flaring data per Rule 19.15.18.12.F NMAC.

Therefore, to collect flaring volumes and differentiate actual vented volumes going forward, NMOCD will implement a new "Non-Transported Disposition" Code (for gas) to be reported on the C-115 reports. The new code will be "F" for Flared. The new code "F" is to be used to report the volume of gas that is flared on a well basis, or total volume if flared at a common battery or gathering system and reported under one point of disposition. Operators must report vented and flared volumes separately to their respective "Non Transported Disposition" code ("V" for vented and "F" for flared).

The change will become effective for the November 2015 production month with reporting due by January 15, 2016.

The NMOCD will be conducting operator outreach training sessions in the Southeast and Northwest to provide information and answer questions regarding the process.

Meeting notices will be posted on NMOCD website at: http://www.emnrd.state.nm.us/OCD/announcements.html

The C-115 instructions are available on NMOCD website at: http://www.emnrd.state.nm.us/OCD/documents/eC115_FullInstructions.pdf

RULES

19.15.7.24 OPERATOR'S MONTHLY REPORT (Form C-115):

A. An operator shall file a form C-115 for each non-plugged well completion for which the division has approved a form C-104 and for each secondary or other enhanced recovery project or pressure maintenance project injection well or other injection well within the state, setting forth complete information and data indicated on the forms in the order, format and style the director prescribes. The operator shall estimate oil production from wells producing into common storage as accurately as possible on the basis of periodic tests.

19.15.18.12 CASINGHEAD GAS:

F. Pending connection of a well to a gas-gathering facility, or when a well has been excepted from the provisions of Subsection A of 19.15.18.12 NMAC, the operator shall burn all gas produced and not used, and report the estimated volume on form C-115.

Thank you for your assistance in this matter. If you have any questions please contact the appropriate OCD District Office.

Sincerely,

David R. Catanach Director, Oil Conservation Division

	State of New Mexico	Form C-103
District ~ (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources	Revised August 1, 2011 WELL API NO,
District II - (575) 748-1283 811 S. First St., Artésia, NM 88210	OIL CONSERVATION DIVISION	
District III - (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Azteć, NM 87410 District IV - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		
SUNDRY NOT	TICES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name Washington 33 State 56 Battery
PROPOSALS.)	ICATION FOR PERMIT" (FORM C-101) FOR SUCH	
1. Type of Well: Oil Well	Gas Well 🔲 Other	8. Well Number
2. Name of Operator Apache Corporation		9. OGRID Number 873
3. Address of Operator 303 Veterans Airpark Lane, Suite 3	3000 Midland TX 79705	10. Pool name or Wildcat Yeso (96830)
4. Well Location		1930 (30530)
	: 1550 feet from the South line and 2	2130 feet from the West line
Section 33	Township 17S Range 28E	NMPM County Eddy
	11. Elevation (Show whether DR, RKB, RT, GR, e	
749252.4c1151 COTA907	34	
12. Check	Appropriate Box to Indicate Nature of Notic	e, Report or Other Data
	NTENTION TO: SU	JBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK		
TEMPORARILY ABANDON	CHANGE PLANS	DRILLING OPNS. P AND A
		ENT JOB
	1	
OTHER: Flare Gas 13. Describe proposed or com of starting any proposed w proposed completion or rea	pleted operations. (Clearly state all pertinent details, vork). SEE RULE 19.15.7.14 NMAC. For Multiple (and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
Apache is requesting permission i	to temporarily flare the Washington 33 State wells liste	ed below. Intermittent flaring will occur and gas
Apache is requesting permission (will be measured prior to flaring, V	to temporarily flare the Washington 33 State wells liste Wells Included in the above battery are as follows:	ed.below. Intermittent flaring will occur and gas NM OIL CONSERVATION
Apache is requesting permission i will be measured prior to flaring. V	to temporarily flare the Washington 33 State wells list Wells Included in the above battery are as follows;	
Will be measured prior to flaring. V 30-015-40116 Washington 33-St	Wells Included in the above battery are as follows: tate.#60	NM OIL CONSERVATION
Will be measured prior to flaring. V 30-015-40116 Washington 33 St 30-015-41706 Washington 33 St 30-015-41780 Washington 33 St	Wells Included in the above battery are as follows: tate #60 tate #66 tate #67	NM OIL CONSERVATION Artesia district AUG 192016
Will be measured prior to flaring. V 30-015-40116 Washington 33-St 30-015-41708 Washington 33 St	Wells Included in the above battery are as follows: tate #60 tate #66 tate #67	NM OIL CONSERVATION ARTESIA DISTRICT
Will be measured prior to flaring. V 30-015-40116 Washington 33 St 30-015-41706 Washington 33 St 30-015-41780 Washington 33 St	Wells Included in the above battery are as follows: tate #60 tate #66 tate #67	NM OIL CONSERVATION Artesia district AUG 192016
Will be measured prior to flaring: V 30-015-40116 Washington 33 St 30-015-41706 Washington 33 St 30-015-41680 Washington 33 St 30-015-41681 Washington 33 St	Wells Included in the above battery are as follows: tate #60 tate #66 tate #67 tate #68	NM OIL CONSERVATION Artesia district AUG 192016
Will be measured prior to flaring. V 30-015-40116 Washington 33 St 30-015-41706 Washington 33 St 30-015-41780 Washington 33 St	Wells Included in the above battery are as follows: tate #60 tate #66 tate #67	NM OIL CONSERVATION Artesia district AUG 192016
Will be measured prior to flaring. V 30-015-40116 Washington 33-St 30-015-41708 Washington 33 St 30-015-41680 Washington 33 St 30-015-41681 Washington 33 St Spud Date:	Wells Included in the above battery are as follows: tate #60 tate #66 tate #67 tate #68 Rig Release Date:	NM OIL CONSERVATION ARTESIA DISTRICT AUG 192016 RECEIVED
Will be measured prior to flaring. V 30-015-40116 Washington 33-St 30-015-41708 Washington 33 St 30-015-41680 Washington 33 St 30-015-41681 Washington 33 St Spud Date:	Wells Included in the above battery are as follows: tate #60 tate #66 tate #67 tate #68	NM OIL CONSERVATION ARTESIA DISTRICT AUG 192016 RECEIVED
Will be measured prior to flaring: V 30-015-40116 Washington 33 St 30-015-41706 Washington 33 St 30-015-41680 Washington 33 St 30-015-41681 Washington 33 St 30-015-41681 Washington 33 St 30-015-41681 Washington 33 St Spud Date;	Wells Included in the above battery are as follows: tate #60 tate #67 tate #68 Rig Release Date:	NM OIL CONSERVATION ARTESIA DISTRICT AUG 192016 RECEIVED
Will be measured prior to flaring. V 30-015-40116 Washington 33-St 30-015-41708 Washington 33 St 30-015-41680 Washington 33 St 30-015-41681 Washington 33 St Spud Date:	Wells Included in the above battery are as follows: tate #60 tate #67 tate #68 Rig Release Date:	NM OIL CONSERVATION ARTESIA DISTRICT AUG 192016 RECEIVED
Will be measured prior to flaring: V 30-015-40116 Washington 33 St 30-015-41706 Washington 33 St 30-015-41680 Washington 33 St 30-015-41681 Washington 33 St 30-015-41681 Washington 33 St 30-015-41681 Washington 33 St Spud Date;	Wells Included in the above battery are as follows: tate #60 tate #66 tate #67 tate #68 Rig Release Date: above is true and complete to the best of my knowled UASM TITLE Regulatory Analyst	NM OIL CONSERVATION ARTESIA DISTRICT AUG 1 9 2016 RECEIVED dge and belief. DATE_08/18/2016
will be measured prior to flaring: V 30-015-40116 Washington 33 St 30-015-41706 Washington 33 St 30-015-41680 Washington 33 St 30-015-41681 Washington 33 St 30-015-41681 Washington 33 St 30-015-41681 Washington 33 St Spud Date:	Wells Included in the above battery are as follows: tate #60 tate #66 tate #68 Rig Release Date: n above is true and complete to the best of my knowled UASON TITLE: Regulatory Analyst E-mail address: Isabet.Hudson@a	NM OIL CONSERVATION ARTESIA DISTRICT AUG 1 9 2016 RECEIVED dge and belief.
will be measured prior to flaring. V 30-015-40116 Washington 33 St 30-015-41706 Washington 33 St 30-015-41680 Washington 33 St 30-015-41681 Washington 33 St 30-015-41681 Washington 33 St Spud Date:	Wells Included in the above battery are as follows: tate #60 tate #66 tate #68 Rig Release Date: n above is true and complete to the best of my knowled UASON TITLE: Regulatory Analyst E-mail address: Isabet.Hudson@a	NM OIL CONSERVATION ARTESIA DISTRICT AUG 1 9 2016 RECEIVED dge and belief. DATE_08/18/2016

IJ .