(August 2007)	OF 3160-5 August 2007) UNITED STATES DEPARTMENT OF THE INTERIOR				OMB N	APPROVED IO. 1004-0135
	BUREAU OF LAND MANAGEMENT NM OL FOSTAT				Expires: July 31, 2010 5. Lease Serial No.	
Form 3160-5 (August 2007) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-entensor 31 2016 abandoned well. Use form 3160-3 (APD) for such proposals.					NMLC0294158	
						· .
SUI	BMIT IN TRII	PLICATE - Other instruct	ions on reverse sideREC	ELVE	7. If Unit or CA/Agre	ement, Name and/or No.
1. Type of Well					8. Well Name and No MultipleSee Atta	
2. Name of Operator Contact: LESLIE GARVIS BURNETT OIL COMPANY INC E-Mail: Igarvis@burnettoil.com					9. API Well No. MultipleSee A	ttached
3a. Address 801 CHERRY ST FORT WORTH, T			3b. Phone No. (include area code Ph: 817-583-8730	;)	10. Field and Pool, or FREN	Exploratory
		, R., M., or Survey Description)	· · · · · · · · · · · · · · · · · · ·		11. County or Parish,	and State
MultipleSee Atta	MultipleSee Attached				EDDY COUNTY, NM	
12. CI	HECK APPR	ROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, R	EPORT, OR OTHE	R DATA
TYPE OF SUBM	ISSION	· · · · · · · · · · · · · · · · · · ·	ТҮРЕ О	FACTION		· · · · · · · · · · · · · · · · · · ·
Notice of Intent		Acidize	Deepen	Product	ion (Start/Resume)	UWater Shut-Off
		Alter Casing	Fracture Treat	🗖 Reclam	ation	U Well Integrity
Subsequent Report	ort .	Casing Repair	New Construction	🗖 Recomp	olete	Other Venting and/or Fla
Final Abandonm	ent Notice	<ul> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	Plug and Abandon Plug Back	Tempor Water E	arily Abandon	ng
following completion testing has been comp determined that the sit Burnett is request We will only be fla	r which the wor of the involved bleted. Final Ab te is ready for fi- ting permission aring as need	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bai led (i.e during DCP mainte	ive subsurface locations and measure Bond No. on file with BLM/BL/ Its in a multiple completion or rectional only after all requirements, includent terry from October through I nance). All gas flared will be	<ol> <li>Required sub ompletion in a r ding reclamation</li> <li>December 20</li> </ol>	rtical depths of all pertir sequent reports shall be lew interval, a Form 316 n, have been completed, 016.	filed within 30 days 0-4 shall be filed once
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler batter	r which the wor of the involved leted. Final Ab te is ready for fi- ting permissic aring as need LM requirement sly received a podated batter y is located a	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bai led (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar tt:	this re location is on file with BLM/BL/ Its in a multiple completion or rec only after all requirements, includ ttery from October through I nance). All gas flared will be this	<ol> <li>Required sul ompletion in a ling reclamation</li> <li>December 20 e metered an</li> </ol>	rtical depths of all pertir ssequent reports shall be new interval, a Form 316 n, have been completed, 016. d	filed within 30 days 0-4 shall be filed once
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous	r which the wor of the involved oleted. Final Ab te is ready for fi- ting permissic aring as need LM requirement sly received a podated batter y is located a CTION 12, U	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bai led (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar tt:	te Bond No. on file with BLM/BL/ Its in a multiple completion or rec l only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file.	A. Required suf ompletion in a f ding reclamation December 20 e metered an	rtical depths of all pertir sequent reports shall be lew interval, a Form 316 n, have been completed, 016.	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler batten T17S, R 31 E, SE 799' FSL, 564' FE	r which the wor of the involved oleted. Final Ab te is ready for fi- ting permissic aring as need LM requirement sly received a podated batter y is located a CTION 12, U	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bai led (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar tt:	te Bond No. on file with BLM/BL/ Its in a multiple completion or rec l only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file.	A. Required suf ompletion in a f ding reclamation December 20 e metered an	rtical depths of all pertir ssequent reports shall be iew interval, a Form 316 1, have been completed, 016. d CHED FOR	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler batten T17S, R 31 E, SE 799' FSL, 564' FE	r which the wor of the involved bleted. Final Ab te is ready for fin ting permission aring as need LM requirement sly received a potated batter y is located a CCTION 12, U 29415B	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bai ed (i.e during DCP mainte ents. upproval to install a flare at y diagram showing the flar it: INIT P, SESE true and correct. Electronic Submission #35 For BURNETT O	te Bond No. on file with BLM/BL/ Its in a multiple completion or rec I only after all requirements, includ ttery from October through I nance). All gas flared will be this this to location is on file. SEE CON	A. Required suf ompletion in a r ding reclamation December 20 e metered an ATTAC NDITIO	rtical depths of all pertir sequent reports shall be new interval, a Form 316 h, have been completed, off. d CHED FOR NS OF APPI	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler batten T17S, R 31 E, SE 799' FSL, 564' FE LEASE: NMLC-02	r which the wor of the involved bleted. Final Ab te is ready for fin ting permission aring as need LM requirement sly received a pdated batter y is located a CTION 12, U 29415B the foregoing is Commit	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bat ed (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar diagram showing the flar it: INIT P, SESE true and correct. Electronic Submission #35 For BURNETT O tted to AFMSS for processir	te Bond No. on file with BLM/BL/ Its in a multiple completion or rec I only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file. SEE CON	A. Required suf ompletion in a r ding reclamation December 20 e metered an ATTA( NDITIO) II Information e Carlsbad / ogi 09/09/2016	rtical depths of all pertir ssequent reports shall be iew interval, a Form 316 i, have been completed, 016. d CHED FOR NS OF APPI System (16DLM0890SE) ORDINATOR~ m	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler batten T17S, R 31 E, SE 799' FSL, 564' FE LEASE: NMLC-02	r which the wor of the involved bleted. Final Ab te is ready for fin ting permission aring as need LM requirement sly received a pdated batter y is located a CTION 12, U 29415B the foregoing is Commit	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bat ed (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar diagram showing the flar it: INIT P, SESE true and correct. Electronic Submission #35 For BURNETT O tted to AFMSS for processin ARVIS	te Bond No. on file with BLM/BL/ Its in a multiple completion or rec I only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file. SEE CON SO399 verified by the BLM We IL COMPANY INC, sent to the ng by DEBORAH MCKINNEY of Title REGUL	A. Required suf ompletion in a r ding reclamation December 20 ometered an ATTAC NDITIO	rtical depths of all pertir sequent reports shall be iew interval, a Form 316 i, have been completed, 016. d CHED FOR NS OF APPI System (16DLM0890SE) ORDINATOR- T IN VICE	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler batten T17S, R 31 E, SE 799' FSL, 564' FE LEASE: NMLC-02	r which the wor of the involved oleted. Final Ab te is ready for fin ing permission aring as need LM requirement sly received a polated batter y is located a CTION 12, U 29415B the foregoing is Commit LESLIE G.	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bat ed (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar diagram showing the flar it: INIT P, SESE true and correct. Electronic Submission #35 For BURNETT O tted to AFMSS for processin ARVIS	te Bond No. on file with BLM/BL/ Its in a multiple completion or rec I only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file. SEE CON 0399 verified by the BLM We IL COMPANY INC, sent to th ng by DEBORAH MCKINNEY of Title REGUL	A. Required suf ompletion in a r ding reclamation December 20 ometered an ATTAC NDITIO	rtical depths of all pertir sequent reports shall be iew interval, a Form 316 i, have been completed, 016. d CHED FOR NS OF APPI System (16DLM0890SE) ORDINATOR- T IN VICE	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler batten T17S, R 31 E, SE 799' FSL, 564' FE LEASE: NMLC-02	r which the wor of the involved oleted. Final Ab te is ready for fin ing permission aring as need LM requirement sly received a polated batter y is located a CTION 12, U 29415B the foregoing is Commit LESLIE G.	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bat ed (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar diagram showing the flar it: INIT P, SESE true and correct. Electronic Submission #35 For BURNETT O tted to AFMSS for processin ARVIS	te Bond No. on file with BLM/BL/ Its in a multiple completion or rec I only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file. SEE CON SO399 verified by the BLM We IL COMPANY INC, sent to the ng by DEBORAH MCKINNEY of Title REGUL	A. Required suf ompletion in a r ding reclamation December 20 ometered an ATTAC NDITIO	rtical depths of all pertir sequent reports shall be iew interval, a Form 316 h, have been completed, off. d CHED FOR NS OF APPI System (16DLM0840SE) ORDINATOR- T 11 V L	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler battery T17S, R 31 E, SE 799' FSL, 564' FE LEASE: NMLC-02 14. 1 hereby certify that t Name (Printed/Typed) Signature	r which the wor of the involved bleted. Final Ab te is ready for fi- ing permission aring as need LM requirement sly received a pdated batter y is located batter y is located a CTION 12, U 29415B the foregoing is Commit LESLIE G (Electronic State) (Electronic State) (Electronic State)	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bai ed (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar it: INIT P, SESE true and correct. Electronic Submission #35 For BURNETT O ted to AFMSS for processir ARVIS ubmission) THIS SPACE FOF	te Bond No. on file with BLM/BL/ Its in a multiple completion or rec only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file. SEE CON 50399 verified by the BLM We IL COMPANY INC, sent to th ng by DEBORAH MCKINNEY of Title REGUL Date 09/08/2 R FEDERAL OR STATE	A. Required suf ompletion in a r ding reclamation December 20 ometered an ATTAC NDITIO	rtical depths of all pertir sequent reports shall be iew interval, a Form 316 h, have been completed, 016. d CHED FOR NS OF APPI System 0(16DLM0800SE) ORDINATOR- T IN V D 24 19 2010	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler batten T17S, R 31 E, SE 799' FSL, 564' FE LEASE: NMLC-02 14. Thereby certify that t Name (Printed/Typed) Signature 	r which the wor of the involved bleted. Final Ab te is ready for fi- ling permission aring as need LM requirement sly received a pdated batter y is located a CTION 12, U 29415B the foregoing is Commit LESLIE G (Electronic State) (Electronic	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bai ed (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar it: INIT P, SESE true and correct. Electronic Submission #35 For BURNETT O ted to AFMSS for processir ARVIS ubmission) THIS SPACE FOF	e Bond No. on file with BLM/BL/ Its in a multiple completion or rec only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file. SEE CON 0399 verified by the BLM We IL COMPANY INC, sent to th ng by DEBORAH MCKINNEY Title REGUE Date 09/08/2 R FEDERAL OR STATE	A. Required suf ompletion in a r ding reclamation December 20 e metered an ATTAC NDITIO	rtical depths of all pertir sequent reports shall be iew interval, a Form 316 h, have been completed, 016. d CHED FOR NS OF APPI System 0(16DLM0840SE) ORDINATOR- DRDINATOR- 111 / 12 24 1/9 2010 24 1/9 2010 25 1/9 2010 25 1/9 2010	ROVAL
following completion testing has been comp determined that the sit Burnett is request We will only be fla reported as per Bl We have previous location and an up The Nosler battery T17S, R 31 E, SE 799' FSL, 564' FE LEASE: NMLC-02 14. Thereby certify that the Name (Printed/Typed) Signature 	r which the wor of the involved bleted. Final Ab te is ready for fi- ting permission aring as need LM requirements sly received a pdated batter y is located a CTION 12, U 29415B the foregoing is Commit LESLIE G. (Electronic St (Electronic St uny, are attached lds legal or equi plicant to conduc the or fraudulent st	k will be performed or provide it operations. If the operation resu andonment Notices shall be filed nal inspection.) on to flare at the Nosler bai led (i.e during DCP mainte ents. approval to install a flare at y diagram showing the flar it: INIT P, SESE true and correct. Electronic Submission #35 For BURNETT O thed to AFMSS for processir ARVIS ubmission) THIS SPACE FOF . Approval of this notice does no table title to those rights in the st it operations thereon. J.S.C. Section 1212, make it a cr atements or representations as to	e Bond No. on file with BLM/BL/ Its in a multiple completion or rec l only after all requirements, includ ttery from October through I nance). All gas flared will be this re location is on file. SEE CON 0399 verified by the BLM We IL COMPANY INC, sent to th ng by DEBORAH MCKINNEY Title REGUL Date 09/08/2 R FEDERAL OR STATE of warrant or ubject lease Office	A. Required suf ompletion in a r ding reclamation December 20 e metered an ATTAC NDITIO	rtical depths of all pertir sequent reports shall be iew interval, a Form 316 h, have been completed, 016. d CHED FOR NS OF APPI System (16DLM0800SE) ORDINATOR- T 11 / L 24 1/9 2010 Ke to any department or a	A part of the part

## Revisions to Operator-Submitted EC Data for Sundry Notice #350399

7

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	FLARE NOI	FLARE NOI
Lease:	NMLC029415B	NMLC029415B
Agreement:		
Operator:	BURNETT OIL CO. INC. BURNETT PLAZA - SUITE 1500 801 CHERRY STREET - UNIT FORT WORTH, TX 76102 Ph: 817-583-8730	BURNETT OIL COMPANY INC FCORT ON THE SX RAED 02 JNIT 9 FORT WORTH, TX 76102-6881 Ph: 817.332.5108
Admin Contact:	LESLIE GARVIS REGULATORY COORDINATOR E-Mail: Igarvis@burnettoil.com	LESLIE GARVIS REGULATORY COORDINATOR E-Mail: Igarvis@burnettoil.com
. •	Ph: 817-583-8730	Ph: 817-583-8730
Tech Contact:	LESLIE GARVIS REGULATORY COORDINATOR E-Mail: Igarvis@burnettoil.com	LESLIE GARVIS REGULATORY COORDINATOR E-Mail: Igarvis@burnettoil.com
•	Ph: 817-583-8730	Ph: 817-583-8730
Location: State: County: -	NM EDDY	NM EDDY
Field/Pool:	FREN GLORIETA YESO	FREN
Well/Facility:	NOSLER FEDERAL 1 Sec 12 T17S R31E Mer NMP SESE 799FSL 564FEL	NOSLER FEDERAL 1 Sec 12 T17S R31E NENW 330FSL 990FWL
•		NOSLER FEDERAL 5 Sec 13 T17S R31E NWNW Lot D 430FNL 430FWL

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Pursuant to NTL-4A III, Lessees or operators are hereby authorized to vent or flare gas on a short-term basis without incurring a royalty obligation in the following circumstances:

- A. <u>Emergencies.</u> During temporary emergency situations, such as compressor or other equipment failures, relief of abnormal system pressures, or other conditions which result in the unavoidable short-term venting or flaring of gas. However, this authorization to vent or flare gas in such circumstances without incurring a royalty obligation is limited to 24 hours per incident and to 144 hours cumulative for the lease during any calendar month, except with the prior authorization, approval, ratification, or acceptance of the Supervisor.
- B. <u>Well Purging and Evaluation Tests.</u> During the unloading or cleaning up of a well during drillstem, producing, routine purging, or evaluation tests, not exceeding a period of 24 hours.
- C. <u>Initial Production Tests.</u> During initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first, unless a longer test period has been authorized by the appropriate State regulatory agency and ratified or accepted by the Supervisor.
- D. <u>Routine or Special Well Tests.</u> During routine or special well tests, other than those cited in NTL-4A III.B and C above, only after approval by the Supervisor.

If a flaring event conforms with the requirements listed above as per NTL-4A III., the flared volumes are not royalty bearing and the operator does not need to submit a Sundry Notice. Report flared volumes as unavoidably lost on OGOR B.

## **Condition of Approval to Flare Gas**

- The first 24 hours of a <u>temporary emergency flare\*</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). NTL-4A specifies no more than 24 hours per incident and no more 144 hours cumulative for the lease during any calendar month. These Volumes are not royalty bearing and shall be reported on OGOR "B" as disposition code"23".
- 2. Flared volumes considered to be "avoidably lost":
  - Exceeding the first 24 hours for each temporary emergency flare event (144 hours cumulative for the lease per month), well purging and evaluation test.
  - During initial well evaluation tests, exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first
  - Scheduled flaring operations

These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in NTL-4A are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with NTL-4A.IV.B.. Volumes for avoidably lost gas shall be reported on OGOR "B" reports as disposition code "08". If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with NTL-4A.IV.B.. As an alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

- 3. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.
- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). Include method for volume determination and duration. Report unavoidably lost (first 24 hrs of unexpected event) and avoidably lost (exceeding the first 24 hrs or flared gas that has been approved as avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.

- 5. In determining the volumes of gas to be reported in accordance with NTL-4A the BLM CFO requires Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on Sundry Notice (Form 3160-5).
  - If installation of an approved gas meter is not economically feasible for continued operations. Submit Notice of Intent - Sundry Notice (Form 3160-5) to request an alternate method of determining gas volumes with a valid justification. Alternate methods are listed in NTL-4A. The Authorized Officer may require the installation of additional measurement equipment whenever it is determined that the present methods are inadequate to meet the purposes of this Notice.
- 6. An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 7. This approval does not authorize any additional surface disturbance.
- 8. Subject to like approval from NMOCD

## **Regulations and Definitions**

**Definition:** As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

**NTL-4A.IV.B.** Oil Well Gas. Except as provided in II.C and III above, <u>oil well gas may not be vented or flared unless</u> <u>approved in writing by the Supervisor</u>. The Supervisor may approve an application for the venting or flaring of oil well gas if justified either by the submittal of **(1)** an evaluation report supported by engineering, geologic, and economic data which demonstrates to the satisfaction of the Supervisor that the expenditures necessary to market or beneficially use such gas are not economically justified and that conservation of the gas, if required, would lead to the premature abandonment of recoverable oil reserves and ultimately to a greater loss of equivalent energy than would be recovered if the venting or flaring were permitted to continue or **(2)** an action plan that will eliminate venting or flaring of the gas within 1 year from the date of application.

\*<u>Temporary Emergency Flaring</u> is defined as an unexpected situation requiring immediate action. A flaring event is considered an emergency if the occurrence is out of the operators control and the operator had less than 24 hrs notification of the event. Scheduled or routine flare events will not be considered an emergency.