

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**NMOCD**  
**Artesia**FORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.  
NMNM120350

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
HORNSBY 35 FEDERAL COM 8H9. API Well No.  
30-015-4216910. Field and Pool, or Exploratory  
WILDCAT BONE SPRING11. County or Parish, and State  
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator  
CIMAREX ENERGY COMPANYContact: ARICKA EASTERLING  
E-Mail: aeasterling@cimarex.com3a. Address  
202 S. CHEYENNE AVE, SUITE 1000  
TULSA, OK 741033b. Phone No. (include area code)  
Ph: 918-560-70604. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Sec 35 T26S R27E SESW 210FSL 1980FEL

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                   | TYPE OF ACTION                                |                                           |                                                    |                                           |
|------------------------------------------------------|-----------------------------------------------|-------------------------------------------|----------------------------------------------------|-------------------------------------------|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen           | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off   |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat   | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity   |
| <input type="checkbox"/> Final Abandonment Notice    | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete                | <input checked="" type="checkbox"/> Other |
|                                                      | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon       | Change to Original A                      |
|                                                      | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back        | <input type="checkbox"/> Water Disposal            | PD                                        |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Cimarex respectfully request approval to change the original drilling plan for the above referenced well. Cimarex proposes to change the BHL there by changing the directional plan. No additional disturbance is required. Please see attached directional plan and plat.

**NM OIL CONSERVATION**  
ARTESIA DISTRICT

DEC 12 2016

Approved:  
BHL: 330 FNL & 1560 FEL Sec 26-26S-27E  
Proposed:  
BHL: 330 FNL & 1700 FEL Sec 26-26S-27E

RECEIVED

drilling COAs from EC# 321178 still stand

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #357360 verified by the BLM Well Information System  
For CIMAREX ENERGY COMPANY, sent to the Carlsbad  
Committed to AFMSS for processing by DEBORAH MCKINNEY on 11/08/2016 ()

Name (Printed/Typed) ARICKA EASTERLING

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 11/08/2016

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\***

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                         |                                                      |                                                   |
|-----------------------------------------|------------------------------------------------------|---------------------------------------------------|
| <sup>1</sup> API Number<br>30-015-42169 | <sup>2</sup> Pool Code<br>30215                      | <sup>3</sup> Pool Name<br>Hay Hollow; Bone Spring |
| <sup>4</sup> Property Code              | <sup>5</sup> Property Name<br>HORNSBY 35 FEDERAL COM | <sup>6</sup> Well Number<br>8H                    |
| <sup>7</sup> OGRID No.<br>215099        | <sup>8</sup> Operator Name<br>CIMAREX ENERGY CO.     | <sup>9</sup> Elevation<br>3240.3'                 |

<sup>10</sup> Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| 2             | 35      | 26S      | 27E   |         | 290           | SOUTH            | 2030          | EAST           | EDDY   |

<sup>11</sup> Bottom Hole Location If Different From Surface


| UL or lot no.                           | Section                       | Township                         | Range                   | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|-----------------------------------------|-------------------------------|----------------------------------|-------------------------|---------|---------------|------------------|---------------|----------------|--------|
| B                                       | 26                            | 26S                              | 27E                     |         | 330           | NORTH            | 1700          | EAST           | EDDY   |
| <sup>12</sup> Dedicated Acres<br>224.21 | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |         |               |                  |               |                |        |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

- <sup>16</sup>
- = SURFACE HOLE LOCATION
  - ◇ = LANDING POINT
  - = BOTTOM HOLE LOCATION
  - ▲ = SECTION CORNER LOCATED

NOTE:  
Distances referenced on plat  
to section lines are  
perpendicular.

REV: 1 10-28-16 D.P. (BHL MOVE)



<sup>17</sup> OPERATOR  
CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: Aricka Easterling Date: 11/7/16

Printed Name: Aricka Easterling

E-mail Address: aeasterling@cimarex.com

E-mail Address: aeasterling@cimarex.com

<sup>18</sup> SURVEYOR  
CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

October 5, 2015

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number:

## Cimarex Hornsby 35 Federal Com 8H Rev4 RM 07Nov16 Proposal

## Geodetic Report

(Non-Def Plan)



**Report Date:** November 07, 2016 - 12:00 PM  
**Client:** Cimarex  
**Field:** NM Eddy County (NAD 83)  
**Structure / Slot:** Cimarex Hornsby 35 Federal Com 8H / Cimarex Hornsby 35 Federal Com 8H  
**Well:** Cimarex Hornsby 35 Federal Com 8H  
**Borehole:** Original Borehole  
**UWI / API#:** Unknown / Unknown  
**Survey Name:** Cimarex Hornsby 35 Federal Com 8H Rev4 RM 07Nov16  
**Survey Date:** November 07, 2016  
**Tort / AHD / DDI / ERD Ratio:** 122.577' / 6995.274 ft / 5.203' / 0.899  
**Coordinate Reference System:** NAD83 New Mexico State Plane, Eastern Zone, US Feet  
**Location Lat / Long:** N 32° 0' 2.85930", W 104° 9' 31.62729"  
**Location Grid N/E Y/X:** N 364072.130 RUS, E 595444.860 RUS  
**CRS Grid Convergence Angle:** 0.0925°  
**Grid Scale Factor:** 0.99991244  
**Version / Patch:** 2.10.254.0

**Survey / DLS Computation:** Minimum Curvature / Lubinski  
**Vertical Section Azimuth:** 2.644° (Grid North)  
**Vertical Section Origin:** 0.000 ft, 0.000 ft  
**TVD Reference Datum:** RKB  
**TVD Reference Elevation:** 3260.300 ft above MSL  
**Seabed / Ground Elevation:** 3240.300 ft above MSL  
**Magnetic Declination:** 7.376°  
**Total Gravity Field Strength:** 998.4279mgm (9.80665 Based)  
**Gravity Model:** GARM  
**Total Magnetic Field Strength:** 48047.013 nT  
**Magnetic Dip Angle:** 59.715°  
**Declination Date:** November 07, 2016  
**Magnetic Declination Model:** HDGM 2016  
**North Reference:** Grid North  
**Grid Convergence Used:** 0.0925°  
**Total Corr Mag North->Grid North:** 7.2836°

Local Coord Referenced To: Structure Reference Point

| Comments                       | MD<br>(ft) | Incl<br>(°) | Azim Grid<br>(°) | TVD<br>(ft) | VSEC<br>(ft) | NS<br>(ft) | EW<br>(ft) | DLS<br>(°/100ft) | Northing<br>(RUS) | Easting<br>(RUS) | Latitude<br>(N/S ° ' ")   | Longitude<br>(E/W ° ' ") |
|--------------------------------|------------|-------------|------------------|-------------|--------------|------------|------------|------------------|-------------------|------------------|---------------------------|--------------------------|
| Tie-In [290° FSL,<br>2030 FEL] | 0.00       | 0.00        | 0.00             | 0.00        | 0.00         | 0.00       | 0.00       | N/A              | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 100.00     | 0.00        | 90.00            | 100.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 200.00     | 0.00        | 90.00            | 200.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 300.00     | 0.00        | 90.00            | 300.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 400.00     | 0.00        | 90.00            | 400.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 500.00     | 0.00        | 90.00            | 500.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 600.00     | 0.00        | 90.00            | 600.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 700.00     | 0.00        | 90.00            | 700.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 800.00     | 0.00        | 90.00            | 800.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 900.00     | 0.00        | 90.00            | 900.00      | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1000.00    | 0.00        | 90.00            | 1000.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1100.00    | 0.00        | 90.00            | 1100.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1200.00    | 0.00        | 90.00            | 1200.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1300.00    | 0.00        | 90.00            | 1300.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1400.00    | 0.00        | 90.00            | 1400.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1500.00    | 0.00        | 90.00            | 1500.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1600.00    | 0.00        | 90.00            | 1600.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1700.00    | 0.00        | 90.00            | 1700.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1800.00    | 0.00        | 90.00            | 1800.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 1900.00    | 0.00        | 90.00            | 1900.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 2000.00    | 0.00        | 90.00            | 2000.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 2100.00    | 0.00        | 90.00            | 2100.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 2200.00    | 0.00        | 90.00            | 2200.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 2300.00    | 0.00        | 90.00            | 2300.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 2400.00    | 0.00        | 90.00            | 2400.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |
|                                | 2500.00    | 0.00        | 90.00            | 2500.00     | 0.00         | 0.00       | 0.00       | 0.00             | 364072.13         | 595444.86        | N 32 0 2.86 W 104 9 31.63 | 9 31.63                  |





| Comments                                   | MD<br>(ft) | Incl<br>(°) | Azim Grid<br>(°) | TVD<br>(ft) | VSEC<br>(ft) | NS<br>(ft) | EW<br>(ft) | DLS<br>(°/100ft) | Northing<br>(ftUS) | Easting<br>(ftUS) | Latitude<br>(N/S ° ' ") | Longitude<br>(E/W ° ' ") |
|--------------------------------------------|------------|-------------|------------------|-------------|--------------|------------|------------|------------------|--------------------|-------------------|-------------------------|--------------------------|
|                                            | 13700.00   | 90.09       | 359.86           | 7771.22     | 6044.76      | 6036.59    | 316.33     | 0.00             | 370108.18          | 595761.16         | N 32 1 2.59             | W 104 9 27.84            |
|                                            | 13800.00   | 90.09       | 359.86           | 7771.06     | 6144.64      | 6136.59    | 316.08     | 0.00             | 370208.17          | 595760.91         | N 32 1 3.58             | W 104 9 27.84            |
|                                            | 13900.00   | 90.09       | 359.86           | 7770.90     | 6244.52      | 6236.59    | 315.84     | 0.00             | 370308.16          | 595760.67         | N 32 1 4.57             | W 104 9 27.84            |
|                                            | 14000.00   | 90.09       | 359.86           | 7770.75     | 6344.40      | 6336.59    | 315.59     | 0.00             | 370408.15          | 595760.42         | N 32 1 5.56             | W 104 9 27.84            |
|                                            | 14100.00   | 90.09       | 359.86           | 7770.59     | 6444.28      | 6436.59    | 315.34     | 0.00             | 370508.14          | 595760.17         | N 32 1 6.55             | W 104 9 27.84            |
|                                            | 14200.00   | 90.09       | 359.86           | 7770.43     | 6544.16      | 6536.59    | 315.09     | 0.00             | 370608.13          | 595759.92         | N 32 1 7.54             | W 104 9 27.85            |
|                                            | 14300.00   | 90.09       | 359.86           | 7770.27     | 6644.05      | 6636.59    | 314.85     | 0.00             | 370708.12          | 595759.68         | N 32 1 8.53             | W 104 9 27.85            |
|                                            | 14400.00   | 90.09       | 359.86           | 7770.11     | 6743.93      | 6736.59    | 314.60     | 0.00             | 370808.11          | 595759.43         | N 32 1 9.52             | W 104 9 27.85            |
| Cimarex<br>Hornsby 35                      |            |             |                  |             |              |            |            |                  |                    |                   |                         |                          |
| Federal Com 8H<br>PBHL [330'<br>FNL, 1700' | 14472.60   | 90.09       | 359.86           | 7770.00     | 6816.45      | 6809.19    | 314.42     | 0.00             | 370880.71          | 595759.25         | N 32 1 10.23            | W 104 9 27.85            |

Survey Type: Non-Def Plan

Survey Error Model: ISCWSA Rev 0 \*\*\* 3-D 95.000% Confidence 2.7955 sigma

Survey Program:


| Description | Part | MD From<br>(ft) | MD To<br>(ft) | EOU Freq<br>(ft) | Hole Size<br>(in) | Casing<br>Diameter<br>(in) | Expected Max<br>Inclination<br>(deg) | Survey Tool Type                    | Borehole / Survey                                                           |
|-------------|------|-----------------|---------------|------------------|-------------------|----------------------------|--------------------------------------|-------------------------------------|-----------------------------------------------------------------------------|
|             | 1    | 0.000           | 20.000        | 1/100.000        | 30.000            | 30.000                     |                                      | NAL_MWD_PLUS_0.5_DEG-<br>Depth Only | Original Borehole / Cimarex<br>Hornsby 35 Federal Com 8H<br>Rev4 RM 07Nov16 |
|             | 1    | 20.000          | 14472.604     | 1/100.000        | 30.000            | 30.000                     |                                      | NAL_MWD_PLUS_0.5_DEG                | Original Borehole / Cimarex<br>Hornsby 35 Federal Com 8H                    |

|                   |                                   |                         |                                   |
|-------------------|-----------------------------------|-------------------------|-----------------------------------|
| Borehole:         | Well:                             | Field:                  | Structure:                        |
| Original Borehole | Cimarex Hornsby 35 Federal Com 8H | NM Eddy County (NAD 83) | Cimarex Hornsby 35 Federal Com 8H |

|                                                                       |                                                                   |                                                         |
|-----------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------|
| Gravity & Magnetic Parameters                                         | Surface Location                                                  | Miscellaneous                                           |
| Model: HDGM 2016 Dip: 59.715° Date: 07-Nov-2016                       | NAD83 New Mexico State Plane, Eastern Zone, US Feet               | Cimarex                                                 |
| MagDec: 7.376° FS: 48047.013mT Gravity FS: 998.428mgn (9.80665 Based) | Lat: N 32 0 2.88 Northing: 364072.131m US Grid Conv: 0.0025"      | Slot: Hornsby 35                                        |
|                                                                       | Lon: W 104 9 31.53 Easting: 595444.868m US Scale Fact: 0.99991244 | Federal Com 8H                                          |
|                                                                       |                                                                   | Plan: Cimarex Hornsby 35 Federal Com 8H Rev4 RM 07Nov16 |

EW (ft) Scale = 1:2000.00(ft)



## Critical Points

| Critical Point                                           | MD       | INCL  | AZIM   | TVD     | VSEC    | N(+)/S(-) | E(+)/W(-) | DLS   |
|----------------------------------------------------------|----------|-------|--------|---------|---------|-----------|-----------|-------|
| Tie-In [290' FSL, 2030 FEL]                              | 0.00     | 0.00  | 0.00   | 0.00    | 0.00    | 0.00      | 0.00      |       |
| KOP - Build 12'/100ft DLS                                | 7120.66  | 0.00  | 90.00  | 7120.66 | 0.00    | 0.00      | 0.00      | 0.00  |
| Build 12'/100ft DLS                                      | 7390.85  | 32.42 | 90.00  | 7376.66 | 3.43    | 0.00      | 74.43     | 12.00 |
| First Legal Take Point                                   | 7589.00  | 39.40 | 50.57  | 7539.19 | 48.68   | 40.53     | 177.61    | 12.00 |
| Landing Point                                            | 8142.11  | 90.09 | 359.86 | 7780.00 | 493.43  | 478.72    | 329.94    | 12.00 |
| Cimarex Hornsby 35 Federal Com 8H PBHL [330' FNL, 1700'] | 14472.60 | 90.09 | 359.86 | 7770.00 | 6816.45 | 6809.19   | 314.42    | 0.00  |

|                   |                                                   |
|-------------------|---------------------------------------------------|
| <b>CONTROLLED</b> |                                                   |
| Plan ref          | Cimarex Hornsby 35 Federal Com 8H Rev4 RM 07Nov16 |
| Drawing ref       |                                                   |
| Copy number       | of 3                                              |
| Date              | 07-Nov-2016                                       |
| 1                 | Client                                            |
| 2                 | Client                                            |
| 3                 | Office                                            |
| 4                 | Office                                            |
| Copy number for   |                                                   |