District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

□ Original

☐ Amended

# State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit Original to Appropriate District Office

M OIL CONSERVATIC ARTESIA DISTRICT

			No.	RECEIVED	
Operator: Apache Corporation	OGRID No:	873	Date: 4/19/2017_	ACCELVE!	
			Date:		

Reason for Amendment: \_\_\_\_\_\_\_
This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for

GAS CAPTURE PLAN

Note: A C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule 19.15.18.12.A

## Well(s)/Production Facility - Name of facility

The well(s) that will be located at the production facility are shown in the table below.

new completion (new drill, recomplete to new zone, re-frac) activity.

Well Name	API	Well	Footages	Expected	Flared or	Comments	
		Location		MCF/D	Vented		
Palmillo 14-15 State 2H	30-015-44043	Sec 15 T19S R28E	285' FSL & 315' FEL	1183	Flared	Flared only emergency	in
Palmillo 14-15 State 3H	30-015-44040	Sec 15 T19S R28E	1600' FNL & 450' FEL	1183	Flared	Flared only emergency	in
Palmillo 14-15 State 301H	30-015-44045	Sec 15 T19S R28E	250' FSL & 315' FEL	1011	Flared	Flared only emergency	in

#### **Gathering System and Pipeline Notification**

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to <a href="https://docs.py.ncb/bc/">DCP MIDSTREAM LP</a> and will be connected to <a href="https://docs.py.ncb/bc/">DCP MIDSTREAM LP</a> and will be connected to <a href="https://docs.py.ncb/bc/">DCP MIDSTREAM LP</a> and will be connected to <a href="https://docs.py.ncb/bc/">DCP MIDSTREAM LP</a> a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, <a href="https://docs.py.ncb/bc/">Apache Corporation</a> and <a href="https://docs.py.ncb/bc/">DCP MIDSTREAM LP</a> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <a href="https://docs.py.ncb/bc/">DCP'S ARTESIA</a> Processing Plant located in <a href="https://docs.py.ncb/schedules-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters and gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-system-pressures-based-on-compression-operating-parameters-and-gathering-parameters-and-gathering-parameters-and-gathering-parameters-and-gathering-parameters-and-gathering-parameters-and-gathering-parameters-and-gathering-parameters-and-gathering-parameters-and-gatheri

### Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on **DCP MIDSTREAM LP** system at that time. Based on current information, it is **Apache Corporation's** belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines