

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources

Form C-104  
Revised August 1, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

AMENDED REPORT

I. REQUEST FOR ALLOWANCE AND AUTHORIZATION TO TRANSPORT

1 Operator name and Address Cimarex Energy Co. of Colorado 600 N. Marienfeld Suite 600 Midland TX 79701		ARTESIA DISTRICT <b>JUL 24 2017</b>		2 OGRID Number 162683	3 Reason for Filing Code/ Effective Date RC/ 2-16-2017
4 API Number 30 - 015-33394	5 Pool Name White City, Penn (Gas)		6 Pool Code 87280		
7 Property Code 303008	8 Property Name White City 31 Federal		9 Well Number 2		

II. 10 Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
K	31	24S	26E		2150'	South	1700'	West	Eddy

11 Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	31	24S	26E		2591'	South	1490'	West	Eddy

12 Lsc Code F	13 Producing Method Code P	14 Gas Connection Date 2/16/2017	15 C-129 Permit Number	16 C-129 Effective Date	17 C-129 Expiration Date
------------------	-------------------------------	-------------------------------------	------------------------	-------------------------	--------------------------

III. Oil and Gas Transporters

18 Transporter OGRID	19 Transporter Name and Address	20 O/G/W
151618	Enterprise Field Services, LLC PO BOX 4503 Houston TX 77210	G
21778	Sunoco Inc R&M PO BOX 2039 Tulsa OK	O

IV. Well Completion Data

21 Spud Date 12/23/2004	22 Ready Date 2/16/2017	23 TD 12150'	24 PBDT 11315'	25 Perforations 10374'-10450' (STRAWN)	26 DHC, MC
27 Hole Size	28 Casing & Tubing Size	29 Depth Set	30 Sacks Cement		
17 1/2"	13 3/8" J55 54.5#	208'	348 sks		
12 1/4"	9 5/8" NS110 40#	1685'	800 sks		
8 3/4"	5 1/2" P110 17#	12150'	2645 sks, TOC 490'		
	2 7/8"	10331'			

V. Well Test Data

31 Date New Oil	32 Gas Delivery Date	33 Test Date	34 Test Length	35 Tbg. Pressure	36 Csg. Pressure
	2/16/2017	3/1/2017	24 hours	1400	1100
37 Choke Size	38 Oil	39 Water	40 Gas	41 Test Method	
0	0	0	22		

42 I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Amithy Crawford</i>		OIL CONSERVATION DIVISION Approved by: <i>[Signature]</i>	
Printed name: Amithy Crawford		Title: STAFF MGR	
Title: Regulatory Analyst		Approval Date: 7-25-2017	
E-mail Address: acrawford@cimarex.com			
Date: 7/20/2017	Phone: 432-620-1909		

Pending BLM approvals will subsequently be reviewed and scanned

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: July 31, 2010

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

5. Lease Serial No.  
NMNM0441951A

1a. Type of Well  Oil Well  Gas Well  Dry  Other  
 b. Type of Completion  New Well  Work Over  Deepen  Plug Back  Diff. Resvr.  
 Other \_\_\_\_\_

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

2. Name of Operator  
CIMAREX ENERGY CO  
 Contact: AMITHY E CRAWFORD  
 E-Mail: acrawford@cimarex.com

8. Lease Name and Well No.  
WHITE CITY 31 FEDERAL 2

3. Address 202 S. CHEYENNE AVE STE 1000  
TULSA, OK 74103

3a. Phone No. (include area code)  
405-222-1422

9. API Well No. 30-015-33394

4. Location of Well (Report location clearly and in accordance with Federal requirements) ARIZONA DISTRICT

**NM OIL CONSERVATION**

10. Field and Pool, or Exploratory  
WHITE CITY; PENN

At surface 2150FSL 1700FWL

JUL 24 2017

11. Sec., T., R., M., or Block and Survey  
or Area Sec 31 T24S R26E Mer

At top prod interval reported below 2150FSL 1700FWL

**RECEIVED**

12. County or Parish  
EDDY

13. State  
NM

14. Date Spudded  
12/23/2004

15. Date T.D. Reached  
01/25/2005

16. Date Completed  
 D & A  Ready to Prod.  
02/16/2017

17. Elevations (DF, KB, RT, GL)\*  
3493 GL

18. Total Depth: MD 12150  
TVD 12079

19. Plug Back T.D.: MD 11315  
TVD

20. Depth Bridge Plug Set: MD 11350  
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)  
PRODUCTION LOG

22. Was well cored?  No  Yes (Submit analysis)  
 Was DST run?  No  Yes (Submit analysis)  
 Directional Survey?  No  Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 J55	54.5	0	205		348		0	
12.250	9.625 NS110	40.0	0	1685		800		0	
8.750	5.500 P100	17.0	0	12150		2645		490	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	10331	10331						

25. Producing Intervals

26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) STRAWN	10374	10450	10374 TO 10450	0.400	150	OPEN
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
10374 TO 10450	20000 GAL 20% NEFE ACID

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
02/16/2017	03/01/2017	24	→	0.0	22.0	0.0			GAS LIFT
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
SI	1400	1100.0	→	0	22	0		PGW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API
			→				
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio
SI			→				

Pending BLM approvals will subsequently be reviewed and scanned

BC 7-26-17

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #382282 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

**\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\***

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)  
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth

32. Additional remarks (include plugging procedure):  
Set CIBP at 11350' with 35' cement on top. Abandon Morrow formation.

33. Circle enclosed attachments:

- 1. Electrical/Mechanical Logs (1 full set req'd.)
- 2. Geologic Report
- 3. DST Report
- 4. Directional Survey
- 5. Sundry Notice for plugging and cement verification
- 6. Core Analysis
- 7. Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #382282 Verified by the BLM Well Information System.  
For CIMAREX ENERGY CO, sent to the Carlsbad**

Name (please print) AMITHY E CRAWFORD Title REGULATORY ANALYST

Signature (Electronic Submission) Date 07/24/2017


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\***



Post Strawn RC WBD  
KB - 23' above GL

Cimarex Energy Co. of Colorado  
White City 31 Federal #2  
SHL - 2150' FSL & 1700' FWL  
corr BHL - 1709' FSL & 1490' FWL  
Sec. 31, T-24-S, R-26-E, Eddy Co., NM  
M. Karner 11/21/2016



13-3/8", 54.5# J-55 csg @ 200'  
cmtd w/ 250 sx, cmt circ

TOC @ 490' by TS

9-5/8", 40# NS-110HC csg @ 1685'  
cmtd w/ 600 sx, cmt circ

2-7/8" 6.5# L-80 Tbg

DV Tool @ 7133'  
cmtd w/ 1410 sx

On-off Tool w/ 2.313" Profile nipple @ 10,324'  
AS-1X pkr @ +/- 10,331'

Strawn perfs 10,374' - 10,450'

CIBP set at +/- 11350' with 35' cement on top

CIBP set at +/- 11,397'

Morrow perfs (11447' - 11936')

PBTD @ 11934 on 8/22/06.

5-1/2" 17# P-110 & N-80 @ 12150' cmtd w/ 1160 sx, cmt circ  
TD @ 12150'

UNITED STATES **NM OIL CONSERVATION**  
DEPARTMENT OF THE INTERIOR ARTESIA DISTRICT  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS** JUL 24 2017  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

RECEIVED

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	8. Well Name and No. WHITE CITY 31 FEDERAL 2
2. Name of Operator CIMAREX ENERGY CO OF COLO Contact: AMITHY E CRAWFORD E-Mail: acrawford@cimarex.com	9. API Well No. 30-015-33394
3a. Address 202 S. CHEYENNE AVE STE 1000 TULSA, OK 74103	3b. Phone No. (include area code) Ph: 432-620-1909
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 31 T24S R26E 2150FSL 1700FWL	10. Field and Pool or Exploratory Area WHITE CITY PENN
	11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Hydraulic Fracturing
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input type="checkbox"/> Other
	<input type="checkbox"/> Alter Casing
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Plug and Abandon
	<input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Change Plans
	<input checked="" type="checkbox"/> Plug Back
	<input type="checkbox"/> Convert to Injection

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

White City 31 Federal #2 - Strawn Recompletion  
Plugback-Recompletion Ops

02/07-11/2017- RIH with 5 1/2" CIBP set at 11397'. Pressure test 5 1/2" casing to 5000 psi. Pressure casing up to 2900 psi, dropped to 0 psi immediately. Did not tag any cement. Tagged CIPB @ 11397'. Set RBP at 11350' to Test casing to 4000psi for 30 min. Lost 50 psi over 30 minute period. Release RBP. Set CIBP at 11350' with 35' cement. Test Casing to 5000 psi for 30 min. Had a 50 psi loss over 30 min period. Good Test. Abandoned Morrow Formation.

2/11/2017- Perforate Strawn formation from 10450'-10374'. 150 Total shots. .40.

2/14/2017- RIH 2 7/8" tubing, packer and GLVs set at 10331'.

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #382268 verified by the BLM Well Information System  
For CIMAREX ENERGY CO OF COLO, sent to the Carlsbad**

Name (Printed/Typed) AMITHY E CRAWFORD	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 07/24/2017

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By _____	Title Pending BLM approvals will subsequently be reviewed and scanned	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office <u>SC 7-26-17</u>	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and intentionally to make any representation or statement of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**Additional data for EC transaction #382268 that would not fit on the form**

**32. Additional remarks, continued**

2/15/2017- Acidize with 20000 gal 20% NEFE acid

2/16/2017- Flowback and Turn well over to Production.