Form 3160-5 (June 2015) OCD Artesia


origi

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					5. Lease Serial No. NMNM19848	
					6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well Soli Well Gas Well Other					8. Well Name and No. LAGUNA GRANDE UNIT 7	
Name of Operator Contact: AMITHY CRAWFORD CIMAREX ENERGY CO OF COLORAB@mail: acrawford@cimarex.com					9. API Well No. 30-015-42739	
			. (include area code) 0-1909		10. Field and Pool or Exploratory Area WILDCAT	
4. Location of Well (Footage, Sec., T., R. M., or Survey Description)			11. County or Parish, State			State
Sec 29 T23S R29E 180FNL 1650FEL				EDDY COUNTY, NM		
12. CHECK THE AF	PPROPRIATE BOX(ES) TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
Notice of Intent	☐ Acidize	☐ Dee	pen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	🗖 Нус	lraulic Fracturing	□ Reclam	ation	■ Well Integrity
☐ Subsequent Report	Casing Repair	🛭 Nev	v Construction	□ Recomp	plete	Other
☐ Final Abandonment Notice	Change Plans	☐ Plu	g and Abandon	☐ Tempor	arily Abandon	
	☐ Convert to Injection	ı 🗖 Pluş	g Back	■ Water Disposal		
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab- determined that the site is ready for f. Cimarex proposes to construct Laguna Grande Unit #3 Batter Pipeline specifications: 3950'	rk will be performed or provice operations. If the operation randonment Notices must be final inspection. It an on-lease gas pipeling, Located in the NW/SI of Buried 12" Steel pipel	de the Bond No. oresults in a multip filed only after all ne from the La E of section 29	n file with BLM/BIA le completion or reco requirements, includ guna Grande Un	 Required submpletion in a ling reclamation it #7 well to 	bsequent reports must be new interval, a Form 316 in, have been completed a the	filed within 30 days 0-4 must be filed once and the operator has
route. The pipeline will follow an existing road.					NM OIL CONSERVATION ARTESIA DISTRICT	
	Accepted for	9-12-) r record · N	MOCD	·	SEP 1	1 2017
					RECE	IVED
14. I hereby certify that the foregoing is	true and correct. Electronic Submission For CIMAREX EN	#368910 verifie ERGY CO OF C	d by the BLM Wel OLORADO, sent	I Information	n System pad	
Name (Printed Typed) AMITHY CRAWFORD			Title REGULATORY ANALYST			
Signature (Electronic S	Submission)		Date 03/06/2017			
	THIS SPACE F	OR FEDERA			SE	
Approved By 1	1 luber		Title FI	ELD MANA	.GER	88/28/17
"onditions of approval, if any arb attached ertify that the applicant holds legal or equ thich would entitle the applicant to condu	itable title to those rights in th		Office CARL	SBAD FIEL	D OFFICE	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.




Gas pipeline route

Located 180' FNL and 1650' FEL Section 29. Township 28 South, Range 29 Det. N b F M . Rady County of w Me reo


5.0. Lax 3.


To solve the same to the first test of the first



CIMAREX ENERGY COMPANY PROPOSED GAS LINE FOR THE LAGUNA GRANDE UNIT #7H SECTION 29, T23S, R29E,

N. M. P. M., EDDY CO., NEW MEXICO





LINE TABLE					
LINE	BÉARING	LENGTH			
L1	S 00'44'09" W	9 9'			
_2	S 35'03'47" E	372.71			
L3	S 39'36'40" E	245 27'			
L4	S 49'12'24" E	473.69'			
.5	S 08'45'56" W	199.93			
L6 -	S 16'26' 4" W	395.64			
<u>-7</u>	S 06°08'05" W	262.33'			
L8	S 05'25'34" E	473.04'			
_9	S 58'27'21" W	490.99'			
L10	S 55'59'14" W	445.86			
	S 18114'50" W	523.94			

SCALE: 1" = 1000' 0 500' 1000'

BEARINGS ARE GRID NAD 83 NM EAST DISTANCES ARE HORIZ. GROUND.

<u>i EGEND</u>

RECORD DATA GLO

FOUND MONUMENT
AS NOTED

PROPOSED GAL LINE

I, R. M. Howett, a N. M. Professional Surveyor, hereby certify that I prepared this plat from an actual survey made on the ground under my direct supervision, said survey and plat meet the Min. Stds. for Land Surveying in the State of N. M. and are true and correct to the best of my knowledge and belief.

Robert M. Howett NM PS 19680

NO. REVISION DATE

JOB NO.: LS1703136

DWG. NO.: 1 – 1703136

SCALE: 1" = 1000'
DATE: 3-10-2017
SURVEYED BY JM/JF
DRAWN BY: CMJ
APPROVED BY: RMH
SHEET: 1 OF 2

All Rights Peserved

Copyright 2016

CIMAREX ENERGY COMPANY

PROPOSED GAS LINE FOR THE LAGUNA GRANDE UNIT #7H SECTION 29, T23S, R29E,

N. M. P. M., EDDY CO., NEW MEXICO

DESCRIPTION

A strip of land 30 feet wide, being 3,892.59 feet or 235.914 rods in length, lying in Section 29, Township 23 South, Range 29 East, N. M. P. M., Eddy County, New Mexico, being 15 feet left and 15 feet right of the following described survey of a centerline across B. L. M. land:

BEGINNING at Engr. Sta. 0+00, a point in the Northeast quarter of Section 29, which bears S $77^{\circ}32^{\circ}02^{\circ}$ E, 1,493.91 feet from a brass cap, stamped "1942", found for the Northeast corner of Section 29;

Thence S 00'44'09" W, 9.19 feet, to Engr. Sta. 0+09.19, a P. I. of 35'47'56" left;

Thence S 35'03'47" E, 372.71 feet, to Engr. Sta. 3+81.90, a P. I. of 04'32'53" left;

Thence S 39'36'40" E, 245.27 feet, to Engr. Sto. 6+27.17, a P. I. of 09'35'44" left;

Thence S 49°12'24" E, 473.69 feet, to Engr. Sta. 11+00.86, a P. I. of 57°58'20" right;

Thence S 08'45'56" W, 199.93 feet, to Engr. Sta. 13+00.79, a P. I. of 07'40'18" right;

Thence S $16^{\circ}26'14''$ W, 395.64 feet, to Engr. Sta. 16+96.43, a P. I. of $10^{\circ}18'09''$ left;

Thence S $06^{\circ}08^{\circ}05^{\circ}$ W, 262.33 feet, to Engr. Sta. 19+58.76, a P. i. of $11^{\circ}33^{\prime}39^{\circ}$ left;

Thence S 05°25'34" E, 473.04 feet, to Engr. Sta. 24+31.80, a P. I. of 63°52'55" right;

Thence S 58'27'21" W, 490.99 feet, to Engr. Sta. 29+22.79, a P. I. of 02'28'07" left;

Thence S 55'59'14" W, 445.86 feet, to Engr. Sta. 33+68.65, a P. I. of 37'44'24" left;

Thence S 18'14'50" W, 523.94 feet, to Engr. Sta. 38+92.59, the End of Survey, a point in the Southeast quarter of Section 29, which bears S 44'24'17" E, 2,638.12 feet from a brass cap, stamped "1942", found for the Southeast corner of Section 29.

Said strip of land contains 2.681 acres, more or less and is allocated by forties as follows:

 NW 1/4 NE 1/4
 14.551
 Rods
 0.165
 Acres

 NE 1/4 NE 1/4
 64.680
 Rods
 0.735
 Acres

 SE 1/4 NE 1/4
 94.788
 Rods
 1.077
 Acres

 NE 1/4 SE 1/4
 5.554
 Rods
 0.063
 Acres

 NW 1/4 SE 1/4
 56.341
 Rods
 0.641
 Acres

NO. REVISION DATE

JOB NO. LS1703136

DWG. NO. 2-1703136

SCALE: 1" = 1000'
DATE: 3-10-2017
SURVEYED BY: JM/JF
DRAWN BY: CMJ
APPROVED BY: RMH
SHEET: 2 OF 2

LEASE SERIAL NUMBER: NMNM 19848 **COMPANY NAME:** Cimarex Energy Co.

ASSOCIATED WELL NAME: Laguna Grande Unit #7 to Laguna Grande Unit #3 Battery

BURIED PIPELINE STIPULATIONS

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.						
6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.						
7. The maximum allowable disturbance for construction in this right-of-way will be 30 feet:						
Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed $\underline{20}$ feet. The trench is included in this area. (Blading is defined as the complete removal of brush and ground vegetation.)						
• Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed 30 feet. The trench and bladed area are included in this area. (Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.)						
• The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (Compressing can be caused by vehicle tires, placement of equipment, etc.)						
8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately6 inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.						
9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.						
10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.						
11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.						
12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.						
() seed mixture 1 () seed mixture 3 (X) seed mixture 2 () seed mixture 4 () seed mixture 2/LPC () Aplomado Falcon Mixture						

- 13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2.
- 14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.
- 15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.
- 16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.
- 17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 18. <u>Escape Ramps</u> The operator will construct and maintain pipeline/utility trenches that are not otherwise fenced, screened, or netted to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:
 - a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
 - b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.