RECEIVED

APR 1 4 2006 UOU-AMTERIA

N.M. Oil Cons. DIV-Dist. & 1301 M. Grand Avenue Anoula, NM 88210



Form 3160-3 (August 1999)

INITED STATES

OMB No. 1004-0136

UNITEDSIATE	3		Explics Novello	CI 30, 2000	
DEPARTMENT OF THE I	5. Lease Serial No.				
BUREAU OF LAND MANAG	NM-93	184			
	6. If Indian, Allottee or Tribe Name				
APPLICATION FOR PERMIT TO D	Not Appli				
1a. Type of Work: X DRILL RE	ENTER				
Ta. Type of Work.	ENIER		Not Appli	cable	
b. Type of Well: Oil Well Gas Other Well	Jasper "ARJ"	Federal #4			
2. Name of Operator				(7,47	
Yates Petroleum Corporation					
3A. Address 105 South Fourth Street	3b. Phone No. (include area code	e)	10. Field and Pool, or Exp	loratory	
Artesia, New Mexico 88210	(505) 748-147	<u>'1</u>	320 acres ond No. on file NM-2811 23. Estimated duration 30 Days		
4. Location of Well (Report location clearly and in accordance with an	y State requirements.*)		11. Sec., T., R., M., or Bll	k, and Survey or Area	
At surface 660' FNL at	nd 660' FWL				
	as above				
14. Distance in miles and direction from nearest town or post office*			12. County or Parish	13. State	
Approximately twenty (20) miles Northeast of Ros			Chaves County	New Mexico	
I5. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)	16. No. of Acres in lease	17. Spacing Ur			
- · · · · · · · · · · · · · · · · · · ·	2120	20 DIN/DIA			
 Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 	19. Proposed Depth 6710'	20. BLM/BIA			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will	start*	23. Estimated duration		
3943' GL	ASAP		30 Days		
	24. Attachments	`			
The following, completed in accordance with the requirements of Onsho	ore Oil and Gas Order No. 1, shall b	e attached to this	form:		
Well plat certified by a registered surveyor.	4. Bond to cove	er the operations	unless covered by an existing	ng bond on file (see	
2. A Drilling Plan.	Item 20 abov	-	•	Q	
3. A Surface Use Plan (if the location is on National Forest System Lan	,	•			
SUPO shall be filed with the appropriate Forest Service Office.	'		nation and/or plans as may be	required by the	
\wedge	authorized of			oraquired of the	
23 Signatur	Name (Printed/Typed)		, Date		
Nelling L. Callogo	Debbie Caffall		!	3/14/2006	
email: debbiec@ypcnm.com					
Title: Regulatory Agent/Land Department					
Approved by (Signature) ERRG SGD.) DAYID & GLASS	Name (Printed/Typed)		Date		
	1000			APR 1 3 2006	
Title Folk Assistant Field Manager, Lands And Minerals	Office ROSWELL	FIELD OFFI	CE APPRO	VED FOR 1 YEAR	
Application approval does not warrant or certify that the applicant holds	legal or equitable title to those righ	nts in the subject	lease which would entitle the	applicant to conduct	
operations thereon.					
Conditions of approval, if any, are attached.					
Title 18 U.S.C. Section 1001and Title 43 U.S.C. Section 1212, make it		-	ake to any department or age	ncy of the United	

*(Instructions on reverse)

Previously Approved

Roswell Water Basin

C-144 Attached

If earthen pits are used in association with the drilling of this well, an OCD pit permit must be obtained prior to pit construction.

District I

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico

Energy, Minerals & Natural Resources Department

Form C-102 Revised August 15, 2000

District II

811 South First, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

1220 S. St

Francis Dr., Santa Fe, NM 87595			AMENDED REPORT
WI	ELL LOCATION AND	ACREAGE DEDICATION PLAT	
¹ API Number	² Pool Code	³ Pool Name	
	1 360		

¹ API Number	Peol Code	³ Pool Na	me
	16130	**************************************	we 448
⁴ Property Code	5 Pe	⁵ Property Name	
	Jasper A	ARJ Federal #4	4
7 OGRID No.	* O ₁	perator Name	⁹ Elevation
025575	Yates Petroleum Corporation		3965'

10 Surface Location North/South line UL or lot no. Township Range Feet from the Feet from the East/West line County 26E D 25 85 660 North 660 West **Chaves** Bottom Hole Location If Different From Surface Section Township Range Let Idn Feet from the North/South line Feet from the UL or lot no. East/West line County 12 Joint or Infill ¹⁴ Consolidation Code 12 Dedicated Acres 15 Order No. 320

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A

NON-STAND/	ARD UNIT HAS BEEN	APPROVED BY THE D	IVISION
,099	760°	2240'	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and
660' Jasper ARJ Federal #4	Jasper ARJ	Federal #2	GOLCI.
	M-93184		Robert Asher Printed Name Regulatory Agent
			Tile 03/24/2004 Date
			18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat
			was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true
			and correct to the best of my belief. REFER TO ORIGINAL PLAT Date of Survey
			Signature and Seal of Professional Surveyor.
			Certificate Number

DISTRICT I 1635 M. French Dr., Hobbs, 104 56340

State of New Mexico Receipt, Minerals and Sciencel Besources Departer

Form C-102 Borised March 17, 1999
Instruction on back
Submit to Appropriate District Office

State Lease - 4 Copies Pee Lease - 3 Copies

DISTRICT III DISTRICT III 1000 Bio Brazos Bd., Asteo, RM 87410 DISTRICT IV 2040 South Pacheco, Santa Pe, 104 87505

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088

AMENDED REPORT

API I	Number		1	Pool Code		Pool Name			iu
			<u> </u>			Wildcat Basement			
Property C	ode			.iase	Property Na PER "ARJ" FEDI			Well M	ambet'
OGRID No	<u> </u>	 _			Operator Ne				tion.
25575						DLEUM CORPORATION 3965			
					Surface Lo				
ar lot No.	Section	Township	Range	lot liba	Foot from the		Foot from the	Rest/West line	County
D	25	<i>8</i> S	26E		660	NORTH	660	WEST	CHAVE
		r=				ferent From Su			
or lot No.	Section	Township	Rango	Lot ldn	Post from the	North/South line	Post from the	East/Fest line	County
Mested Acres	a Joint c	r Institt C	onsolidation (Code Or	ler No.		.l	<u> </u>	<u> </u>
320	1]							
	WABLE 1	TIL BR A	SSIGNED '	ro This	COMPLETION	UNTIL ALL INTE	RESTS HAVE R	KEN CONSOLID	ATRO
						APPROVED BY			
1				1			OPERATION	OR CERTIFICAT	MON
3961 ⁹				.97			II i	y certify the the in	
	3962			12	1		contained herei	n is true and compl	
6607 -6				• 6		2240'		ofodge and belief.	
	3952			Jas	per "ARJ" f	ed. #2	1 / / / /	. /)	
N.33°35'44 W.104°15'					1		Signature	an Vero,	·
			NM-	93181	7			a Perez	
			•				Printed New		
				•			Regulat	ory Agent	
					İ		12/05/0)1	
					İ		Date		
							SURVEY	R CERTIFICAT	MON
							/ Asraba nartif	that he well locate	ían abaum
				1	j				l moba e
				i	1	0	on this plat w		
							en this plat w actual surveys supervison, as	made by me or id that the same to	under m true an
					ta i tra i de de la companya de la c		en this plat w actual surveys supervison, as	made by me or	under m true an
					en de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co		on this plat w actual surveys supervison, as correct to th	made by me or id that the same to	under m true an
					Soft of the second of the seco		en this plat we actual surveys supervison, as correct to the Date Surveys	made by me or the same to best of my balls, 10/08/2001	tinder m true an
					To the second of		on this plat we actual surveys supervison, as correct to the Date Surveys Signature & Protogramma	made by me or the same to best of my belts to best of my belts to best of my belts to be t	under m
					To the second of		on this plat we actual surveys supervison, as correct to the Date Surveys Signature & Protogramma	made by me or the same to best of my belts id.	tinder m true an
·	· · · · ·				Section of the sectio		on this plat we actual surveys supervison, as correct to the Date Surveys Signature & Protogramma	made by me or the same to best of my belts to best of my belts to best of my belts to be t	tinder in true an
: •	e .	···					on this plat we actual surveys supervison, as correct to the Date Surveys Signature & Protogramma	made by me or the same to best of my belts to best of my belts to best of my belts to be t	tinder in true an
1 -	·						on this plat we actual surveys supervison, as correct to the Date Surveys Signature & Protogramma	d that the same is a best of my balls. 10/08/2001 d Sept of my balls. MEXICO	trus an

District 1
1625 N. French Dr., Hobbs, NM 88240
District 11
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Snergy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes xx No

Type of action: Registration of a pit or below-grade tank 🔯 Closure of a pit or below-grade tank 🔲						
	elephone: (505) 748-4372 e-mail address: _d					
Address: 105 South 4th Street, Artesia, NM 88210	Diephone. (3037140-4312 C-man address. C	redoles & Abellin Colli				
	Facility or well name: Jasper ARJ Federal #4 API #: 30-005-63667 U/L or Qtr/Qtr Sec 25 T 8S R 26E					
County: Chaves Latitude Longitude		erol VV State Private I Indian I				
County. Chaves Lautude Longitude	NAD. 1927 [] 1965 [Surface Owner. Peac	Thivate C Indian C				
Pit Type: Drilling X Production Disposal	Below-grade tank					
Workover 🔲 Emergency 🔲	Volume:bbl Type of fluid:					
Lined xx Unlined	Construction material:					
Liner type: Synthetic xx Thickness 12 mil	Double will death and had been discount for the state of					
Clay Volumebbl						
	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)				
high water elevation of ground water.)	100 feet or more	(0 points)				
	V					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No.	(0 points) RECEIVED				
	Less than 200 feet	(20 points) MAY 2 0 2005				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) UUU-MATERIA				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)				
	Ranking Score (Total Points)	0 Points				
If this is a pit closure: (1) attach a diagram of the facility showing the pi	it's relationship to other equipment and tanks. (2) Indi	icate disposal location:				
onsite offsite from If offsite, name of facility	(3) Attach a general description of remedial ac	tion taken including remediation start date and				
end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show dep	oth below ground surfaceft. and attach	sample results. (5) Attach soil sample results				
and a diagram of sample locations and excavations.						
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guidelin						
has been win be constructed of closed according to MMOCD guidening	es [], a general per nint [X.A.], or an (attached) aftern	вануе ОСD-арргочен ріан Ц.				
Date: March 23, 2005	200-000					
Printed Name/Title Debbie L. Caffall/Regulatory Technician Signatu	ure Nebbie &. Calla	1				
Your certification and NMOCD approval of this application/closure does	not relieve the operator of liability should the conjents	s of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.						
1/11/ 0.0 0000						
ApprovMAY 23 2005/1 - ()	000					
Date:	/ 1/1/					
Printed Name/Title	Signature	•				

YATES PETROLEUM CORPORATION Jasper "ARJ" Federal #4

660' FNL and 660' FWL Section 25-T8S-R26E Chaves County, New Mexico

1. The estimated tops of geologic markers are as follows:

San Andres	1315'	Cisco	5855'
Glorieta	2395'	Strawn	5980'
Yeso	2515'	Mississippian6210	•
Tubb	3950'	Siluro-Devonian	6260'
Abo	4660'	Basement	6510'
Wolfcamp	5275'	TD	6660'

2. The estimated depths at which anticipated water, oil or gas formations are expected to be encountered:

Water:

250'-350'

Oil or Gas: All potential formations.

3. Pressure Control Equipment: BOPE will be installed on the 8 5/8" casing and rated for 2000# BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings, which are set and cemented in place. Blowout Preventor controls will be installed prior to drilling the surface plug and will remain in use until the well is completed or abandoned. Preventors will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. See Exhibit B.

Auxiliary Equipment:

- A. Auxiliary Equipment: Kelly cock, pit level indicators, flow sensor equipment and a sub with full opening valve to fit the drill pipe and collars will be available on the rig floor in the open position at all times for use when kelly is not in use.
- 4. THE PROPOSED CASING AND CEMENTING PROGRAM:
 - A. Casing Program: (All New)

Hole Size	Casing Size	Wt./Ft	<u>Grade</u>	Coupling	<u>Interval</u>	Length
12 1/4"	8 5/8"	24#	J-55	ST&C	0-1000'	1000'
7 7/8"	5 1/2"	15.5#	J-55	ST&C	0-6660'	6660'

- 1. Minimum Casing Design Factors: Collapse 1.125, Burst 1.0, and Tensile Strength 1.8
- 2. A 2,000 psi BOP will be nippled up on the 8 5/8" casing and tested to 1000 psi. YPC requests a variance be granted in requiring the casing and BOPE to be tested to 2000 psi to testing the casing and BOPE to 1000 psi. The rig pumps will be used to test the casing and BOPE. Rig pumps used in this area cannot safely test above 1000 psi. We would have to go to the greater expense of hiring an independent service company to do the testing. Also, the bottom hole pressure in this field is proven to be near 1000 psi. A shut in surface pressure would be less than 1000 psi. We feel that a 1100 psi test will demonstrate that the BOPE is functioning properly, and in the unlikely event of a gas influx that the BOPE would be sufficient to control the well.

Jasper "ARJ" Federal #4

Page 2

B. CEMENTING PROGRAM:

Surface Casing:

Cement with 325 sx Lite "C" (YLD 2.0 WT 12.5). Tail in with

200 sx "C" + 2% CaCl2 (YLD 1.33 WT 15.6).

Production Casing:

550 sx PVL (YLD 1.34 WT 13). TOC 4100'.

5. MUD PROGRAM AND AUXILIARY EQUIPMENT:

Interval	<u>Type</u>	<u>Weight</u>	<u>Viscosity</u>	Fluid Loss
0-1000'	FW GEL/Paper/LCM	8.6-9.6	32-36	N/C
1000'-4600'	Brine	10.0-10.2	28	N/C
4600'-6660'	Starch/Salt Gel	9.3-10.2	32-40	<6CC

Sufficient mud material(s) to maintain mud properties, control lost circulation and contain a blow out will be available at the well site during drilling operations. Mud will be checked hourly by rig personnel.

6. EVALUATION PROGRAM:

Samples: 10' samples out from under surface casing.

Logging: Platform Express, CNL/LDT W/NGT to TD to surface casing, w/ GR/CNL TD

to surface, DLL/MSFL TD to surface casing, BHC Sonic TD to surface casing;

FMI TD - top of Wolfcamp: CMR over Strawn Sands.

Coring: Sidewall DST's: None

7. ABNORMAL CONDITIONS, BOTTOM HOLE PRESSURE, AND POTENTIAL HAZARDS:

Anticipated BHP:

From: 0 TO: 1000' Anticipated Max. BHP: 400 PSI From: 1000' TO: 6660' Anticipated Max. BHP: 3000 PSI

Abnormal Pressures Anticipated: None

Lost Circulation Zones Anticipated: None.

H2S Zones Anticipated: None Anticipated

Maximum Bottom Hole Temperature: 145 F

8. ANTICIPATED STARTING DATE:

Plans are to drill this well as soon as possible after receiving approval. It should take approximately 15 days to drill the well with completion taking another 15 days.

MULTI-POINT SURFACE USE AND OPERATIONS PLAN YATES PETROLEUM CORPORATION Lagnor "AP 1" Fodoral #4

Jasper "ARJ" Federal #4 660' FNL and 660' FWL

Section 25-T8S-R26E Chaves County, New Mexico

This plan is submitted with Form 3160-3, Application for Permit to Drill, covering the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of the surface disturbance involved and the procedures to be followed in rehabilitating the surface after completion of the operations, so that a complete appraisal can be made of the environmental effect associated with the operations.

1. EXISTING ROADS:

Exhibit A is a portion of the BLM map showing the well and roads in the vicinity of the proposed location. The proposed well site is located approximately 20 miles northeast of Roswell, New Mexico and the access route to the location is indicated in red and green on Exhibit A.

DIRECTIONS:

Go east out of Roswell, NM on Hwy 70 to Ponderosa Road. Turn right, on Ponderosa Road and drive approximately 1.1 miles to lease road. Turn right, (southwest), and going approximately 2.2 miles to the El Paso Pipeline Road. Follow pipeline road straight (northwest) and drive approx. 2000' to two-track road on the left (south) side. Follow road southwest approx. 1000' where the access road will start and go southwest to the southeast corner of the well pad.

PLANNED ACCESS ROAD:

- A. The proposed new access will be approximately 500' in length from the point of origin to the southeast corner of the drilling pad.
- B. The new road will be 14 feet in width (driving surface) and will be adequately drained to control runoff and soil erosion.
- C. The new road will be bladed with drainage on both sides. No traffic turnout will be built.
- D. The route of the road is visible.
- E. Existing roads will be maintained in the same or better condition.

LOCATION OF EXISTING WELL:

- A. There is drilling activity within a one-mile radius of the well site.
- B. Exhibit D shows existing wells within a one-mile radius of the proposed well site.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES:

- A. There are production facilities on this lease at the present time.
- B. In the event that the well is productive, the necessary production facilities will be installed on the drilling pad. If the well is productive oil, a gas or diesel self-contained unit will be used to provide the necessary power. No power will be required if the well is productive of gas.

Jasper "ARJ" Federal #4 Page 2

5. LOCATION AND TYPE OF WATER SUPPLY:

A. It is planned to drill the proposed well with a fresh water system. The water will be obtained from commercial sources, possibly in Roswell, and will be hauled to the location by truck over the existing and proposed roads shown in Exhibit A.

6. SOURCE OF CONSTRUCTION MATERIALS:

The dirt contractor will be responsible for finding a source of material for construction of road and pad and will obtain any permits which may be required.

METHODS OF HANDLING WASTE DISPOSAL:

A. Drill cuttings will be disposed of in the reserve pits.

B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.

C. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or separate disposal application will be submitted.

D. Oil produced during operations will be stored in tanks until sold.

E. Current laws and regulations pertaining to the disposal of human waste will be complied with.

F. All trash, junk, and other waste materials will be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not approved.

8. ANCILLARY FACILITIES: NONE

9. WELLSITE LAYOUT:

- A. Exhibit C shows the relative location and dimensions of the well pad, the reserve pits, the location of the drilling equipment, rig orientation and access road approach. Note: Pits to East Southeast.
- B. The reserve pits will be plastic lined.
- C. A 400' x 400' area has been staked and flagged.

10. PLANS FOR RESTORATION:

- A. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the well site in as aesthetically pleasing a condition as possible.
- B. Unguarded pits, if any, containing fluids will be fenced until they have dried and been leveled.
- C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as expeditiously as possible. All pits will be filled level after they have evaporated and dried.

Jasper "ARJ" Federal #4 Page 3

11. SURFACE OWNERSHIP: The location is on Federal surface administered by the BLM, Roswell, New Mexico

12. OTHER INFORMATION:

- A. Topography: Refer to the existing archaeological report for a description of the topography, flora, fauna, soil characteristics, dwellings, and historical and cultural sites.
- B. The primary surface use is for grazing.

13. OPERATOR'S REPRESENTATIVE:

A. Through A.P.D. Approval: B. Debbie Caffall, Regulatory Agent Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471

Through Drilling, Completions & Prod. Pinson McWhorter, Operations Manager Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471

14. CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Yates Petroleum Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

3/14/2006

Regulatory Agent




Yates Petroleum Corporation


Typical 2,000 psi Pressure System Schematic

Double Ram Preventer Stack

Yates Petroleum Corporation Jasper "ARJ" Federal #4 660' FNL & 660' FWL Section 24-T8S-R26E Chaves County, New Mexico Exhibit "B"



Typical 2,000 psi choke manifold assembly with at least these minimun features



Adjustable choke