Office <u>District I</u> – (575) 393-6161	State of New Energy, Minerals and N		Form C-103 Revised July 18, 2013		
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283			WELL API NO. 30-015-44538		
811 S. First St., Artesia, NM 88210	OIL CONSERVATION	NOISIVID NC			
District III - (505) 334-6178	1220 South St. F	Francis Dr.	5. Indicate Type of Lease STATE X FEE		
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM	87505	6. State Oil & Gas Lease No.		
1220 S. St. Francis Dr., Santa Fe, NM					
87505 SUNDRY NOT	ICES AND REPORTS ON WEI	LS	7. Lease Name or Unit Agreement Name		
(DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPL PROPOSALS.)	SALS TO DRILL OR TO DEEPEN OR	PLUG BACK TO A	DARK CANYON 15-22 STATE COM WCB		
1. Type of Well: Oil Well	Gas Well X Other		8. Well Number 2H 32068		
2. Name of Operator	OV OPER LEDICALLA	N 201 - 10-10-10	9. OGRID Number		
	CGY OPERATING, LLC		372137		
3. Address of Operator 801 CHE	RRY \$1., SUITE 1200-UNIT 20 ORTH, TX 76102)	10. Pool name or Wildcat		
4. Well Location	ORTH, 1X 70102		PURPLE SAGE; WOLFCAMP		
Unit Letter D	130 feet from the NO	RTH line and	feet from the WEST line		
Section 15	Township 23S	Range 26E	NMPM EDDY County		
Section 13	11. Elevation (Show whether				
	3326	DN, MD, NI, ON, EK.,	,		
12. Check	Appropriate Box to Indicate	Nature of Notice,	Report or Other Data		
		1	•		
	NTENTION TO:		SEQUENT REPORT OF:		
PERFORM REMEDIAL WORK TEMPORARILY ABANDON	PLUG AND ABANDON CHANGE PLANS	REMEDIAL WOR			
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN			
DOWNHOLE COMMINGLE	MOLTIFEE COMFE	CASING/CEIVIEN	1 305		
CLOSED-LOOP SYSTEM					
OTHER:	П	OTHER:			
			d .:		
Describe proposed or com	oleted operations. (Clearly state	all pertinent details, an	a give pertinent dates, including estimated date		
of starting any proposed w	ork). SEE RULE 19.15.7.14 NM		mpletions: Attach wellbore diagram of		
of starting any proposed w	ork). SEE RULE 19.15.7.14 NM completion.	AAC. For Multiple Con	mpletions: Attach wellbore diagram of		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM DARK CANYON 22-15 S	ork). SEE RULE 19.15.7.14 NM completion.	IAC. For Multiple Con	mpletions: Attach wellbore diagram of NM OIL CONSERVATION		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM DARK CANYON 22-15 S	ork). SEE RULE 19.15.7.14 NM completion.	IAC. For Multiple Con	MM OIL CONSERVATION ARTESIA DISTRICT		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM DARK CANYON 22-15 S 320684-TO: DARK CANYON 15-22 STA	ork). SEE RULE 19.15.7.14 NM completion. 9/5 CHANGE PROPOSE FROM: 18610' MD TO: 16837'MD	AAC. For Multiple Con	mpletions: Attach wellbore diagram of NM OIL CONSERVATION		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM DARK CANYON 22-15 S 320684-TO: DARK CANYON 15-22 STA	ork). SEE RULE 19.15.7.14 NM completion. 9/5 CHANGE PROPOSE FROM: 18610' MD TO: 16837'MD	MAC. For Multiple Conservation	MM OIL CONSERVATION ARTESIA DISTRICT		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM DARK CANYON 22-15 S	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H TO: 16837'MD CHANGE BOTTOM FROM: UL-D, SEC	MAC. For Multiple Consended to the Multiple	MM OIL CONSERVATION ARTESIA DISTRICT JAN 2 9 2018		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM:DARK CANYON 22-15 S 32068 4-TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H TO: 16837'MD CHANGE BOTTOM FROM: UL-D, SEC	MAC. For Multiple Conservation	MM GIL CONSERVATION ARTESIA DISTRICT JAN 2 9 2018 PRODUCTION: CASING WEGITIVED		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS	ork). SEE RULE 19.15.7.14 NM completion. 9 / 5 CHANGE PROPOSE FROM: 18610' MD TO: 16837'MD 1060 FWL CHANGE BOTTOM FROM: UL-D, SECT 2 INTERMEDIATE:	MAC. For Multiple Consequence of Multiple Consequence	MM OIL CONSERVATION ARTESIA DISTRICT JAN 2 9 2018		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM:DARK CANYON 22-15 S 32068 4-10: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTH	ork). SEE RULE 19.15.7.14 NM completion. 9/5 CHANGE PROPOSE FROM: 18610' MD TO: 16837'MD CHANGE BOTTO: FROM: UL-D, SEC TO: UL-E, SECT 2 INTERMEDIATE: FROM: 40# / TO: 3	MAC. For Multiple Consequence of Multiple Consequence	PRODUCTION: CASING WEIGHT VED FROM: 17#/ TO: 20# SETTING DEPTH FROM: 186107 TO: 16837		
of starting any proposed we proposed completion or rechange name 3/9 FROM: DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTIL FROM: 400' / TO: 420' CMNT / 35/8" 484	ork). SEE RULE 19.15.7.14 NM completion. 9/5 CHANGE PROPOSE FROM: 18610' MD TO: 16837'MD CHANGE BOTTO: FROM: UL-D, SECTO: UL-E, SECTO: UL-E, SECTO: SECTO: UL-E, SECTO: SECTO: SECTO: SECTO: UL-E, SECTO: S	MAC. For Multiple Conservation M HOLE LOCATION CT 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6#	PRODUCTION: CASING MEIGHT VED FROM: 17#/TO: 20# SETTING DEPTH FROM: 18610'/ TO: 16837' CMNT		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM:DARK CANYON 22-15 S 32068 4-10: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTH	ork). SEE RULE 19.15.7.14 NM completion. 9/5 CHANGE PROPOSE FROM: 18610' MD TO: 16837'MD CHANGE BOTTO: FROM: UL-D, SEC TO: UL-E, SECT 2 INTERMEDIATE: FROM: 40# / TO: 3	MAC. For Multiple Conservation M HOLE LOCATION CT 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6#	PRODUCTION: CASING WEIGHT VED FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610'/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS		
of starting any proposed we proposed completion or rechange name 3/9 FROM: DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTIL FROM: 400' / TO: 420' CMNT / 35/8" 484	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H 1060 FWL 0 FWL 1 TO: UL-D, SEC TO: UL-E, SECT 2 INTERMEDIATE: FROM: 40# / TO: 3 SETTING DEPTH FROM: 5200 / TO: 7	MAC. For Multiple Conservation M HOLE LOCATION CT 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# (860)	PRODUCTION: CASING MEIGHT VED FROM: 17#/TO: 20# SETTING DEPTH FROM: 18610'/ TO: 16837' CMNT		
of starting any proposed w proposed completion or re CHANGE NAME FROM: DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTH FROM: 400' / TO: 420' CMNT / 35/8" 48/40 FROM: 530 SXS / TO: 385 SXS	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H 1060 FWL 0 FWL CHANGE PROPOSE FROM: 18610 MD TO: 16837 MD CHANGE BOTTOM FROM: UL-D, SECTOM UL-D, SECTOM UL-D, SECTOM UL-E, SECTOM SECTING DEPTH FROM: 52007 TO: 7 CMNT FROM: 2935 SXS /	MAC. For Multiple Conservation MINING HOLE LOCATION ET 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# TO: 2565 SXS	PRODUCTION: CASING MEGITIVED FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC		
of starting any proposed we proposed completion or rechange name 3/9 FROM:DARK CANYON 22-15 S 32068 4-TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTIL FROM: 400' / TO: 420' CMNT / 35/8" 484	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H 1060 FWL 0 FWL 1 TO: UL-D, SEC TO: UL-E, SECT 2 INTERMEDIATE: FROM: 40# / TO: 3 SETTING DEPTH FROM: 52009/ TO: 7 CMNT	MAC. For Multiple Conservation MINING HOLE LOCATION ET 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# TO: 2565 SXS	PRODUCTION: CASING MEGITIVED FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC		
of starting any proposed w proposed completion or re CHANGE NAME FROM: DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTH FROM: 400' / TO: 420' CMNT / 35/8" 48/40 FROM: 530 SXS / TO: 385 SXS	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H 1060 FWL 0 FWL CHANGE PROPOSE FROM: 18610 MD TO: 16837 MD CHANGE BOTTOM FROM: UL-D, SECTOM UL-D, SECTOM UL-D, SECTOM UL-E, SECTOM SECTING DEPTH FROM: 52007 TO: 7 CMNT FROM: 2935 SXS /	MAC. For Multiple Conservation MINING HOLE LOCATION ET 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# TO: 2565 SXS	PRODUCTION: CASING MEGITIVED FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC		
of starting any proposed w proposed completion or re CHANGE NAME FROM: DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTII FROM: 400' / TO: 420' CMNT /35/6" 48 M FROM: 530 SXS /TO: 385 SXS Spud Date:	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H 1, 1060 FWL 0 FWL 1060 FWL 1070 FROM: UL-D, SEC TO: UL-E, SECT 2 INTERMEDIATE: FROM: 40# / TO: 3 SETTING DEPTH FROM: 5200/ TO: 7 CMNT FROM: 2935 SXS / Rig Release	MAC. For Multiple Conservation M HOLE LOCATION TO 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# 8860' TO: 2565 SXS	PRODUCTION: CASING WEIGHT VED FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610'/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC FROM: 4200'/ TO: 6860		
of starting any proposed w proposed completion or re CHANGE NAME 3/9 FROM.DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTH FROM: 400' / TO: 420' CMNT /35/8" 48/4 FROM: 530 SXS / TO: 385 SXS	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H 1, 1060 FWL 0 FWL 1060 FWL 1070 FROM: UL-D, SEC TO: UL-E, SECT 2 INTERMEDIATE: FROM: 40# / TO: 3 SETTING DEPTH FROM: 5200/ TO: 7 CMNT FROM: 2935 SXS / Rig Release	MAC. For Multiple Conservation M HOLE LOCATION TO 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# 8860' TO: 2565 SXS	PRODUCTION: CASING WEIGHT VED FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610'/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC FROM: 4200'/ TO: 6860		
of starting any proposed w proposed completion or re CHANGE NAME FROM: DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTH FROM: 400' / TO: 420' CMNT /35/6" 484 FROM: 530 SXS /TO: 385 SXS Spud Date: I hereby certify that the information	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H 1060 FWL 0 FWL 1060	MAC. For Multiple Conservation MI HOLE LOCATION CT 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# (860' TO: 2565 SXS Date:	PRODUCTION: CASING WEIGHT VETO FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610'/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC FROM: 4200'/ TO: 6860		
of starting any proposed w proposed completion or re CHANGE NAME FROM: DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTII FROM: 400' / TO: 420' CMNT /35/6" 48 M FROM: 530 SXS /TO: 385 SXS Spud Date:	ork). SEE RULE 19.15.7.14 NM completion. 9/5 FATE WCA 2H TE COM WCB 2H 1060 FWL 0 FWL 1060	MAC. For Multiple Conservation M HOLE LOCATION TO 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# 8860' TO: 2565 SXS	PRODUCTION: CASING WEIGHT VETO FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610'/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC FROM: 4200'/ TO: 6860		
of starting any proposed w proposed completion or re CHANGE NAME FROM: DARK CANYON 22-15 S 32068 TO: DARK CANYON 15-22 STA CHANGE SURFACE LOCATION FROM: UL-M, SECT 22, 145 FSI TO: UL-D, SECT 15, 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTH FROM: 400' / TO: 420' CMNT /35/6" 484 FROM: 530 SXS /TO: 385 SXS Spud Date: I hereby certify that the information	ork). SEE RULE 19.15.7.14 NM completion. 9/5 CHANGE PROPOSE FROM: 18610 MD TO: 16837 MD CHANGE BOTTO: FROM: UL-D, SEC TO: UL-E, SECT 2 INTERMEDIATE: FROM: 40# / TO: 3 SETTING DEPTH FROM: 5200 / TO: 7 CMNT FROM: 2935 SXS / Rig Release above is true and complete to the	MAC. For Multiple Conservation MI HOLE LOCATION ET 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# TO: 2565 SXS Date: De best of my knowledges ER. REGULATORY TEC	PRODUCTION: CASING WEIGHT VETO FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610// TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC FROM: 4200// TO: 6860 The set of the		
of starting any proposed we proposed completion or recompletion or recompletion or recompletion of the recompl	ork). SEE RULE 19.15.7.14 NM completion. 9/5 CHANGE PROPOSE FROM: 18610 MD TO: 16837 MD CHANGE BOTTO: FROM: UL-D, SEC TO: UL-E, SECT 2 INTERMEDIATE: FROM: 40# / TO: 3 SETTING DEPTH FROM: 5200 / TO: 7 CMNT FROM: 2935 SXS / Rig Release above is true and complete to the	MAC. For Multiple Conservation MI HOLE LOCATION CT 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# (860' TO: 2565 SXS Date:	PRODUCTION: CASING WEIGHT VETO FROM: 17#/TO: 20# SETTING DEPTH FROM: 18610'/ TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC FROM: 4200'/ TO: 6860 The and belief. DATE 01/29/2018		
of starting any proposed we proposed completion or rechange NAME SIGNATURE GENAME AND SECT 15. 130 FNL, 60 CHANGE SURFACE LOCATION FROM: UL-M, SECT 12. 145 FSI TO: UL-D, SECT 15. 130 FNL, 60 CHANGE CASING PLANS SURFACE: SETTING DEPTH FROM: 400' / TO: 420' CMNT /35/g" 48/m FROM: 530 SXS /TO: 385 SXS	ork). SEE RULE 19.15.7.14 NM completion. 9/5 IATE WCA 2H TE COM WCB 2H 1060 FWL 0 FWL 0 FWL 1060 FWL 10	MAC. For Multiple Conservation MI HOLE LOCATION ET 15, 334 FNL, 430 FWL 2, 2300 FNL, 400 FWL CASING WEIGHT 6# TO: 2565 SXS Date: De best of my knowledges ER. REGULATORY TEC	PRODUCTION: CASING WEIGHT VETO FROM: 17#/ TO: 20# SETTING DEPTH FROM: 18610// TO: 16837' CMNT FROM: 3908 SXS/ TO: 2390 SXS TOC FROM: 4200// TO: 6860 The set of the		

NSP Regained

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

12 Dedicated Acres

480

13 Joint or Infill

State of New Mexico

Energy, Minerals & Natural Resources Department, Ollsus August 2, 201 **OIL CONSERVATION DIVISION**

> 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 ARTESIA DISTRIGUISTRIC Office

AMENDED REPORT

KECEIVED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-44538		² Pool Code	³ Pool Name			
		98220	PURPLE SAGE; WOLFCAMP			
Property Code		⁵ Property Name		6 Well Number		
319915-36	0684	DARK CANYON	2H			
'OGRID No.		* O	perator Name	⁹ Elevation		
372137		CHISHOLM ENERGY OPERATING, LLC				

Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	ı
D	15	23 S	26 E		130	NORTH	600	WEST	EDDY	
			uВ	ottom Ho	ole Location	If Different Fr	om Surface			•

UL or lot no. North/South line Section Township Range Lot Idn Feet from the Feet from the 22 23 S 2300 **NORTH** 400 E 26 E

14 Consolidation Code

East/West line County **EDDY** WEST Order No.

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



NSP Reguired

Dark Canyon 15-22 State Com WCB 2H									
Pool Information	9	URPLE SAGE; WOLFCAMP							
Work Type	11	New Well							
Well Type	12	GAS							
Cable/Rotary	13	lotary							
Lease Type	14	tate							
Ground Elevation	15	3326							
Multiple	16	No	No						
Proposed Depth	17	16837'MD							
Formation	18	Wolfcamp	Volfcamp						
Contractor	19	Latshaw	atshaw						
Spud Date	20								
Depth to	GW								
Distance from FW well									
Distance to	Distance to SW								
		Туре	Hole Size	Csg. Size	Casing lb.	Set Depth	Sks Cmt	TOC	
Proposed Casing and	21	Surface	17.5	13.375	54.5	420	385	0	
Cement Program		Intermediate	12.25	9.625	36	7860	2565	0	
		Production	8.75	5.5	20	17000	2390	6860	
Additional Comments								-	
		Annular 1500 psi 1500 psi Cameron						eron	
22		Double Ram	5000	5000 psi		5000 psi		Cameron	
		Pipe 5000 psi 5000 psi Cameron							

NM OIL CONSERVATION ARTESIA DISTRICT

JAN 2 3 2018

RECEIVED