<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NM OIL CONSERVATION ARTESIA DISTRICT

| Date:5-7-18 | | GAS CA | PTURE PLA | AN | | MAY 1 | 0 2018 | |
|---|--|--|--|-------------------------|------------------|-----------------------------------|---|--|
| □ Original | Operator & OGRID No.: Mewbourne Oil Con | | | | | RECEIVED npany - 14744 | | |
| This Gas Capture Plan out new completion (new drill, Note: Form C-129 must be sub Well(s)/Production Facili | recomplete | to new zone, re-fra | ac) activity. | | | | | |
| The well(s) that will be loc | ated at the p | roduction facility a | are shown in | the table be | ow. | | | |
| Well Name | API | Well Location (ULSTR) | Footages | Expected MCF/D | Flared or Vented | Comme | ents | |
| Bourbon Red 11 B2EH State Com #1H | | E 11-19S-28E | 1350 FNL & 205 FWI | . 0 | NA | ONLINE AF | TER FRAC | |
| 30 | 015-40 | 1953 | | | | | | |
| Gathering System and Pi Well(s) will be connected to place. The gas produced Targa low/h 4500 ' of pipeline to of (periodically) to Targa | to a productifrom production from pressure the connect the | ion facility after fl action facility is de- egathering system | edicated to _ m located in h pressure ga | Targa LEA thering sys | County, New | and will w Mexico ourne Oil | I be connected to It will require Company provide | |

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on _____ system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at

Processing Plant located in Sec. 28 , Twn. 21S , Rng. 37E , Lea County, New Mexico.

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

be drilled in the foreseeable future. In addition, Mewbourne Oil Company and Targa

The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines