District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NM OIL CONSERVATION ARTESIA DISTRICT

GAS CAPTURE PLAN

APR 27 2018

Amended - Reason for Amendment:						
is Gas Capture Plan outli				reduce we	ll/production	facility flaring/venting
w completion (new drill,	recomplete	to new zone, re-in	ac) activity.			
te: Form C-129 must be subn	mitted and ap	proved prior to excee	eding 60 days a	llowed by Rui	e (Subsection A	4 of 19.15.18.12 NMAC).
ell(s)/Production Facility	v – Name o	f facility				
				The second second		
e well(s) that will be loca						
Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
Iceman 26 W0AP Fed Com #1H	30-015-43862	A-26-2S-27E	205 FNL & 415' FEL	0	NA	ONLINE AFTER FRAC
	43862					
	seline Notif	ication				
	CHIE HOUL	C 'l' O C	lowbook oper	ations are	complete if	pas transporter system is
athering System and Pipell(s) will be connected to ace. The gas produced to	a producti	on facility after I	luwback oper	ations are	ompiete, it g	and creatoporter by ottant at

Flowback Strategy

Sendero Midstream, LLC

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on \_\_\_\_\_\_ system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at

The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Processing Plant located in Sec. 31 , Twn. 23S , Rng. 28E , Eddy County, New Mexico.

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - O Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines