District 1
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Date: 06/12/18

□ Original

# State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division
1220 South St. Francis IMM OIL CONSERVATION
Santa Fe, NM 87505 ARTESIA DISTRICT

11111 4 2 2040

GAS CAPTURE PLAN	JUN 13 ZUM
	RECEIVED
Operator & OGRID No.: Mewbour	ne Oil Company 14744

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

#### Well(s)/Production Facility - Name of facility

☐ Amended - Reason for Amendment:\_\_

The well(s) that will be located at the production facility are shown in the table below.

Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
(Derringer 18 B2MP Fed	30-015- 4390 <u>2</u>	M-18-20S-29E	300 FSL & 305 FWL	0	NA	Online after Frac
Derringer 18 B3MP Fed #2H	30-015- 44816	M-18-20S-29E	290 FSL & 475 FWL	Q	NA	Online after Frac

#### **Gathering System and Pipeline Notification**

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to <a href="Enterprise Field Services">Enterprise Field Services</a> and will be connected to <a href="Enterprise Field Services">Enterprise Field Services</a> and will be connected to <a href="Enterprise Field Services">Enterprise Field Services</a> and will require <a href="2000">2000</a> of pipeline to connect the facility to low/high pressure gathering system. <a href="Mewbourne Oil Company">Mewbourne Oil Company</a> provides (periodically) to <a href="Enterprise Field Services">Enterprise Field Services</a> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <a href="Enterprise Field Services">Enterprise Field Services</a> Processing Plant located in Sec. <a href="Enterprise Field Services">17</a>, Twn. <a href="Twn.19S">19S</a>, Rng. <a href="Enterprise Field Services">21</a> Processing Plant located in Sec. <a href="Enterprise Field Services">17</a>, Twn. <a href="Enterprise Field Services">19S</a>, Rng. <a href="Enterprise Field Services">21</a> Processing Plant located in Sec. <a href="Enterprise Field Services">17</a>, Twn. <a href="Enterprise Field Services">19S</a>, Rng. <a href="Enterprise Field Services">21</a> Processing Plant located in Sec. <a href="Enterprise Field Services">17</a>, Twn. <a href="Enterprise Field Services">19S</a>, Rng. <a href="Enterprise Field Services">21</a> Processing Plant located in Sec. <a href="Enterprise Field Services">17</a>, Twn. <a href="Enterprise Field Services">19S</a> Processing Plant located in Sec. <a href="Enterprise Field Services">17</a> Processing Plant located in Sec. <a href="Enterprise Field Services">17</a> Processing Plant located in Sec. <a href="Enterprise Field Services">17</a> Processing Plant located in Services and gathering system pressures.

## Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>Enterprise Field Services</u> system at that time. Based on current information, it is <u>Mewbourne Oil Company</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

### **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines