

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**Carlsbad Field Office**  
**OC-D Artesia**

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

Case Serial No.  
NMNM59386

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. CORRAL CANYON 36-25 FED COM 24H
2. Name of Operator OXY USA INCORPORATED		9. API Well No. 30-015-44634-00-X1
3a. Address 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521		10. Field and Pool or Exploratory Area PIERCE CROSSING-BONE SPRING, E
3b. Phone No. (include area code) Ph: 432-685-5936		11. County or Parish, State EDDY COUNTY, NM
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 1 T25S R29E 940FNL 1283FEL 32.163986 N Lat, 103.933601 W Lon		

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Hydraulic Fracturing
	<input type="checkbox"/> Production (Start/Resume)
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Alter Casing
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans
	<input type="checkbox"/> Plug and Abandon
	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection
	<input type="checkbox"/> Plug Back
	<input type="checkbox"/> Water Disposal

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

3/7/18 Skid rig back to Corral Canyon 36-25 Federal Com 24H. 3/8/18 RU BOP, test @ 250# low 5000# high, test 10-3/4" casing to 1500# for 30 min, good test. RIH & drill new formation to 700', perform FIT test to EMW=17.5ppg, 293psi, good test. 3/8/18 drill 9-7/8" hole to 8660', 3/13/18. RIH & set 7-5/8" 26.4# L-80 csg @ 8648', DVT @ 3369', ACP @ 3383' pump 80bbl mud push express w/ dye then cmt w/ 532sx (245bbl) PPC w/ additives 10.2ppg 2.59 yield followed by 184sx (50bbl) PPC w/ additives 13.2ppg 1.6 yield, full returns throughout job, inflate ACP to 1550#, open DVT, circ thru DVT, circ 65sx (30bbl) cmt to surf. Pump 2nd stage w/ 50bbl spacer then cmt w/ 1188sx (358bbl) PPC w/ additives 13.6ppg 1.69 yield, full returns, drop cancellation plug, pressure up & close DVT, circ 465sx (140bbl) cmt to surface, WOC. Install pack-off, test to 5000#, good test. 3/15/18 Notified BLM of intent to skid rig to Corral Canyon 36-25 Fed Com 25H. Install wellhead cap and prepare rig for skid.

**NM OIL CONSERVATION**  
ARTESIA DISTRICT

JUN 27 2018

*GC 6-27-18*  
Accepted for record - NMOC

RECEIVED

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #420915 verified by the BLM Well Information System  
For OXY USA INCORPORATED, sent to the Carlsbad  
Committed to AFMSS for processing by PRISCILLA PEREZ on 05/25/2018 (18PP1805SE)

Name (Printed/Typed) DAVID STEWART	Title REGULATORY ADVISOR
Signature (Electronic Submission)	Date 05/21/2018

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By <b>ACCEPTED</b>	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 06/13/2018
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

## Additional data for EC transaction #420915 that would not fit on the form

### 32. Additional remarks, continued

4/21/18 RU BOP, test @ 250# low 5000# high, good test. 4/22/18 RIH & drill out DVT, test csg to 4350# for 30min, good test. Drill new formation to 8670', perform FIT test to EMW=13ppg, 1600psi, good test. 4/22/18 Drill 6-3/4" hole to 19803'M 9156'V 4/27/18. RIH & set 5-1/2" 20# P-110 csg @ 19788'. Pump 110bbl mud push express spacer then cmt w/ 867sx (222bbl) PPC w/ additives 13.2ppg 1.39 yield, full returns throughout job, est. TOC @ 5450', WOC. ND BOP, Install wellhead cap. RD Rel Rig 4/29/18.

**Revisions to Operator-Submitted EC Data for Sundry Notice #420915**

	<b>Operator Submitted</b>	<b>BLM Revised (AFMSS)</b>
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM59386	NMNM59386
Agreement:		
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-685-5936	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com  Ph: 432-685-5936	JANA MENDIOLA REGULATORY COORDINATOR E-Mail: janalyn_mendiola@oxy.com  Ph: 432-685-5936
Tech Contact:	DAVID STEWART SR. REGULATORY ADVISOR E-Mail: david_stewart@oxy.com Cell: 432-634-5688 Ph: 432-685-5717	DAVID STEWART REGULATORY ADVISOR E-Mail: david_stewart@oxy.com  Ph: 432.685.5717
Location:		
State:	NM	NM
County:	EDDY COUNTY	EDDY
Field/Pool:	PIERCE CROSSING BN SPRG,E	PIERCE CROSSING-BONE SPRING, E
Well/Facility:	CORRAL CANYON 36-25 FED COM 24H Sec 1 T25S R29E Mer NMP NENE 940FNL 1283FEL 32.163987 N Lat, 103.933601 W Lon	CORRAL CANYON 36-25 FED COM 24H Sec 1 T25S R29E 940FNL 1283FEL 32.163986 N Lat, 103.933601 W Lon