District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division
1220 South St. Francis Dr.

Santa Fe, NM 87505

OIL CONSERVATION
ARTESIA DISTRICT

				· · · · · · · · · · · · · · · · · · ·	AUG	1 4 2018
Date: 8-14-18	GAS CAPTURE PLAN RECEIV					CEIVED
☑ Original □ Amended - Reason fo	r Amendment:_	•	& OGRID N	No.: Mewbo	urne Oil Com	pany - 14744
This Gas Capture Plan o new completion (new dri				reduce we	ll/production	facility flaring/venting for
Note: Form C-129 must be s Well(s)/Production Fac		-	ding 60 days a	llowed by Rul	e (Subsection A	of 19.15.18.12 NM.4C).
The well(s) that will be lower Well Name	API	oduction facility a Well Location (ULSTR)	Footages	the table bel Expected MCF/D	Flared or Vented	Comments
Night Ranger 28 WOAP Fee #2H	30-015-44285	A - 28-T23S-R28E	220' FNL & 650' FEL	0	NA	ONLINE AFTER FRAC
30	.015-443	85		,		
place. The gas produce  low of pipeline to (periodically) to be drilled in the foresees	d from produce /high pressure connect the farmable future. In use changes to Processing I	tion facility is de gathering system scility to low/high drilling, completion addition, Mewbord drilling and completed in Se	edicated to _ n located in n pressure ga n and estimate ourne Oil Co npletion sche cc. 25 , Tw	thering syst ted first prod mpany and dules. Gas n. 188_, Rn	County, New Jem. Mewbo Juction date for LUCID from these g. 25E, Ed	Mexico. It will require urne Oil Company provides or wells that are scheduled to have periodic wells will be processed at day County, New Mexico.
flared or vented. During	flowback, the flurned to product street to product to product to the street are oper	luids and sand contion facilities. Garational issues on _	ntent will be restaurated states shoul	nonitored. \ d start as so _ system at	When the procon on as the well	uction tanks and gas will be duced fluids contain minimal alls start flowing through the sed on current information, it
Safety requirements duri sand and non-pipeline qu						stems may necessitate that
Alternatives to Reduce I Below are alternatives cor  • Power Generation	nsidered from a	conceptual standpo	oint to reduce	the amount	of gas flared.	

- Compressed Natural Gas On lease
- o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines