

Oil Cons.  
N.M. DIV-Dist. 2  
1301 W. Grand Avenue  
Artesia, NM 88210  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Bill + Patsy Rich

3a. Address

2401 Martin Ln.

3b. Phone No. (include area code)

505-887-3928

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 11, T-25S, R-26E  
640 FeL + 1980 F3L

5. Lease Serial No.

NM NM 17574

6. If Indian, Allottee or Tribe Name

If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Fraser Fed. #1

9. API Well No.

30-015-21913

10. Field and Pool, or Exploratory Area

Undesignated Delaware

11. County or Parish, State

Eddy, N.M.

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

All work completed -- 5-7-03  
Except Surface cleanup  
See Attached

Approved as to plugging of the well bore.  
Liability under bond is retained until  
surface restoration is completed.

ACCEPTED FOR RECORD

JUN 20 2003

LES BABYAK  
PETROLEUM ENGINEER

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Patsy Rich - Patsy Rich

Title Owner

Signature

Patsy Rich

Date 6-7-03

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

MAYO MARRS CASING PULLING INC.

BILL & PATSY RICH

Lease: FASKIN. FEDERAL # 1

Project: P & A

-----  
JOB # 03-

4-22-03

NOTIFY BLM - MIRU - NUBOP - POOH WITH RODS & TUBING - RIH & TRY TO SET CIBP @  
1900' - CASING ROTTEN DOWN HOLE - RIH WITH MMCPI WORKSTRING & SPOT 25 SXS @  
1909' - PER HOMER SAENZ BLM - POOH WITH TUBING - CLOSE IN WELL  
(2 HRS RIG TO SPOT BOTTOM PLUG)

4-23-03

RIH & TAG @ 1661' - CIR. 10# MUD - POOH - CEMENT AROUND CASING AT SURFACE - RIH  
& PERFORATE @ 289' - SET PACKER - SQUEEZE 70 SXS - CEMENT CIRCULATED ON  
BACKSIDE - RELEASE PACKER - CIR. 4 1/2" CASING FULL - POOH - CLOSE IN WELL

4-24-03

RIH & TAG @ 4' - INSTALL DRY HOLE MARKER WITH 2 SXS CEMENT - RIG DOWN CUT OFF  
WELLHEAD & ANCHORS - LEVEL PIT & CELLAR - MOVE OUT

MMCPI WORKSTRING

2 HRS RIG TIME

BID 60 SXS USED 97

BID \$ 7,470.00

CREDIT CIBP @ \$ 300.00

MAYO MARRS CASING PULLING INC.  
BOX 863  
KERMIT, TEXAS 79745

BILLY & PATSY RICH

Lease: FASKIN FEDERAL # 1  
Project: P & A – CEMENTING REPORT

---

04-22-2003 - SPOT 25 SXS @ 1909'-1661' TAGGED  
04-23-2003 – PERFORATED @ 209'  
04-24-2003 - SQUEEZED 72 SXS TO SURFACE

INSTALL DRY HOLE MARKER  
CIRCULATE 10# MUD