

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

SEP 28 2018
 CONSERVATION DIVISION
 1220 South St. Francis Dr.
 DISTRICT II-ARTESIA OGD
 Santa Fe, NM 87505

WELL API NO. 30-015-33594
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-11593
7. Lease Name or Unit Agreement Name OXY Garter State
8. Well Number 1
9. OGRID Number 192463
10. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
OXY USA WTP LP

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
 Unit Letter E : 1750 feet from the North line and 1030 feet from the west line
 Section 35 Township 17S Range 28E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3682'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-10750' PBD-10350' Perfs-10158-10176'

OXY USA WTP LP respectfully requests to temporarily abandon this well. It is currently being evaluated for future recompletion.

1. POOH w/ production equipment, RIH & set CIBP @ 10100', M&P 35sx cmt to 9850', WOC-Tag
2. Notify NMOCD of casing integrity test 24hrs in advance.
3. RU pump truck, circulate well with treated water, pressure test casing to 500# for 30 min.

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Sr. Regulatory Advisor DATE 9/25/18


Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: [Signature] TITLE Staff Mgr DATE 10-9-18

Conditions of Approval (if any):

OXY USA WTP LP - Proposed
OXY Garter State #1
API No. 30-015-33596



17-1/2" hole @ 428'
13-3/8" csg @ 428'
w/ 425sx-TOC-Surf-Circ

12-1/4" hole @ 2700'
9-5/8" csg @ 2700'
w/ 900sx-TOC-Surf-Circ

CIBP @ 10100' w/ 35sx to 9850'


CIBP @ 10400' w/ 5sx cmt to 10350' Tagged

8-3/4" hole @ 10750'
5-1/2" csg @ 10750'
w/ 860sx-TOC-5140'-TS

Perfs @ 10158-10176'
Perfs @ 10457-10461'

TD-10750'

OXY USA WTP LP - Current
OXY Garter State #1
API No. 30-015-33596



17-1/2" hole @ 428'
13-3/8" csg @ 428'
w/ 425sx-TOC-Surf-Circ

12-1/4" hole @ 2700'
9-5/8" csg @ 2700'
w/ 900sx-TOC-Surf-Circ

8-3/4" hole @ 10750'
5-1/2" csg @ 10750'
w/ 860sx-TOC-5140'-TS

CIBP @ 10400' w/ 5sx cmt

Perfs @ 10158-10176'
Perfs @ 10457-10461'

TD-10750'