

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO. 30-015-22592
Indicate Type of Lease STATE ☒ FEE ☐
State Oil & Gas Lease No.
Lease Name or Unit Agreement Name Empire Abo Unit G
Well No. 313
Pool name or Wildcat Empire; Abo
Well Location Unit Letter J : 2000 Feet From The South Line and 2450 Feet From The East Line Section 33 Township 17 S Range 28 E NMPM Eddy County
Elevation (Show whether DF, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER
Name of Operator BP America Production Company
Address of Operator PO Box 1089 Eunice, NM 88231
Well Location Unit Letter J : 2000 Feet From The South Line and 2450 Feet From The East Line Section 33 Township 17 S Range 28 E NMPM Eddy County
Elevation (Show whether DF, RKB, RT, GR, etc.)

11

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ANBANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐


Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

8 5/8 @ 738' 5 1/2 @ 6360' PBDT @ 6307' CIBP @ 5667'

Tag existing CIBP @ 5667'
Circ. well w/ 9.5# Salt gel mud
Spot 25 sks of cement @ 5667'-5567'
PUH to 3514' Spot 25 sks of cement 3514'-3414' (Glorieta)
PUH to 788' Spot 35 sks of cement 788'-688' WOC & Tag (Shoe)
PUH to 453' Spot 25 sks of cement 453'-353' (Yates)
PUH to 60' Spot 10 sk surface plug 60'-surface - **woc 24 hrs. - Tag**

Cut off wellhead and anchors 3'BGL. Install dry hole marker. Clean location.


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Agent DATE 04-24-03

TYPE OR PRINT NAME Jack Shelton

TELEPHONE NO. 915-523-5155


(This space for State Use)

APPROVED BY  TITLE **Field Rep ID** DATE **5-2-03**

CONDITIONS OF APPROVAL, IF ANY:

Empire Abo Unit 'G' 313

Potential
Perforation
Zones



- KB at 3873' above sea level (Used as the Datum)
- Well is currently shut in
- Top of Cement at surface
- 4 Squeeze holes at 488' in 8 5/8" casing, Squeezed off
- 8-5/8" - 24# casing set at 738' (11" hole)

- OEP set at 5667'
- Perforations 5692' - 5698', 5712' - 5718', 5722' - 5728'
- Closed off w/ OEP
- Top of Abo at 5747', OR set at 5742'

- Perforations 5750' - 5842' Squeezed off

- OEP set at 5950'
- Perforations 5980' - 6034' Closed off w/ OEP

- OR set at 6155'
- Perforations 6200' - 6220' Squeezed off

- FBTD at 6307'
- 5-1/2" - 15.5# casing set at 6360' (7 7/8" hole)

Sec 33 17s 28E

BP America Production Company.
30-015-22592.

Unit J Eddy Co.
Pool Empire Abo.

OPERATOR: B-P America Production				API#	30-015-22592
WELL: Empire Abo Ut. "G" # 313				LOCATION:	J-33-17-28
SURFACE CSG-	HOLE SIZE	" CSG. SIZE	8 5/8"	SET @	738' SX. CMT. TOC. Circ
INT.CSG-	HOLE SIZE ??	CSG. SIZE	"	SET @	' SX. CMT. TOC.
LONG STRING-	HOLE SIZE 7 7/8"	CSG. SIZE	5.5"	SET @	6360' SX. CMT. TOC. Circ.
OTHER-					

