District 1
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fc, NM 87505

## State of New Mexico Energy, Minerals and Natural Resources Department CONSERVADIO Office ARTESIA DISTRIBUTE OFFI ARTESIA DISTRIBUTE OFFI

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

OCT 29 2018

D-4 10 11 19			GAS CAPTURE PLAN				RECEIVED	
Dat	e: <u>10-11-18</u>							
X	Original		Operator	& OGRID	No.: <u>Mewbo</u>	urne Oil Con	npany - 14744	
ο.	Amended - Reason for	Amendment:		<del></del> -		· · ·		
new	completion (new drill	, recomplete to	o new zone, re-fra	ac) activity.			facility flaring/venting for	
	e: Form C-129 must be su			ding 60 days (	allowed by Ru	le (Subsection )	4 of 19.15.18.12 NMAC).	
The	well(s) that will be loc	ated at the pro	oduction facility a	re shown in	the table be	low.		
	Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments	
	Zeppelin 32 WOMP State Corn #2H	M- 32-23S-28E	1075' FSL & 285' FWL		0	NA NA	ONLINE AFTER FRAC	
	30	015-45	377					
Gat	thering System and Pi	peline Notific	cation				·	
Wel	ll(s) will be connected	o a productio	n facility after fl	owback ope	rations are c	complete, if a	gas transporter system is in	
	ce. The gas produced							
We	estern IOW/N	ngh pressure	gathering system	n located ir	EDDY	County, New	Mexico. It will require	;
							ume Oil Company provides	
he.α	drilled in the foreseeah	a	addition Mewho	n and esuma	meu mst proc	Negtern	or wells that are scheduled to have periodic	
cont	ference calls to discus	s changes to	drilling and com	inletion sche	shiles Gas	from these	wells will be processed a	•

## Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on \_\_\_western\_\_\_ system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

Processing Plant located in Sec. 36 , Blk. 58 T1S , Culberson County, Texas. The actual flow

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

of the gas will be based on compression operating parameters and gathering system pressures.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines