Form 3160-5
(June 2015)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS ~~Carlsbad Field Office~~
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals. ~~OCD Artesia~~

SUBMIT IN TRIPLICATE - Other instructions on page 2

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

5. Lease Serial No.
NMNM70895

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well	8. Well Name and No.
☒ Oil Well ☐ Gas Well ☐ Other	SUNDANCE 10 FED 1

2. Name of Operator	Contact: DAVID STEWART	9. API Well No.
OXY USA INCORPORATED	E-Mail: david_stewart@oxy.com	30-015-28122-00-S1

3a. Address	3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area
5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521	Ph: 432.685.5717	SAND DUNES

4. Location of Well *(Footage, Sec., T., R., M., or Survey Description)*	11. County or Parish, State
Sec 10 T24S R31E NWNW 330FNL 330FWL	EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Workover Operations
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

1 - MIRU Pulling Unit

2 - POOH w/ pump and rods, ND WH, NU BOP

3 - Unseat TAC & POOH w/ tbg Scan

4 - PU BHA consisting of 4-3/4" bit and scraper, RIH & clean out to +/- 8297'

5 - RIH w/RBP & pkr, pressure test casing

6 - RIH w/ RBP & pkr, cmt sqz perfs 4360?4386' w/ 200sx CL C cmt.

GC for 11-14-18
Accepted for record - NMOCD

NM OIL CONSERVATION
ARTESIA DISTRICT

NOV 14 2018

RECEIVED

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #437958 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 10/04/2018 (19PP0053SE)

Name *(Printed/Typed)* DAVID STEWART	Title REGULATORY ADVISOR
Signature (Electronic Submission)	Date 10/02/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

ACCEPTED FOR RECORD

Approved By	Title			Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	NOV 07 2018	/s/ Jonathon Shepard	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

**32. Additional remarks, continued**

7 - Drill Out CR, POOH w/ RBP, clean out to PBTD

8 - RIH w/ WL & perf @ 7925?7932, 7704?7715, 7486?7492, 7255?7262, 7215-7221, 7176?7186, 6919?6925, 6530?6537, 6390?6397'

9 - Acidize new zones with 10250g 7.5% HCL Acid

10 - RIH w/ tbg, rods & pump, turn over to production.

OXY USA Inc. - Proposed
Sundance 10 Federal #1
API No. 30-015-28122

17-1/2" hole @ 585'
13-3/8" csg @ 585'
w/ 700sx-TOC-Surf-Circ

11" hole @ 4190'
8-5/8" csg @ 4190'
w/ 1700sx-TOC-Surf-Circ

Perfs @ 4360-4386' - *Sqz w/ 200sx cmt.*

Perfs @ 6390-7932'

7-7/8" hole @ 8345'
5-1/2" csg @ 8345'
w/ 1565sx-TOC-Surf-Circ
DVT @ 5990', 3012'

Perfs @ 8090-8149'

PB-8297'

TD-8345'

OXY USA Inc. - Current
Sundance 10 Federal #1
API No. 30-015-28122

17-1/2" hole @ 585'
13-3/8" csg @ 585'
w/ 700sx-TOC-Surf-Circ

11" hole @ 4190'
8-5/8" csg @ 4190'
w/ 1700sx-TOC-Surf-Circ
Perfs @ 4360-4386'

7-7/8" hole @ 8345'
5-1/2" csg @ 8345'
w/ 1565sx-TOC-Surf-Circ
DVT @ 5990', 3012'

Perfs @ 8090-8149'

PB-8297'

TD-8345'