	UNITED STATES EPARTMENT OF THE IN UREAU OF LAND MANAC	ITERIOR	Car	Isbac		APPROVED 0, 1004-0137 inuary 31, 2018	
SUNDRY	NOTICES AND REPOR	RTS ON WE		OCI			
abandoned we	is form for proposals to ( II. Use form 3160-3 (APD	) for such pi	oposals.		6. If Indian, Allottee o	r Tribe Name	
SUBMIT IN T	TRIPLICATE - Other inst	ructions on p	age 2		7. If Unit or CA/Agree	ement, Name and/or No.	
1. Type of Well					8. Well Name and No. Multiple-See Atta		
2. Name of Operator OXY USA INCORPORATED	2. Name of Operator Contact: DAVID STEWART						
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521	110	3b. Phane No Ph: 432:00	Include area code) H7 CONSER RTESIA DIST	VATION		Exploratory Area DELAWARE, EAST -WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)				11. County or Parish,		
MultipleSee Attached			FEB 08 20	19	EDDY COUNTY	(, NM	
			RECEIVED		, 		
	PROPRIATE BOX(ES) <sup>^</sup>	TO INDICAT	E NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA	
TYPE OF SUBMISSION			TYPE OF	ACTION	······		
Notice of Intent	Acidize	🗖 Deep		-	ion (Start/Resume)	Water Shut-Off	
Subsequent Report	Alter Casing		aulic Fracturing	Reclam		Well Integrity	
☐ Final Abandonment Notice	<ul> <li>Casing Repair</li> <li>Change Plans</li> </ul>		Construction and Abandon	Recomp     Tempor	arily Abandon	Other Change to Original A	
	Convert to Injection	D Plug		U Water I	÷	PD	
13. Describe Proposed or Completed Op If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for final f	ally or recomplete horizontally, g rk will be performed or provide t l operations. If the operation res pandonment Notices must be file	give subsurface h the Bond No. on ults in a multiple	ocations and measu file with BLM/BIA completion or reco	red and true ve Required sub impletion in a	rtical depths of all pertin osequent reports must be new interval, a Form 316	ent markers and zones. filed within 30 days 0-4 must be filed once	
OXY USA Inc. respectfully rec have a similar design. The spe are for the 34H.	quests to amend the APD t ecific details (i.e. depths, c	for the followin ement volume	ng wells. The th es, etc) that are	ree wells wi attached	I		
Corral Fly 35-26 Federal Com Corral Fly 35-26 Federal Com	#32H - 30-015-44727 - N #33H - 30-015-44728 - N #34H - 30-015-44729 - N #35H - 30-015-44730 - N #36H - 30-015-44731 - N	MNM88139 MNM88139 MNM88139 MNM88139 MNM88139 MNM88139					
1. Amend the intermediate and	d production casings dept	h, see attache	ed.				
14. I hereby certify that the foregoing is	Electronic Submission #4	INCORPORAT	ED. sent to the	Carlsbad	-		
Name (Printed/Typed) DAVID ST	-			ATORY AD			
Signature (Electronic Submission) Date 12/05/2018							
	THIS SPACE FO	R FEDERA		OFFICE U	SE		
Approved By_MUSTAFA HAQUE_ Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu	d. Approval of this notice does uitable title to those rights in the	not warrant or subject lease	<u>TitlePETROLE</u>		<u></u>	Date 02/06/2019	
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a c	crime for any per	son knowingly and		ake to any department or	agency of the United	
(Instructions on page 2)	ISED ** BLM REVISED						

J

RW 2	-19-19
------	--------

### Additional data for EC transaction #446500 that would not fit on the form

Wells/Facilities, continued

٠

,/

Agreement NMNM88139	Lease NMNM88139	Well/Fac Name, Number API Number CORRAL FLY 35-26 FEDERAL CO&0495-44729-00-X1	Location Sec 2 T25S R29E 434FNL 1308FEL
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO8030115-44726-00-X1	32.165340 N Lat, 103.950829 W Lon Sec 2 T25S R29E 694FNL 1008FWL 32.164627 N Lat, 103.960434 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO8032245-44727-00-X1	Sec 2 T25S R29E 694FNL 1038FWL 32.164627 N Lat, 103.960335 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO8030845-44728-00-X1	Sec 2 T25S R29E 694FNL 1068FWL 32.164627 N Lat, 103.960243 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO8040845-44730-00-X1	Sec 2 T25S R29E 434FNL 1278FEL 32.165340 N Lat. 103.950729 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO803885-44731-00-X1	Sec 2 T25S R29E 434FNL 1248FEL 32.165340 N Lat, 103.950630 W Lon

#### 32. Additional remarks, continued

2. Amend the intermediate and production casing cementing program and add a contingency cement program, see attached.

3. Amend the mud program, see attached.

- Previous COAO Mill apply. New COA is not required.

### OXY USA Inc. - Corral Fly 35-26 Federal Com 31H, 32H, 33H, 34H, 35H, 36H – Amended Drill Plan

This is a bulk sundry request for six wells on two pads. The wells related to this sundry request are:

API#	Well Name	Lease Serial #
3001544726	Corral Fly 35-26 Fd Com 31H	NMNM88139
3001544727	Corral Fly 35-26 Fd Com 32H	NMNM88139
3001544728	Corral Fly 35-26 Fd Com 33H	NMNM88139
3001544729	Corral Fly 35-26 Fd Com 34H	NMNM88139
3001544730	Corral Fly 35-26 Fd Com 35H	NMNM88139
3001544731	Corral Fly 35-26 Fd Com 36H	NMNM88139

The six wells will share a similar design. However, casing depths and cement volumes will differ slightly from well to well. The specific details shown below belong to the Corral Fly 35-26 Federal Com 34H.

## 1. Casing Program

۵

									Buoyant	Buoyant
Hole	Casing ]	Interval	Csg.	Weight			SF	<b>CE</b>	Body SF	Joint SF
Size (in)	From (ft)	To (ft)	Size (in)	(lbs)	Grade Conn.	Collapse	SF Burst	Tension	Tension	
14.75	0	475	10.75	40.5	J-55	BTC	1.125	1.2	1.4	1.4
9.875	0	9,775	7625	26.4	L-80	BTC	1.125	1.2	1.4	1.4
6.75	0	20808	5.5	20	P-110	DQX	1.125	1.2	1.4	1.4
								Values w	ill meet or Ex	ceed

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

\*Oxy requests the option to set casing shallower yet still below the salts if losses or hole conditions require this. Cement volumes may be adjusted if casing is set shallower and a DV tool may be run in case hole conditions merit pumping a second stage cement job to comply with permitted top of cement. If cement is circulated to surface during first stage we will drop a cancelation cone and not pump the second stage.

## OXY USA Inc. - Corral Fly 35-26 Federal Com 31H, 32H, 33H, 34H, 35H, 36H – Amended Drill Plan

# 2. Cementing Program

•

Casing	Slurry	#Sks	Wt. (Lb/gal)	Yld ft3/sack	H20 gal/sk	500# Comp. Strength	Slurry Description
Surface	Tail	577	14.8	1.33	6.365	5:26	Accelerator
Intermediate	Lead	953	9.6	2.92	12.99	7:11	Retarder, Extender, Dispersant
Intermediate	Tail	161	13.2	1.6	7.64	7:32	Retarder, Dispersant, Salt
Production	Tail	837	13.2	1.38	6.686	3:49	Retarder, Dispersant, Fluid Loss Control, Extender

# Primary proposal (single stage cement job)

Casing String	Top of Lead (ft)	Bottom of Lead (ft)	Top of Tail (ft)	Bottom of Tail (ft)	% Excess Lead	% Excess Tail
Surface	N/A	N/A	0	475	N/A	100%
Intermediate	0	8775	8775	9775	50%	20%
Production	N/A	N/A	9275	20808	N/A	20%

## OXY USA Inc. - Corral Fly 35-26 Federal Com 31H, 32H, 33H, 34H, 35H, 36H – Amended Drill Plan

Casing	Slurry	#Sks	Wt. (Lb/gal)	Yld ft3/sack	H20 gal/sk	500# Comp. Strength	Slurry Description
Surface	Tail	577	14.8	1.33	6.365	5:26	Accelerator
1st Stage	Lead	558	10.2	2.58	11.568	6:59	Retarder, Extender, Dispersant
Intermediate	Tail	160	13.2	1.61	7.804	7:11	Retarder, Dispersant, Salt
			DV/ECP 1	`ool @ 3285 ft			
2nd Stage Intermediate	Tail	786	13.6	1.67	8.765	7:32	Extender. Accelerator, Dispersant
Production	Tail	837	13.2	1.38	6.686	3:49	Retarder, Dispersant, Fluid Loss Control, Extender

# Contingency Proposal (dual stage cement job with DV tool)

Casing String	Top of Lead (ft)	Bottom of Lead (ft)	Top of Tail (ft)	Bottom of Tail (ft)	% Excess Lead	% Excess Tail
Surface	N/A	N/A	0	475	N/A	100%
1st Stage Intermediate	3185	8775	8775	9775	20%	20%
2nd Stage Intermediate	N/A	N/A	0	3285	N/A	100%
Production	N/A	N/A	9275	20808	N/A	20%

# 3. Mud Program

v

...

Depth		T				
From (ft)	To (ft)	Туре	Weight (ppg)	Viscosity	Water Loss	
0	475	Water-Based Mud	8.6-8.8	40-60	N/C	
475	9775	Saturated Brine-Based or Oil-Based Mud	8.0-10.0	35-45	N/C	
9775	20808	Water-Based or Oil- Based Mud	9.5-12.0	38-50	N/C	

Drilling Contact – Brendan Flores – 713-985-6360(O) – 512-964-0965 (C)