

Provide Signature Page for Directional Survey

30-015-45391

Schlumberger

Oxy Sterling Silver MDP1 33-4 Federal Com 3H Gyro+MWD 0' to 20630' MD Survey Geodetic Report (Def Survey)



Report Date: February 04, 2019 - 03:06 PM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Sterling Silver MDP1 33-4 Federal Com 3H / Oxy Sterling Silver MDP1 33-4 Federal Com 3H
Well: Sterling Silver MDP1 33-4 Federal Com 3H
Borehole: Original Hole
UWI / API#: H&P 656 / 30-015-45391
Survey Name: Oxy Sterling Silver MDP1 33-4 Federal Com 3H Gyro+MWD 0' to 20630' MD
Survey Date: December 20, 2018
Tort / AHD / DDI / ERD Ratio: 258.942' / 11737.949' R / 6.800' / 1.181
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 16' 4.77328" W 103° 47' 1.05301"
Location Grid N/E Y/X: N 461663.890 NUS, E 711243.890 NUS
CRS Grid Convergence Angle: 0.2935°
Grid Scale Factor: 0.99994215
Version / Patch: 2.10.753.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 183.083° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3412.400 ft above MSL
Seabed / Ground Elevation: 3385.900 ft above MSL
Magnetic Declination: 6.854°
Total Gravity Field Strength: 998.4500mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 48009.400 nT
Magnetic Dip Angle: 59.996°
Declination Date: January 23, 2019
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.2935°
Total Corr Mag North->Grid North: 6.5605°
Local Coord Referenced To: Well Head

NM OIL CONSERVATION
ARTESIA DISTRICT

MAR 19 2019

RECEIVED

Comments	MD (ft)	Incl (°)	Azlm Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	461663.89	711243.89	N 32 16 4.77	W 103 47 1.05
SHL	26.50	0.00	0.00	26.50	0.00	0.00	0.00	0.00	461663.89	711243.89	N 32 16 4.77	W 103 47 1.05
	122.00	0.21	49.02	122.00	-0.12	0.11	0.13	0.22	461664.00	711244.02	N 32 16 4.77	W 103 47 1.05
	206.00	0.31	33.86	206.00	-0.42	0.40	0.37	0.14	461664.29	711244.26	N 32 16 4.78	W 103 47 1.05
	296.00	0.48	82.46	296.00	-0.70	0.66	0.88	0.40	461664.55	711244.77	N 32 16 4.78	W 103 47 1.04
	390.00	0.50	79.33	389.99	-0.87	0.78	1.68	0.04	461664.67	711245.57	N 32 16 4.78	W 103 47 1.03
Last Gyro	487.00	0.49	67.54	486.99	-1.15	1.02	2.48	0.11	461664.91	711246.37	N 32 16 4.78	W 103 47 1.02
	603.00	0.59	50.28	602.98	-1.77	1.59	3.39	0.16	461665.48	711247.28	N 32 16 4.79	W 103 47 1.01
	795.00	0.47	86.81	794.98	-2.53	2.27	4.94	0.18	461666.16	711248.83	N 32 16 4.80	W 103 47 1.00
	983.00	0.19	96.29	982.97	-2.60	2.28	6.02	0.15	461666.17	711249.91	N 32 16 4.80	W 103 47 0.98
	1080.00	0.02	176.09	1079.97	-2.57	2.24	6.18	0.19	461666.13	711250.07	N 32 16 4.80	W 103 47 0.98
	1268.00	0.23	214.94	1267.97	-2.22	1.90	5.97	0.11	461665.79	711249.86	N 32 16 4.79	W 103 47 0.98
	1456.00	0.46	187.67	1455.97	-1.14	0.84	5.65	0.15	461664.73	711249.54	N 32 16 4.78	W 103 47 0.99
	1652.00	0.43	158.09	1651.96	0.31	-0.62	5.82	0.12	461663.27	711249.71	N 32 16 4.77	W 103 47 0.99
	1841.00	0.39	143.29	1840.96	1.44	-1.79	6.47	0.06	461662.10	711250.36	N 32 16 4.76	W 103 47 0.98
	1939.00	0.39	160.43	1938.96	2.01	-2.38	6.78	0.12	461661.51	711250.67	N 32 16 4.75	W 103 47 0.97
	2034.00	0.36	132.01	2033.96	2.49	-2.88	7.11	0.20	461661.01	711251.00	N 32 16 4.74	W 103 47 0.97
	2222.00	0.34	99.05	2221.95	2.92	-3.36	8.10	0.11	461660.53	711251.99	N 32 16 4.74	W 103 47 0.96
	2411.00	0.19	65.14	2410.95	2.83	-3.32	8.94	0.11	461660.57	711252.83	N 32 16 4.74	W 103 47 0.95
	2506.00	0.29	12.14	2505.95	2.52	-3.02	9.13	0.24	461660.87	711253.02	N 32 16 4.74	W 103 47 0.95
	2701.00	0.44	38.13	2700.95	1.42	-1.95	9.70	0.11	461661.94	711253.59	N 32 16 4.75	W 103 47 0.94
	2795.00	0.41	24.90	2794.94	0.81	-1.36	10.06	0.11	461662.53	711253.95	N 32 16 4.76	W 103 47 0.94
	2889.00	0.41	346.84	2888.94	0.18	-0.72	10.13	0.28	461663.17	711254.02	N 32 16 4.77	W 103 47 0.94
	2984.00	0.26	318.63	2983.94	-0.30	-0.23	9.91	0.23	461663.66	711253.80	N 32 16 4.77	W 103 47 0.94
	3078.00	0.34	297.41	3077.94	-0.57	0.06	9.52	0.14	461663.95	711253.41	N 32 16 4.77	W 103 47 0.94
	3173.00	0.39	277.17	3172.94	-0.71	0.23	8.95	0.14	461664.12	711252.84	N 32 16 4.78	W 103 47 0.95
	3267.00	0.52	269.10	3266.93	-0.70	0.26	8.20	0.15	461664.15	711252.09	N 32 16 4.78	W 103 47 0.96
	3362.00	0.45	259.36	3361.93	-0.58	0.18	7.41	0.11	461664.07	711251.30	N 32 16 4.77	W 103 47 0.97
	3456.00	0.39	174.01	3455.93	-0.18	-0.20	7.08	0.61	461663.69	711250.97	N 32 16 4.77	W 103 47 0.97
	3550.00	0.44	175.95	3549.92	0.50	-0.88	7.14	0.06	461663.01	711251.03	N 32 16 4.76	W 103 47 0.97
	3645.00	0.45	217.82	3644.92	1.16	-1.54	6.93	0.33	461662.35	711250.82	N 32 16 4.76	W 103 47 0.97
	3739.00	0.43	192.99	3738.92	1.81	-2.17	6.63	0.20	461661.72	711250.52	N 32 16 4.75	W 103 47 0.98
	3834.00	0.48	184.81	3833.92	2.56	-2.92	6.51	0.09	461660.97	711250.40	N 32 16 4.74	W 103 47 0.98
	3928.00	0.41	205.31	3927.91	3.27	-3.61	6.34	0.18	461660.28	711250.23	N 32 16 4.74	W 103 47 0.98
	4022.00	0.49	182.38	4021.91	3.98	-4.32	6.18	0.21	461659.57	711250.07	N 32 16 4.73	W 103 47 0.98
	4211.00	0.54	233.25	4210.90	5.36	-5.66	5.43	0.24	461658.23	711249.32	N 32 16 4.72	W 103 47 0.99
	4263.00	0.45	244.40	4262.90	5.62	-5.90	5.05	0.25	461657.99	711248.94	N 32 16 4.71	W 103 47 0.99
	4463.00	0.26	260.33	4462.90	6.09	-6.31	3.89	0.11	461657.58	711247.78	N 32 16 4.71	W 103 47 1.01
	4565.00	0.09	250.82	4564.90	6.17	-6.38	3.59	0.17	461657.51	711247.48	N 32 16 4.71	W 103 47 1.01
	4659.00	0.04	329.11	4658.90	6.17	-6.37	3.50	0.10	461657.52	711247.39	N 32 16 4.71	W 103 47 1.01
	4753.00	0.12	292.48	4752.90	6.11	-6.31	3.40	0.10	461657.58	711247.29	N 32 16 4.71	W 103 47 1.01
	4848.00	0.46	345.75	4847.90	5.72	-5.90	3.21	0.42	461657.99	711247.10	N 32 16 4.71	W 103 47 1.02
	4942.00	0.72	348.00	4941.89	4.79	-4.96	2.99	0.28	461658.93	711246.88	N 32 16 4.72	W 103 47 1.02
	5037.00	1.14	342.58	5036.88	3.33	-3.47	2.59	0.45	461660.42	711246.48	N 32 16 4.74	W 103 47 1.02
	5131.00	2.12	342.08	5130.84	0.83	-0.92	1.77	1.04	461662.97	711245.66	N 32 16 4.76	W 103 47 1.03
	5226.00	4.18	338.02	5225.69	-3.95	3.96	-0.06	2.18	461667.85	711243.83	N 32 16 4.81	W 103 47 1.05
	5320.00	6.61	335.93	5319.27	-11.87	12.08	-3.55	2.59	461675.97	711240.34	N 32 16 4.89	W 103 47 1.09
	5415.00	8.80	334.70	5413.40	-23.13	23.64	-8.89	2.31	461725.00	711235.00	N 32 16 5.01	W 103 47 1.16
	5509.00	11.52	330.75	5505.92	-37.39	38.33	-16.55	2.99	461702.22	711227.34	N 32 16 5.15	W 103 47 1.24
	5603.00	13.26	326.81	5597.73	-54.01	55.55	-27.04	2.06	461719.43	711216.85	N 32 16 5.32	W 103 47 1.36
	5698.00	14.46	323.71	5689.97	-71.97	74.23	-40.02	1.49	461738.11	711203.87	N 32 16 5.51	W 103 47 1.51
	5792.00	16.34	320.96	5780.59	-90.85	93.96	-55.30	2.15	461757.84	711188.59	N 32 16 5.71	W 103 47 1.69
	5887.00	18.48	318.89	5871.23	-111.56	115.68	-73.62	2.34	461779.57	711170.27	N 32 16 5.92	W 103 47 1.90
	5981.00	20.89	316.60	5959.73	-133.78	139.09	-94.93	2.69	461802.97	711148.96	N 32 16 6.15	W 103 47 2.15
	6075.00	22.27	314.63	6047.14	-157.14	163.78	-119.13	1.66	461827.66	711124.77	N 32 16 6.40	W 103 47 2.43
	6170.00	21.23	312.76	6135.38	-180.06	188.11	-144.57	1.32	461851.98	711099.33	N 32 16 6.64	W 103 47 2.73
	6264.00	20.40	310.11	6223.25	-200.79	210.22	-169.59	1.34	461874.09	711074.31	N 32 16 6.86	W 103 47 3.02
	6358.00	19.98	307.79	6311.47	-219.80	230.61	-194.81	0.96	461894.49	711049.09	N 32 16 7.07	W 103 47 3.31
	6453.00	19.37	305.08	6400.93	-237.39	249.61	-220.53	1.16	461913.49	711023.37	N 32 16 7.25	W 103 47 3.61
	6547.00	18.79	302.29	6489.76	-253.04	266.66	-246.09	1.15	461930.53	710997.82	N 32 16 7.42	W 103 47 3.90
	6641.00	16.84	298.88	6579.25	-266.35	281.32	-270.81	2.35	461945.20	710973.09	N 32 16 7.57	W 103 47 4.19
	6736.00	14.91	294.74	6670.63	-276.85	293.09	-293.96	2.35	461956.96	710949.94	N 32 16 7.69	W 103 47 4.46
	6830.00	11.27	290.89	6762.17	-284.13	301.43	-313.54	3.98	461965.30	710930.37	N 32 16 7.77	W 103 47 4.69
	6925.00	7.91	286.18	6855.83	-288.45	306.56	-328.49	3.63	461970.43	710915.42	N 32 16 7.82	W 103 47 4.86
	7019.00	5.96	282.01	6949.14	-290.67	309.38	-339.48	2.14	461973.25	710904.43	N 32 16 7.85	W 103 47 4.99
	7114.00	4.02	276.31	7043.78	-291.62	310.77	-347.61	2.11	461974.64	710896.30	N 32 16 7.87	W 103 47 5.08
	7208.00	6.73	298.05	7137.36	-294.14	313.72	-355.75	3.56	461977.59	710888.16	N 32 16 7.90	W 103 47 5.18
	7302.00	9.71	315.28	7230.40	-301.79	321.95	-366.19	4.08	461985.82	710877.72	N 32 16 7.98	W 103 47 5.30
	7397.00	12.22	327.82	7323.67	-315.38	336.16	-377.19	3.63	462000.03	710866.72	N 32 16 8.12	W 103 47 5.43
	7491.00	13.22	329.60	7415.37	-332.47	353.85	-387.93	1.14	462017.72	710855.99	N 32 16 8.29	W 103 47 5.55
	7585.00	13.12	332.73	7506.89	-350.64	372.60	-398.25	0.77	462036.47	710845.66	N 32 16 8.48	W 103 47 5.67
	7775.00	12.71	344.52	7692.12	-389.07	411.92	-413.72	1.40	462075.78	710830.20	N 32 16 8.87	W 103 47 5.85
	7869.00	12.46	333.82	7783.87	-407.72	430.99	-420.95	2.49	462094.85	710822.96	N 32 16 9.06	W 103 47 5.93
	7963.00	13.06	318.77	7875.58	-424.17	448.08	-432.43	3.58	462111.94	710811.49	N 32 16 9.23	W 103 47 6.06
	8058.00	12.90	304.08	7968.18	-437.32	462.10	-448.29	3.47	462125.96	710795.63	N 32 16 9.37	W 103 47 6.25
Bone Spring	8123.25	11.15	295.78	8032.00	-443.51	468.92	-460.00	3.77	462132.79	710783.91	N 32 16 9.44	W 103 47 6.3

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
	8164.00	10.20	289.25	8072.04	-446.03	471.83	-466.96	3.77	462135.69	710776.96	N 32 16 9.47	W 103 47 6.46
	8247.00	7.41	271.88	8154.07	-447.97	474.43	-479.25	4.61	462138.29	710764.67	N 32 16 9.49	W 103 47 6.61
	8341.00	5.47	249.10	8247.40	-446.02	473.03	-489.50	3.37	462136.85	710754.42	N 32 16 9.48	W 103 47 6.73
	8437.00	5.44	217.19	8343.08	-440.39	467.77	-496.52	3.12	462131.63	710747.40	N 32 16 9.43	W 103 47 6.81
	8531.00	5.06	206.90	8436.68	-432.91	460.52	-501.09	1.06	462124.39	710742.83	N 32 16 9.38	W 103 47 6.86
	8626.00	4.26	193.91	8531.37	-425.61	453.36	-503.83	1.39	462117.23	710740.09	N 32 16 9.28	W 103 47 6.89
	8720.00	3.39	179.95	8625.16	-419.40	447.19	-504.67	1.35	462111.06	710739.25	N 32 16 9.22	W 103 47 6.90
	8815.00	3.05	189.46	8720.01	-414.09	441.89	-505.08	0.67	462105.76	710738.84	N 32 16 9.17	W 103 47 6.91
	8909.00	3.16	192.10	8813.88	-409.04	436.89	-506.04	0.19	462100.76	710737.88	N 32 16 9.12	W 103 47 6.92
	9004.00	3.52	205.06	8908.71	-403.75	431.69	-507.82	0.88	462095.55	710736.10	N 32 16 9.07	W 103 47 6.94
	9098.00	4.57	206.90	9002.48	-397.65	425.74	-510.74	1.13	462089.60	710733.18	N 32 16 9.01	W 103 47 6.98
	9192.00	5.19	204.57	9096.14	-390.27	418.53	-514.20	0.69	462082.39	710729.72	N 32 16 8.94	W 103 47 7.02
	9268.00	6.36	207.40	9171.75	-383.23	411.67	-517.57	1.58	462075.53	710726.35	N 32 16 8.87	W 103 47 7.06
	9419.00	7.86	215.07	9321.59	-366.85	395.79	-527.35	1.17	462059.66	710716.57	N 32 16 8.72	W 103 47 7.17
	9514.00	14.03	218.82	9414.82	-351.98	381.49	-538.31	6.53	462045.35	710705.61	N 32 16 8.58	W 103 47 7.30
	9609.00	23.88	210.44	9504.57	-325.49	355.87	-555.32	10.73	462019.74	710688.61	N 32 16 8.32	W 103 47 7.50
	9704.00	28.72	203.12	9589.73	-286.93	318.27	-574.04	6.12	461982.14	710669.89	N 32 16 7.95	W 103 47 7.72
	9799.00	39.49	196.10	9668.31	-235.89	268.08	-591.44	12.05	461931.96	710652.49	N 32 16 7.46	W 103 47 7.93
	9894.00	49.60	190.50	9735.96	-170.39	203.30	-606.45	11.41	461867.18	710637.48	N 32 16 6.82	W 103 47 8.10
	9989.00	55.78	180.21	9793.61	-95.09	128.26	-613.20	10.78	461792.14	710630.72	N 32 16 6.07	W 103 47 8.19
	10084.00	66.00	175.96	9839.78	-12.56	45.45	-610.28	11.44	461709.33	710633.64	N 32 16 5.25	W 103 47 8.16
100' FNL Crossing	10169.56	72.93	177.97	9869.77	67.06	-34.51	-606.07	8.40	461629.38	710637.85	N 32 16 4.46	W 103 47 8.11
	10179.00	73.70	178.18	9872.48	76.07	-43.55	-605.77	8.40	461620.34	710638.16	N 32 16 4.37	W 103 47 8.11
	10274.00	77.74	179.05	9895.91	167.83	-135.57	-603.55	4.34	461528.33	710640.38	N 32 16 3.46	W 103 47 8.09
	10369.00	81.94	179.18	9912.67	261.10	-229.05	-602.11	4.42	461434.86	710641.82	N 32 16 2.54	W 103 47 8.08
	10464.00	89.05	180.21	9920.12	355.58	-323.69	-601.61	7.56	461340.22	710642.32	N 32 16 1.60	W 103 47 8.08
	10514.00	89.53	180.00	9920.74	405.51	-373.69	-601.70	1.05	461290.23	710642.23	N 32 16 1.11	W 103 47 8.08
	10599.00	89.44	180.06	9921.51	490.38	-458.68	-601.74	0.13	461205.23	710642.18	N 32 16 0.27	W 103 47 8.09
	10789.00	89.72	180.31	9922.90	680.13	-648.68	-602.36	0.20	461015.25	710641.57	N 32 15 58.39	W 103 47 8.11
	10978.00	89.75	180.31	9923.77	868.91	-837.67	-603.38	0.02	460826.27	710640.55	N 32 15 56.52	W 103 47 8.13
	11164.00	89.61	180.32	9924.81	1054.69	-1023.67	-604.40	0.08	460640.29	710639.52	N 32 15 54.67	W 103 47 8.15
	11351.00	89.44	180.39	9926.36	1241.47	-1210.66	-605.56	0.10	460453.31	710638.37	N 32 15 52.82	W 103 47 8.18
	11538.00	89.58	180.14	9927.96	1428.24	-1397.65	-606.43	0.15	460266.33	710637.50	N 32 15 50.97	W 103 47 8.20
	11725.00	89.48	180.04	9929.50	1614.98	-1584.64	-606.72	0.08	460079.34	710637.21	N 32 15 49.12	W 103 47 8.21
	11818.00	89.72	180.81	9930.14	1707.87	-1677.63	-607.41	0.87	459986.36	710636.52	N 32 15 48.20	W 103 47 8.23
	12005.00	89.72	180.91	9931.06	1894.73	-1864.61	-610.22	0.05	459799.39	710633.71	N 32 15 46.35	W 103 47 8.27
	12192.00	89.65	179.70	9932.09	2081.51	-2051.60	-611.21	0.65	459612.41	710632.71	N 32 15 44.50	W 103 47 8.29
	12285.00	89.79	180.02	9932.54	2174.36	-2144.60	-610.98	0.38	459519.42	710632.94	N 32 15 43.58	W 103 47 8.30
	12379.00	89.72	180.36	9932.94	2268.24	-2238.60	-611.30	0.37	459425.42	710632.63	N 32 15 42.65	W 103 47 8.31
	12472.00	89.68	179.95	9933.43	2361.11	-2331.60	-611.55	0.44	459332.43	710632.38	N 32 15 41.73	W 103 47 8.31
	12659.00	89.61	180.43	9934.59	2547.87	-2518.59	-612.17	0.26	459145.45	710631.76	N 32 15 39.88	W 103 47 8.33
	12754.00	89.55	180.11	9935.29	2642.75	-2613.59	-612.82	0.34	459050.46	710631.31	N 32 15 38.94	W 103 47 8.34
	12944.00	89.58	179.71	9936.73	2832.46	-2803.58	-612.32	0.21	458860.48	710631.61	N 32 15 37.06	W 103 47 8.35
	13134.00	89.98	179.91	9937.44	3022.14	-2993.58	-611.69	0.24	458670.49	710632.24	N 32 15 35.18	W 103 47 8.35
	13229.00	89.82	179.84	9937.60	3117.00	-3088.58	-611.48	0.19	458575.50	710632.45	N 32 15 34.24	W 103 47 8.36
	13419.00	90.23	179.80	9937.52	3206.69	-3278.58	-610.88	0.22	458385.51	710633.04	N 32 15 32.36	W 103 47 8.36
	13609.00	90.13	179.44	9936.92	3496.34	-3468.57	-609.62	0.20	458195.53	710634.30	N 32 15 30.48	W 103 47 8.36
	13799.00	90.06	178.96	9936.60	3685.90	-3658.55	-606.97	0.26	458005.55	710636.96	N 32 15 28.60	W 103 47 8.34
	13894.00	90.23	179.08	9936.36	3780.66	-3753.54	-605.35	0.22	457910.58	710638.58	N 32 15 27.66	W 103 47 8.33
	13989.00	89.99	179.08	9936.18	3875.43	-3848.53	-603.82	0.25	457815.59	710640.11	N 32 15 26.72	W 103 47 8.31
	14179.00	89.61	178.47	9936.84	4064.89	-4038.48	-599.76	0.38	457625.65	710644.17	N 32 15 24.84	W 103 47 8.28
	14369.00	90.20	179.31	9937.16	4254.38	-4228.44	-596.08	0.54	457435.70	710647.85	N 32 15 22.96	W 103 47 8.25
	14559.00	89.68	178.76	9937.36	4443.90	-4418.41	-592.88	0.40	457245.74	710651.05	N 32 15 21.08	W 103 47 8.22
	14654.00	90.68	179.15	9937.06	4538.66	-4513.40	-591.14	1.13	457150.76	710652.78	N 32 15 20.14	W 103 47 8.21
	14748.00	90.27	180.10	9936.28	4632.48	-4607.39	-590.53	1.10	457056.78	710653.40	N 32 15 19.21	W 103 47 8.20
	14938.00	91.44	180.73	9933.44	4822.25	-4797.36	-591.91	0.70	456866.82	710652.02	N 32 15 17.33	W 103 47 8.23
	15128.00	90.54	179.84	9930.16	5011.99	-4987.32	-592.85	0.67	456676.86	710651.08	N 32 15 15.45	W 103 47 8.25
	15318.00	89.82	180.20	9929.57	5201.72	-5177.32	-592.92	0.42	456486.88	710651.01	N 32 15 13.57	W 103 47 8.27
	15413.00	90.30	178.39	9929.47	5296.51	-5272.31	-591.75	1.97	456391.90	710652.18	N 32 15 12.63	W 103 47 8.26
	15603.00	88.72	177.05	9931.09	5485.66	-5462.14	-584.19	1.09	456202.07	710659.73	N 32 15 10.76	W 103 47 8.18
	15793.00	89.17	177.99	9934.59	5674.73	-5651.93	-575.97	0.55	456012.30	710687.95	N 32 15 8.88	W 103 47 8.10
	15983.00	89.96	179.96	9936.03	5864.22	-5841.88	-572.57	1.12	455822.36	710671.35	N 32 15 7.00	W 103 47 8.07
	16078.00	88.55	180.10	9937.27	5959.08	-5936.87	-572.62	1.49	455727.37	710671.30	N 32 15 6.06	W 103 47 8.07
	16267.00	91.02	181.41	9937.98	6147.90	-6125.84	-575.11	1.48	455538.42	710668.81	N 32 15 4.19	W 103 47 8.11
	16362.00	91.23	181.65	9936.11	6242.85	-6220.78	-577.65	0.34	455443.48	710666.28	N 32 15 3.25	W 103 47 8.15
	16552.00	91.13	181.60	9932.20	6432.75	-6410.67	-583.03	0.06	455253.61	710660.89	N 32 15 1.37	W 103 47 8.22
	16647.00	90.92	182.01	9930.50	6527.71	-6505.60	-586.03	0.48	455158.67	710657.90	N 32 15 0.43	W 103 47 8.26
	16837.00	93.02	181.80	9923.97	6717.54	-6695.38	-592.34	1.11	454968.91	710651.59	N 32 14 58.55	W 103 47 8.35
	17026.00	93.47	182.57	9913.27	6906.22	-6883.93	-599.53	0.47	454780.37	710644.39	N 32 14 56.69	W 103 47 8.44
	17121.00	89.27	181.60	9911.00	7001.15	-6978.82	-602.99	4.54	454685.49	710640.94	N 32 14 55.75	W 103 47 8.49
	17311.00	88.93	181.93	9913.98	7191.08	-7168.71	-608.84	0.25	454495.61	710635.09	N 32 14 53.87	W 103 47 8.57
	17407.00	90.10	181.10	9914.79	7287.04	-7264.67	-611.38	1.49	454399.66	710632.55	N 32 14 52.92	W 103 47 8.60
	17501.00	89.96	177.94	9914.75	7380.84	-7358.65	-610.59	3.36	454305.68	710633.34	N 32 14 51.99	W 103 47 8.60
	17691.00	90.34	178.67	9914.25	7570.18	-7548.57	-604.97	0.43	454115.77	710638.96	N 32 14 50.11	W 103 47 8.55
	17786.00	90.30	178.20	9913.72	7664.86	-7643.53	-602.37	0.50	454020.82	710641.55	N 32 14 49.17	W 103 47 8.52
	17976.00	89.75	178.13	9913.63	7854.16	-7833.43	-596.29	0.29	453830.93	710647.54	N 32 14 47.29	W 103 47 8.46
	18166.00</											

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Survey Program:												
Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size	Casing Diameter (in)	Survey Tool Type	Borehole / Survey				
	1	0.000	26.500	1/98.425	30.000	30.000	NAL_NSG+MSHOT-Depth Only	Original Hole / Oxy Sterling Silver MDP1 33-4 Federal Com 3H Gyro+MWD 0' to 20630' MD				
	1	26.500	26.500	Act Strs	30.000	30.000	NAL_NSG+MSHOT-Depth Only	Original Hole / Oxy Sterling Silver MDP1 33-4 Federal Com 3H Gyro+MWD 0' to 20630' MD				
	1	26.500	603.000	Act Strs	30.000	30.000	NAL_NSG+MSHOT	Original Hole / Oxy Sterling Silver MDP1 33-4 Federal Com 3H				
	1	603.000	20630.000	Act Strs	30.000	30.000	NAL_MWD_IFR1+MS	Original Hole / Oxy Sterling Silver MDP1 33-4 Federal Com 3H				

...Original Hole\Oxy Sterling Silver MDP1 33-4 Federal Com 3H Gyro+MWD 0' to 20630' MD



EW (ft) Scale = 1:1900.000

Ory Starting Silver MDP 133-4 Federal Com 3H Gyrn MWD 0' to 20630 MD

Ory Starting Silver MDP 133-4 Federal Com 3H 100' FSL

Ory Starting Silver MDP 133-4 Federal Com 3H 100' FSL

Final Survey
20573 MD 9938 TVD
89.58' incl 179.50' az
10445 vasc

Prol to T10
20630 MD 9938 TVD
89.58' incl 179.50' az
10552 vasc

Ory Starting Silver MDP 133-4 Federal Com 3H RawG mcs 29'kov15'

Vertical Section (ft) Azim = 183.08° Scale = 1:1700.00(ft) Origin = 0N/-S, 0E/-W