State of New Mexico

Form C-104 Revised August 1, 2011

District II				E	nergy, I	viinerais & i	Naturai Kes	ourc	es		•			
311 S. First St., A District III	Artesia, NN	4 88210			Oi	l Conservation	on Division		Submit	one co	py to appr	opriate District Off	ice	
000 Rio Brazos	Rd., Azteo	, NM 8	7410			20 South St.						AMENDED REPO	RТ	
<u>District IV</u> 220 S. St. Franc	is Dr., San	ta Fe, N	IM 8750)5		Santa Fe, NI					Ц,	WILLIADED RELIC	1(1	
	I.			EST FC	R ALL	OWABLE	AND AUT	HO	RIZATION		RANSP	ORT		
¹ Operator n	ame and	Addre		EVRONII	U.S.A. IN	C			² OGRID Num	ber	4323			
			630	I DEAU	VILLE BL	VD.			³ Reason for F		ode/ Effect			
					TX 79706				Ne		/ 12/11/2018			
⁴ API Number 30 – 015			° Pool	Name	PURI	PLE SAGE; WO	LFCAMP (GA	.S)	,	P	ool Code _9:	8140 98220		
⁷ Property C			8 Prop	erty Nan						9 W	ell Numbe			
317	044					HH SO 1	0 P3					24H		
II. 10 Sur	rface Lo		n nship	Range	Lot Idn	Foot from the	North/South	Lina	Feet from the	Fast/	West line	County	_	
N	3	,	6S	27E	Lot Iun	553	SOUTH		2066		EST	EDDY		
	ttom H			n										
UL or lot no.			nship	Range	Lot Idn	1	1		Feet from the		West line	County		
О	15		6S	27E		201	SOUTI		2177		AST	EDDY		
12 Lse Code		icing Me Code	thod	¹⁴ Gas Co Da	onnection ate	¹⁵ C-129 Pern	nit Number	¹⁶ (C-129 Effective I	Date	¹⁷ C-12	29 Expiration Date		
F		F		12/11	/2018									
III. Oil a		Tran	sport	ters		10						20		
¹⁸ Transpor OGRID	ter		,	,		¹⁹ Transpor and Ad						²⁰ O/G/W		
OGRID						una re						O	_	
	A. 1755					D1-' D'	Par I D				100	W		
						Plains Pipe	eline, L.P.						34.	
												G		
					En	terprise Texas	s Pipeline LI	LC				i ni		
								REC					السلامة المسترا	
						•		_					Yan ar	
ñ. Afr	1651						A	PR 4	D 5 2019					
	- E						DISTRIC	TII-A	RTESIA O.C.D.					
	- AMARI										1			
IV. Well				<u> </u>		²³ TD	24 ppmp		25 70		1	26 2216 226		
²¹ Spud Da 3/23/201		²² Ready 11/28/2				9,728'	²⁴ PBTD 19,574'		²⁵ Perforati 9,730'-19,4			²⁶ DHC, MC		
²⁷ Hole Size		· ·		g & Tubing Size		²⁹ Depth Se		et	³⁰ Sacks Cem		s Cement			
17.5"					13.375"			 57'				405		
					13.373									
12.25"		9.625			9.625"		9,5	47'			1	930		
0.50							10					2005		
8.5"					5.5"		19,	665'				3995		
Tubing				2.875"		9,1								
V. Well		4-0												
31 Date New			Delive	ry Date	33 7	Test Date	·34 Test I	_engt	h 35 Tb	g. Pres	sure	³⁶ Csg. Pressure		
12/11/2018		12/11/20		•		/20/2018	24 Hr			991		97		
37 Choke Si	ze		³⁸ Oil		39	Water	⁴⁰ G	as				41 Test Method	\dashv	
64/64			324		1	5,739	1,04					PVT	í	
¹² I hereby cert	ify that th	ne rules	of the	Oil Conso	rvation D	ivision have			OIL CONSERV	ATION	I DIVISIO		\neg	
been complied	with and	that the	e infor	mation giv	en above								Į.	
complete to the Signature:	e best of r	ny kno	wiedge \	and belie	:I		Approved by:	N	^		1			
	Marca:	¥>>						DX	ven D	rau	B		_	
Printed name: LAURA BECE	ERRA						Γitle:	Ha	Ab Mar	-	1			

PERMITTING SPECIALIST E-mail Address: LBECERRA@CHEVRON.COM Pending BLM approvals will Phone: Date: subsequently be reviewed 2/20/2019 (432) 687-7665 and scanned

Form 3160-4 (August 2007) i

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

APR 0 5 2019

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

	WELL (COMPL	ETION C		MPLETI		EPORT		OG RIESIAC	ക്ക		ease Serial No.		
la. Type of	Well	Oil Well	⊠ Gas '	Well 🔲	Dry 🔲	Other	<u> </u>		0 0 0 0=5+340 .0 .4	94 S96559	6. If	Indian, Allotte	e or T	ribe Name
b. Type of	Completion	_	ew Well r	□ Work O	_	Deepen	☐ Plu	g Back	☐ Diff. I	Resvr.	7. U	nit or CA Agre	ement	Name and No.
2. Name of CHEVR	Operator RON USA		E	-Mail: LBE0	Contact: L							ease Name and IH SO 10 P3 2		No.
3. Address	6301 DEA MIDLAND					3a. Ph	Phone N : 432-68	lo. (includ 37-7665	e area code)	9. A	PI Well No.	3	0-015-43926
4. Location	of Well (Rep	port locati	on clearly an 7E Mer NM	d in accorda	nce with Fe	deral req	uirement	s)*				Field and Pool,		oloratory LFCAMP (GAS
	ce SESW	553FSL	2066FWL 3 Sec	32.065475 I 10 T26S R	27E Mer N	MP		104 476	\$040 \N/L =	_	11. 5	Sec., T., R., M.,	or Bl	ock and Survey R27E Mer NMP
At total	rod interval r Sec	: 15 T26S	R27E Mer SL 2177FE	NMP					084U VV LO	'n	12. (County or Paris		13. State
14. Date Sp 03/23/2	oudded	<u> </u>	15. Da	ate T.D. Rea /27/2017		4.17043	16. Dat	e Complet	ed Ready to I	Prod.		Elevations (DF, 3279 (KB, I	
18. Total D	epth:	MD TVD	19728 9211	3 19.	Plug Back	T.D.:	MD TVD		9574	20. Dep	th Bri	dge Plug Set:	MI TV	
21. Type El GR/JB,	lectric & Oth CBL	er Mechai	nical Logs R	un (Submit o	opy of each	1)				DST run?		⊠ No □	Yes (S Yes (S	ubmit analysis) ubmit analysis)
23. Casing an	nd Liner Reco	ord (Reno	rt all strings	set in well)					Direc	ctional Sur	vey?	□ No 🔯	Yes (S	ubmit analysis)
Hole Size	Size/G		Wt. (#/ft.)	Тор	Bottom		Cemente		of Sks. &	Slurry		Cement Top	*	Amount Pulled
17.500	13.3	375 J-55	54.5	(MD)	(MD)		Depth	Type	of Cement 40	(BB	L)		29	
12.250	9.625	HCL-80	43.5	(954	7	2363	3	1930)		23	\rightarrow	Mh
8.500	8.500 5.500 P-110		20.0		1966	55	-	ļ	399	5		23	28	
					-	+				 			_	
					1	-		 					-	
24. Tubing	Record	I								<u></u>		L		
	Depth Set (M		acker Depth		ize De	pth Set (N	MD)	Packer De	pth (MD)	Size	De	epth Set (MD)	Pa	cker Depth (MD)
2.875 25. Producii		9124		9111		6 Perfor	ation Rec	ord		<u> </u>	<u></u>			
	ormation		Top	В	ottom	_	Perforated			Size	T	No. Holes	Ī	Perf. Status
	OLFCAMP (GAS)		9730	19426	-		9730 TC	D 19426		<u> </u>	1752 OF		VII. Status
B)														
C)											_	-		
D) 27 Acid Fr	acture, Treat	ment Cer	nent Saueeze	- Etc							İ		:	
	Depth Interva		nent Squeez.	., Etc.			Α	mount an	d Type of N	Material				
			126 1,188,20	9 BBLS FLU	IID & 23.3 N	IM# PRO			 					
		-	_							_				•
28. Producti	ion - Interval	A												
Date First	Test	Hours	Test	Oil	Gas	Water		Gravity	Gas		Product	ion Method		
Produced 12/11/2018	Date 12/20/2018	Tested 24	Production	324.0	MCF 1049.0	BBL 5739		API 49.6	Gravit	y 1.37		FLOWS F	ROM	WELL
Choke	Tbg. Press.	Csg.	24 Hr.	Oil	Gas	Water	Gas:		Well S	Status				<u></u>
Size 64/64	Flwg. 991 SI	Press. 97.0	Rate	BBL	MCF	BBL	Ratio	3237		PGW				
28a. Produc	tion - Interva	ıl B	•	1									<u>-</u>	
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL		Gravity API	Gas Gravit	у	Product	approvals who he reviews	/// 4	
Choke	Tbg, Press.	Csg.	24 Hr.	Oil	Gas	Water	Gas	Oil	Well-		M	appi ceviewe	U	_
Size	Flwg. SI	Press.	Rate	BBL	MCF	BBL	Ratio)	J - 06	ending t	ently	pe reviewe		
(See Instructi	ions and spac					L	!		<u> </u>	ubsequ	nne	3		·
ELECTRON	NIC SUBMI ** (SSION #4 DPERA	55461 VER TOR-SU	IFIED BY T BMITTED	THE BLM O ** OPE	WELL I RATO	NFORM R-SUE	IATION S	D ** O	and sca		ED	**	

28b. Production - Interval Combet First Treated Trea									
The Press Cag 24 Hr. Call Gas BBL MCF BBL Gas Cas									
Size Five Press Rate BBL MCF BBL Ratio									
Date Test Test Production Test Production P									
Choke Tible Press. Cag. 24 Hr. Gas BBL MCF BBL Gas Cor. APr Gravity									
Solub Press. Rate BBL MCF BBL Ratio									
30. Summary of Porous Zones (Include Aquifers): Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries. Formation Top Bottom Descriptions, Contents, etc. Name BELL CANYON CHERRY CANYON BRUSHY CANYON AVALON FIRST BONE SPRING SECOND BONE SPRING THIRD BONE SPRING THIRD BONE SPRING WOLFCAMP A									
30. Summary of Porous Zones (Include Aquifers): Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries. Formation Top Bottom Descriptions, Contents, etc. Name BELL CANYON CHERRY CANYON BRUSHY CANYON AVALON FIRST BONE SPRING SECOND BONE SPRING THIRD BONE SPRING WOLFCAMP A									
tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries. Formation Top Bottom Descriptions, Contents, etc. Name BELL CANYON CHERRY CANYON BRUSHY CANYON AVALON FIRST BONE SPRING SECOND BONE SPRING SECOND BONE SPRING THIRD BONE SPRING WOLFCAMP A									
BELL CANYON CHERRY CANYON BRUSHY CANYON AVALON FIRST BONE SPRING SECOND BONE SPRING THIRD BONE SPRING WOLFCAMP A									
CHERRY CANYON BRUSHY CANYON AVALON FIRST BONE SPRING SECOND BONE SPRING THIRD BONE SPRING WOLFCAMP A	Top Meas. Depth								
	2411 3261 4493 6245 7017 7608 8781 9204								
33. Circle enclosed attachments: 1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Direction 5. Sundry Notice for plugging and cement verification 6. Core Analysis 7 Other:	al Survey								
34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instruction Electronic Submission #455461 Verified by the BLM Well Information System. For CHEVRON USA, sent to the Carlsbad	ns):								
Name (please print) LAURA BECERRA Title PERMITTING SPECIALIST									
Signature (Electronic Submission) Date 02/21/2019	Date <u>02/21/2019</u>								
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or a	genev								