
| Office _b | New Mexico | · | Form C-103 |
|---|--|--|--|
| <u>District 1</u> - (575) 393-6161 Energy, Wilneral | s and Natural Resources | | evised July 18, 2013 |
| \$625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283 | | WELL API NO. | |
| 811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVISION | | 30-015-38076 | |
| District III - (505) 334-6178 1220 Sout | h St. Francis Dr. | 5. Indicate Type of Lease STATE I | FEE 🗔 |
| 1000 Rio Brazos Rd. Azteo NM 97410 | Fe, NM 87505 | 6. State Oil & Gas Lease | |
| 1220 S. St. Francis Dr., Santa Fe, NM 87505 | 5 , 1 (1.1 6 / 5 0 5 | 6. State Off & Gas Lease | NO. |
| SUNDRY NOTICES AND REPORTS O | | 7. Lease Name or Unit Agreement Name | |
| (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | | McCoy State | |
| 1. Type of Well: Oil Well Gas Well Other | | 8. Well Number 4 | |
| 2. Name of Operator. | | 9. OGRID Number 229137 | |
| COG Operating LLC | | 1000 | |
| 3. Address of Operator One Concho Center, 600 W. Illinois Avenue, Midland, TX 79701 | | 10. Pool name or Wildcat Empire; Glorieta-Yeso, East | |
| 4. Well Location | | | |
| Unit Letter 1 : 2310 feet from the | South line and4 | feet from the <u>F</u> | East line |
| Section 08 Township | 17S Range 29E | NMPM C | County Eddy |
| | hether DR, RKB, RT, GR, etc. | | |
| | | | |
| | | A 12 TOTAL CALL AND A STATE OF A | The second secon |
| 12. Check Appropriate Box to I | ndicate Nature of Notice | Report or Other Data | • |
| 12. Check Appropriate Box to h | nareate trature of trotice, | Report of Other Data | |
| NOTICE OF INTENTION TO: | SUE | SEQUENT REPORT | OF: |
| PERFORM REMEDIAL WORK PLUG AND ABANDO | N 🔲 REMEDIAL WOR | RK 🗌 ALTERI | ING CASING 🔲 |
| TEMPORARILY ABANDON 🔲 CHANGE PLANS | | ILLING OPNS. P AND | Α 🔲 |
| PULL OR ALTER CASING MULTIPLE COMPL | ☐ CASING/CEMEN | T JOB 🔲 | • |
| DOWNHOLE COMMINGLE | | | |
| CLOSED-LOOP SYSTEM | | • | , |
| OTHER: | OTHER: Rec | omplete to Test Casing / MI | IT 🗵 |
| | | | |
| 13. Describe proposed or completed operations. (Clear | ly state all pertinent details, an | d give pertinent dates, includ | ling estimated date |
| of starting any proposed work). SEE RULE 19.15.7 | ly state all pertinent details, an 7.14 NMAC. For Multiple Co | d give pertinent dates, includ mpletions: Attach wellbore | ling estimated date diagram of |
| Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. | ly state all pertinent details, an 7.14 NMAC. For Multiple Co | d give pertinent dates, includ mpletions: Attach wellbore o | ling estimated date diagram of |
| of starting any proposed work). SEE RULE 19.15.7 | ly state all pertinent details, an 7.14 NMAC. For Multiple Co | d give pertinent dates, includ mpletions: Attach wellbore o | ling estimated date diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. | 7.14 NMAC. For Multiple Co | mpletions: Attach wellbore | diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t | 7.14 NMAC. For Multiple Co | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. | diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemen | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of mp, TOOH and LD Fibergla MO wireline. | diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of mp, TOOH and LD Fibergla MO wireline. | diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemen | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of ss rods and pump. |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of ss rods and pump. |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled t TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. | bg down, ND WH. Unseat Punted with 10 sxs Class C. RD and 4,500# for 30 minutes, tes | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. | 7.14 NMAC. For Multiple Co bg down, ND WH. Unseat Pu nted with 10 sxs Class C. RD | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. | bg down, ND WH. Unseat Punted with 10 sxs Class C. RD and 4,500# for 30 minutes, tes | mpletions: Attach wellbore of the mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig | 7.14 NMAC. For Multiple Cobg down, ND WH. Unseat Punted with 10 sxs Class C. RD and 4,500# for 30 minutes, test | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT II- | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. | 7.14 NMAC. For Multiple Cobg down, ND WH. Unseat Punted with 10 sxs Class C. RD and 4,500# for 30 minutes, test | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT II- | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig | 7.14 NMAC. For Multiple Cobg down, ND WH. Unseat Punted with 10 sxs Class C. RD and 4,500# for 30 minutes, test | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT II- | diagram of ss rods and pump. CENED 2 2 2019 |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig | bg down, ND WH. Unseat Punted with 10 sxs Class C. RD g.@ 4,500# for 30 minutes, tes | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT III | diagram of ss rods and pump. CEIVED 2 2 2019 -ARTESIA O.C.D. |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig | bg down, ND WH. Unseat Punted with 10 sxs Class C. RD and 4,500# for 30 minutes, tester to the best of my knowledgete to the best of my knowledgete. | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT II- | diagram of ss rods and pump. CEIVED 2 2 2019 -ARTESIA O.C.D. |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig I hereby certify that the information above is true and complete SIGNATURE Ama Hara Hara Hara Hara Hara Hara Hara Ha | bg down, ND WH. Unseat Punted with 10 sxs Class C. RD and 4,500# for 30 minutes, testet to the best of my knowledge. LE Permit Specialist II | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT II. ge and belief. DATE04/18. | diagram of ss rods and pump. CENED 2 2 2019 -ARTESIA O.C.D. |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896". Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig I hereby certify that the information above is true and complete SIGNATURE SIGNATURE Dana King E-ma | bg down, ND WH. Unseat Punted with 10 sxs Class C. RD g.@ 4,500# for 30 minutes, tes | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT II. ge and belief. DATE04/18. | diagram of ss rods and pump. CENED 2 2 2019 -ARTESIA O.C.D. |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig I hereby certify that the information above is true and complete SIGNATURE Ama Hara Hara Hara Hara Hara Hara Hara Ha | bg down, ND WH. Unseat Punted with 10 sxs Class C. RD and 4,500# for 30 minutes, testet to the best of my knowledge. LE Permit Specialist II | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT II. ge and belief. DATE04/18. | diagram of ss rods and pump. CENED 2 2 2019 -ARTESIA O.C.D. |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896'. Cemel Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig I hereby certify that the information above is true and complete SIGNATURE SIGNATURE Type or print name Dana King E-ma For State Use Only | Release Date: Permit Specialist II Address: _dking@concho.ce | mpletions: Attach wellbore of mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICTION The many part of the p | diagram of ss rods and pump. CEIVED 2 2 2019 -ARTESIA O.C.D. |
| of starting any proposed work). SEE RULE 19.15.7 proposed completion or recompletion. 1/17 - 23/2019 MIRU WSU, Legendary Pump Truck, bled to TOOH & LD 153 jts 2 7/8" tbg. Set CIBP @ 3,896". Cemer Loaded csg with 88 BFW, set up Chart Recorder, Tested Csg Please see attached chart and plat. Spud Date: Rig I hereby certify that the information above is true and complete SIGNATURE SIGNATURE Dana King E-ma | Release Date: Permit Specialist II Address: _dking@concho.ce | mp, TOOH and LD Fibergla. MO wireline. ted good. RDMO. APR DISTRICT II. ge and belief. DATE04/18. | diagram of ss rods and pump. CEIVED 2 2 2019 -ARTESIA O.C.D. |



COG Operating LLC OGRID #229137 McCoy State #4 API #30-015-38076

1/22/2014 St. #4

COG Operating LLC OGRID #229137 McĆoy State #4 API #30-015-38076