Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

	Explics, Januar
<u>;</u>	Lease Serial No.
	NMNM107369

6	If Indian	Allottag	or Triba	Mama

abandoned well. Use for	n 3160-3 (APD) for s	such proposals.	6. If Indian, Allottee	or Tribe Name	
SUBMIT IN TRIPLICAT	ns on page 2	7. If Unit or CA/Agr	7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well			8. Well Name and No HH CE 26 23 FE		
Oil Well Gas Well Other	C + + LAUDA	DECEDDA			
Name of Operator CHEVRON USA INCORPORATED E-I	Contact: LAURA Mail: LBECERRA@CHE	N BECERRA VRON.COM	9. API Well No. 30-015-45426	-00-X1	
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706		one No. (include area code) 32-687-7655	10. Field and Pool of PURPLE SAG	r Exploratory Area E-WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T., R., M., or St	irvey Description)		11. County or Parish	, State	
Sec 35 T25S R27E NWNW 245FNL 1060 32.093079 N Lat, 104.165619 W Lon	DFWL		EDDY COUNT	ΓY, NM	
12. CHECK THE APPROPRIA	TE BOX(ES) TO INI	DICATE NATURE OI	F NOTICE, REPORT, OR OT	THER DATA	
TYPE OF SUBMISSION		TYPE OF	ACTION		
☑ Notice of Intent ☐ Acidi	ze [☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
☐ Alter	Casing [☐ Hydraulic Fracturing	☐ Reclamation	■ Well Integrity	
	· ·	☐ New Construction	☐ Recomplete	☑ Other Change to Original A	
☐ Final Abandonment Notice ☐ Chan	-	Plug and Abandon	☐ Temporarily Abandon	PD	
☐ Conv	ert to Injection [🗖 Plug Back	☐ Water Disposal		
Chevron respectfully requests the following attached supporting documents. -Change of well name: From: HH CE 26 23 FED 001 4H To: CICADA UNIT 19H -Change of pad size, revised well plat and		٠ ک کا مدر	eristent alche OCD Artes	APR 0 1 2019 SOFTE ARTESIA O.	
·	Submission #451339 or CHEVRON USA INC	verified by the BLM Wel CORPORATED, sent to to by PRISCILLA PEREZ or	I Information System he Carlsbad n 01/29/2019 (19PP0792SE)		
Name(Printed/Typed) LAURA BECERRA		Title REGUL	ATORY SPECIALIST		
Signature (Electronic Submission)		Date 01/22/20	 019		
THI	S SPACE FOR FEI	DERAL OR STATE	OFFICE USE		
Approved By ZOTA STEVENS		' - -	UM ENGINEER	Date 03/11/2019	
Conditions of approval, if any, are attached. Approval of certify that the applicant holds legal or equitable title to which would entitle the applicant to conduct operations	those rights in the subject l		ı	···	
Fitle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section States any false, fictitious or fraudulent statements or the statements of the statement of			willfully to make to any department	or agency of the United	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe. NM 87505


Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office


X AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number		² Pool (Code	³ Pool Name					
	30-015-45426 98220 PURPLE SAGE; WOLFCAMP (GAS)								
⁴ Proper	ty Code		S Property Name Well Number				Well Number		
3228	860			CIO	CADA UNIT				019H
⁷ OGR	ID No.			* O	perator Name		···		⁹ Elevation
43:	23			CHEVE	RON U.S.A. IN	IC.			3186'
				10 Sur	face Locat	ion			
UL or lot no.	Section	on Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	35	25 SOUTH	27 EAST, N.M.P.M.		245'	NORTH	1060'	WEST	EDDY
			11 Bottom I	Hole Locat	tion If Diff	erent From S	Surface		
UL or lot no.	Section	on Township	Township Range		Feet from the	North/South line	Feet from the	East/West line	County
С	23	25 SOUTH	5 SOUTH 27 EAST, N.M.P.M.		280'	NORTH	1590'	WEST	EDDY
12 Dedicated Acres 13 Joint or Infill		14 Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.







DISCLAIMER: At this time, C. H. Fenstermaker & Associates, L.L.C. has not performed nor was asked to perform any type of engineering, hydrological modeling, flood plain, or "No Rise" certification analyses, including but not limited to determining whether the project will impact flood hazards in connection with federal/FEMA, state, and/or local laws, ordinances and regulations. Accordingly, Fenstermaker makes no warranty or representation of any kind as to the foregoing issues, and persons or entities using this information shall do so at their own risk.

NOTE

Please be advised, that while reasonable efforts are made to locate and verify pipelines and anomalies using our standard pipeline locating equipment, it is impossible to be 100 % effective. As such, we advise using caution when performing work as there is a possibility that pipelines and other hazards, such as fiber optic cables. PVC pipelines, etc. may exist undetected on site.

NOTE

Many states maintain information centers that establish links between those who dig (excavators) and those who own and operate underground facilities (operators). It is advisable and in most states, law, for the contractor to contact the center for assistance in locating and marking underground utilities. For guidance, New Mexico One Call www.nmonecall.org

FOR THE EXCLUSIVE USE OF CHEVRON U.S.A. INC.
I, Robert L. Lastrapes, Professional Surveyor, do hereby state this plat is true and correct to the best of my knowledge.

Not to be used for construction, bidding, recordation, conveyance, sales, or engineering design.

PRELIMINARY

Robert L. Lastrapes Registration No. 23006



C. H. Fenstermaker & Associates, L.L.C 135 Regency Sq. Lafayette, LA 70508 Ph. 337-237-2200 Fax, 337-232-3299 www.fenstermaker.com

	NW PAD CORNE	R		NE PAD CORNE	R
X=	551,814		X=	552,308	
Y=	397,823	NAD 27	Y=	397,856	NAD 27
LAT.	32.093622 N	NAU 21	LAT.	32,093709 N	NAU 21
LONG.	104,166018 W		LONG.	104.164423 W	
X=	592,998		X=	593,492	
Y=	397,881	NAD83/86	Y=	397,913	NAD83/86
LAT.	32.093744 N	INADOSIOO	LAT.	32.093831 N	NADOJIOU
LONG.	104,166511 W		LONG.	104.164916 W	
ELEV.	+3,179'	NAVD88	ELEV.	+3,183'	NAVD88
	SW PAD CORNE	R		SE PAD CORNE	R
X=	551,839		X=	552,333	
Y=	397,444	NAD 27	Y=	397,477	NAD 27
LAT.	32.092580 N	NAU 21	LAT.	32.092667 N	NAU 21
LONG.	104.165940 W		LONG.	104,164345 W	
X=	593,023		X=	593,517	
Y=	397,502	NAD83/86	Y=	397,534	NAD83/86
LAT.	32.092701 N	MAD83/86	LAT.	32.092789 N	INAUG3/66
LONG.	104.166432 W		LONG.	104.164837 W	
ELEV.	+3,193'	NAVD88	ELEV.	+3,186'	NAVD88

PROPOSED PAD							
COURSE	BEARING	DISTANCE					
P1	N 86° 13' 44" E	495.00'					
P2	S 03° 46' 16" E	380.00					
P3	S 86° 13' 44" W	495.00'					
P4	N 03° 46′ 16" W	380.00'					

PROPOSED MAIN ACCESS ROAD						
COURSE	DISTANCE					
A1	S 85° 43' 34" W	1379.63				
A2	S 86° 13' 44" W	774.47				
А3	S 03° 46' 16" E	115.36				
A4	N 86° 13' 44" E	85.34				

	PROPOSED SECONDARY ACCESS ROAD							
COURSE BEARING DISTAI								
	A5	S 04° 05' 42" E	105.36'					
	A6	S 86° 13' 44" W	70.00'					


WELL PLAT


Page 3 of 3


CHEVRON U.S.A. INC.


PROPOSED PAD & ACCESS ROAD CICADA UNIT NO. 019H WELL SECTIONS 26 & 35, T25S-R27E EDDY COUNTY, NEW MEXICO


		REVISIONS				
DRAWN BY: AMT	#	BY:	DATE:	DESCRIPTION:		
PROJ. MGR.: GDG	3	RMB	11/16/2018	Revise access road		
DATE: 07/13/2018						
FILENAME: T:\2017\2176160\DWG\CICADA UNIT NO. 019H Well Plat.dwg						











DISCLAIMER: At this time, C. H. Fenstermaker & Associates, L.L.C. has not performed nor was asked to perform any type of engineering, hydrological modeling, flood plain, or "No Rise" certification analyses, including but not limited to determining whether the project will impact flood hazards in connection with federal/FEMA, state, and/or local laws, ordinances and regulations. Accordingly, Fenstermaker makes no warranty or representation of any kind as to the foregoing issues, and persons or entities using this information shall do so at their own risk.

Scale: 1" = 10,000'

10,000'

0 5,000' 10,000'

C. H. Fenstermaker & Associates, L.L.C

135 Regency Sq. Lafayette, LA 70508 Ph. 337-237-2200 Fax. 337-232-3299 www.fenstermaker.com FOR THE EXCLUSIVE USE OF CHEVRON U.S.A. INC.
I, Robert L. Lastrapes, Professional Surveyor, do hereby state this plat is true and correct to the best of my knowledge.

Not to be used for construction, bidding, recordation, conveyance, sales, or engineering design.

PRELIMINARY

Robert L. Lastrapes Registration No. 23006

- 1. Many states maintain information centers that establish links between those who dig (excavators) and those who own and operate underground facilities (operators). It is advisable and in most states, law, for the contractor to contact the center for assistance in locating and marking underground utilities. For guidance: New Mexico One Call www.nmonecall.com.
- 2. The design pad elevation recommendation is based solely on a cut and fill (1:1 ratio) balance of the pad and does not include material required for the access roads. A detailed soil test and slope stability analysis shall be performed prior to construction to ensure proper compaction and working performance of the pad under the anticipated loadings. This material balance sheet does not constitute a foundation design and C. H. Fenstermaker & Associates, L.L.C. makes no warranty to the structural integrity of the site layout as shown. Fenstermaker also makes no recommendation or warranty about the layout relative to flood hazards, erosion control, or soil stability issues. Elevations refer to the North American Vertical Datum of 1988.
- 3.Please be advised, that while reasonable efforts are made to locate and verify pipelines and anomalies using our standard pipeline locating equipment, it is impossible to be 100 % effective. As such, we advise using caution when performing work as there is a possibility that pipelines and other hazards, such as fiber optic cables. PVC pipelines, etc. may exist undetected on site.

CUT & FILL PLAT

Page 5 of 5

CHEVRON U.S.A. INC.

PROPOSED PAD & ACCESS ROAD CICADA UNIT NOS. 19H-22H SECTIONS 26 & 35, T25S-R27E EDDY COUNTY, NEW MEXICO

	REVISIONS					
DRAWN BY: DMB	#	BY:	DATE:	DESCRIPTION:		
PROJ. MGR.: GDG	2	AMT	11/08/2018	Name change		
DATE: 07/18/2018 3 DMB 12/06/2018 Pad and access revision						
FILENAME: T:\2017\2176160\DWG\CICADA UNIT Cut & Fill.dwg						