

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		RECEIVED MAY 10 2019 State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 320 S. St. Francis Dr. Santa Fe, NM 87505		Form C-105 July 17, 2008	
		1. WELL API NO. 30-015-44906		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN	
		3. State Oil & Gas Lease No. 321281		5. Lease Name or Unit Agreement Name Palmillo 26 State COM	
WELL COMPLETION OR RECOMPLETION REPORT AND LOG				6. Well Number: 314H	
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER					
8. Name of Operator Apache Corporation				9. OGRID 873	
10. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705				11. Pool name or Wildcat Winchester; Bone Spring (65010)	
12. Location	Unit Ltr	Section	Township	Range	Lot
Surface:	H	26	19S	28E	
BH:	E	26	19S	28E	
13. Date Spudded 07/25/2018	14. Date T.D. Reached	15. Date Rig Released 07/29/2018		16. Date Completed (Ready to Produce)	
17. Elevations (DF and RKB, RT, GR, etc.) 3350'		18. Total Measured Depth of Well 13506		19. Plug Back Measured Depth 13458	
20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run			
22. Producing Interval(s), of this completion - Top, Bottom, Name 8876-13368 Winchester, Bone Spring					
23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13.375	48 H40	429	17.5	900SKS TOC SURF	0
9.625	40 J55	3025	12.25	1080SKS TOC SURF	0
5.5	17 P110	13506	8.5	2200 SKS TOC SURF	0
					0
24. LINER RECORD					
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	
25. TUBING RECORD					
SIZE	DEPTH SET	PACKER SET			
2 7/8	8487				
26. Perforation record (interval, size, and number) 8876-13368					
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED		
8876-13368			LTR-216,162bbl, 100 MESH 7,239,950lbs 20/40 1,774,140lbs		
28. PRODUCTION					
Date First Production 04/26/2019		Production Method (Flowing, gas lift, pumping - Size and type pump) gas lift		Well Status (Prod. or Shut-in) prod	
Date of Test 05/05/2019	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 255	Gas - MCF 580
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl. 3509
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold					30. Test Witnessed By Apache Corp.
31. List Attachments Inclination Report, C-102, C-103, C-104 (Logs submitted)					
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.					
33. If an on-site burial was used at the well, report the exact location of the on-site burial:					
Latitude			Longitude		
			NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief					
Signature		Printed Name Alicia Fulton		Title Sr. Regulatory Analyst	
E-mail Address alicia.fulton@apachecorp.com				Date 05/07/2019	

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 930	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 1282	T. Devonian	T. Cliff House	T. Leadville
T. Queen 1816	T. Silurian	T. Menefee	T. Madison
T. Grayburg 2197	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 2670	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinébry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3108	T. Morrison	
T. Drinkard	T. Bone Springs 3948	T. Todilto	
T. Abo	T. Rustler	T. Entrada	
T. Wolfcamp 8926	T. Tansill	T. Wingate	
T. Penn	T. Penrose	T. Chinle	
T. Cisco (Bough C)	T. Bowers-SD	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology