| SUNDRY Do not use the abandoned we SUBMIT IN Ori Well Gas Well Oth Other Corporation 3a. Address 303 VETERANS AIRPARK LA MIDLAND, TX 79705 4. Location of Well (Footage, Sec., T | Contact: | RTS ON WELLS drill or to re-enter an D) for such proposals. | Artesia | 5. Lease Serial No. NMNM113962 6. If Indian, Allottee 7. If Unit or CA/Agree | or Tribe Nar | me |
|--|---|--|----------------------------|--|-----------------|---------------|
| abandoned we SUBMIT IN 1. Type of Well Soli Well Gas Well Ott 2. Name of Operator APACHE CORPORATION 3a. Address 303 VETERANS AIRPARK LA MIDLAND, TX 79705 4. Location of Well (Footage, Sec., T | II. Use form 3160-3 (API | D) for such proposals. | | | | |
| Type of Well Oil Well Gas Well Ott Name of Operator APACHE CORPORATION Address 303 VETERANS AIRPARK LA MIDLAND, TX 79705 Location of Well (Footage, Sec., T | her Contact: | tructions on page 2 | | 7. If Unit or CA/Agro | eement, Nair | <u> </u> |
| Oil Well Gas Well Ott Name of Operator APACHE CORPORATION Address 303 VETERANS AIRPARK LA MIDLAND, TX 79705 Location of Well (Footage, Sec., T | Contact: | | | | | ie and/or No. |
| Name of Operator APACHE CORPORATION Address 303 VETERANS AIRPARK LA MIDLAND, TX 79705 Location of Well (Footage, Sec., T) | Contact: | | | 8. Well Name and No EAST TURKEY | | EDERAL 2 |
| 303 VETERANS AIRPARK LA MIDLAND, TX 79705 4. Location of Well (Footage, Sec., T | | DIANNE GILBREATH reath@apachecorp.com | | 9. API Well No. 30-015-35525- | 00-S1 | |
| 4. Location of Well (Footage, Sec., T | ANE SUITE 3000 | 3b. Phone No. (include area coor Ph: 432.818.1103 | de) | 10. Field and Pool or N BENSON | Exploratory | ' Area |
| | ., R., M., or Survey Description, |) | | 11. County or Parish | State | |
| Sec 3 T19S R30E NESW 203 | OFSL 2310FWL | · · · | , | EDDY COUNT | Y, NM | |
| 12. CHECK THE AI | PPROPRIATE BOX(ES) | TO INDICATE NATURE | OF NOTIC | E, REPORT, OR OT | HER DAT | ГА |
| TYPE OF SUBMISSION | | ТҮРЕ | OF ACTION | | | |
| Notice of Intent | C Acidize | 🗖 Deepen | 🗖 Produ | ction (Start/Resume) | 🗖 Wate | er Shut-Off |
| Subsequent Report | Alter Casing | Hydraulic Fracturin | | | | l Integrity |
| | Casing Repair | New Construction | C Recor | - | 🗖 Othe | r |
| Final Abandonment Notice | Change Plans Convert to Injection | Plug and Abandon Plug Back | | orarily Abandon Disposal | | |
| | • | | | | | PROCEDURE |
| | for record - NMOCD | · · · | RECE | NED | ATTACI | HED |
| | | | JUN 2 | 5 2019 REC | CLAM | IATION |
| | | DIS | TRICTII-AR | DUI TESIAO.C.D. | E <u> 2-</u> - | -19 |
| 14. I hereby certify that the foregoing is | true and correct. Electronic Submission #4 | 467708 verified by the BLM W | leli Informatio | on System | | |
| | For APACHE nitted to AFMSS for proces | E CORPORATION, sent to the sing by DEBORAH MCKINNE | e Carlsbad Y on 06/05/2 | - | | |
| Name (Printed/Typed) DIANNE G | SILBREATH | Title P&A A | SSISTANT | | <u> </u> | |
| Signature (Electronic S | ubmission) | Date 06/05 | 20 ACCE | PTED FOR RE | CORD | |
| | THIS SPACE FO | R FEDERAL OR STATE | E OFFICE I | JSE | | |
| Approved By | | Title | | JUN - 6 2019 | Da | e . |
| onditions of approval, if any, are attached rtify that the applicant holds legal or equ nich would entitle the applicant to condu | itable title to those rights in the | not warrant or subject lease Office | BURE | AU OF LAND MANAGE | | |
| tle 18 U.S.C. Section 1001 and Title 43 I States any false, fictitious or fraudulent s | U.S.C. Section 1212, make it a c tatements or representations as | crime for any person knowingly an to any matter within its jurisdiction | d willfully to r | | | he United |
| | | | | | | |
| istructions on page 2) ** BLM REVI | SED ** BLM REVISED | | | | D ** | |
| istructions on page 2) ** BLM REVI | SED ** BLM REVISED | ** BLM REVISED ** BL | M REVISE | D ** BLM REVISE | D ** | |

| Form 3160-5 | UNITED STATES | | FO FO | RM APPROVED | |
|---|--|--|--|--|--|
| (June 2015) | PARTMENT OF THE IN | | | 1B No. 1004-0137 es January 31, 2018 | |
| BUR | EAU OF LAND MANA | GEMENT | 5. Lease Senal No | | |
| SUNDRY I | NOTICES AND REPOR | RTS ON WELLS | NMNM113962 6 If Indian, Allottee or | Tribe Name | |
| | form for proposals to Use Form 3160-3 (AP | | | | |
| CONTRACTOR DATE AND A CONTRACTOR OF | TRIPLICATE - Other instruc | 7 If Unit of CA/Agreen | 7 If Unit of CA/Agreement, Name and/or No. | | |
| 1 Type of Well Oil Well Gas V | Weil X Other | | 8 Well Name and No . East Turkey Track | 3 Eederal 3 | |
| 2 Name of Operator Apache Corporation | | ilbreath@apachecorp.com | 9 API Well No 30-015-35525-00-5 | 51 | |
| 3a Address 3b. Phone No. (include area code) 303 Veterans Airpark Lane Suite 3000 432-818-1103 Midland, Tx 79705 432-818-1103 | | | 10 Field and Pool or Exploratory Area Benson; Queen - Grayb Valmowa- | | |
| 4 Location of Well (Footage, Sec., T., Sec 3 T19S R30E NESW 2030F | R., M. or Survey Description) FSL 2310FWL | | 11. Country or Parish, S | late 5 0 8 - 4 - 5 | |
| 12. CHE | CK THE APPROPRIATE BO | X(ES) TO INDICATE NATURE OF | I Eddy County, NM NOTICE, REPORT OR OTHE | ER DATA | |
| TYPE OF SUBMISSION | | TYPEC | PF ACTION | | |
| Notice of Intent | Acidize | Deepen Hydraulic Fracturing | Production (Start/Resume) Reclamation | Water Shut-Off Well Integrity | |
| X Subsequent Report | Casing Repair | New Construction | Recomplete | Other | |
| Final Abandonment Notice | Convert to Injection | Plug Back | Temporarily Abandon Water Disposal | | |
| Completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 (2. 05/31/19) Pump surface via | ons. If the operation results in a tices must be filed only after al (30 MIRU. spot 55xsx of class c cmt @ 5 1/2" from 730' to surface v | Bond No. on file with BLM/BIA Re- multiple completion or recompletion requirements, including reclamation RI + + rg ? 2230' w/ disp @ 1680' tag toc @ w/ 80 sxs of class c cmt., RD P & | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has be operator has detennined that the sit | |
| د completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 | ons. If the operation results in a tices must be filed only after al (30 MIRU. spot 55xsx of class c cmt @ 5 1/2" from 730' to surface v | multiple completion or recompletion requirements, including reclamation RI + + rg 2230' w/ disp @ 1680' tag toc @ | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has b operator has detennined that the sit | |
| Completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 (2. 05/31/19) Pump surface via | ons. If the operation results in a tices must be filed only after al (30 MIRU. spot 55xsx of class c cmt @ 5 1/2" from 730' to surface v | multiple completion or recompletio I requirements, including reclamatio Rエムムナスタぞ 2230' w/ disp @ 1680' tag toc @ w/ 80 sxs of class c cmt., RD P & | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has b operator has detennined that the sit | |
| Completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 (2. 05/31/19) Pump surface via | ons. If the operation results in a tices must be filed only after al (30 MIRU. spot 55xsx of class c cmt @ 5 1/2" from 730' to surface v | multiple completion or recompletio I requirements, including reclamatio Rエムムナスタぞ 2230' w/ disp @ 1680' tag toc @ w/ 80 sxs of class c cmt., RD P & | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has b operator has detennined that the sit | |
| Completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 (2. 05/31/19) Pump surface via | ons. If the operation results in a tices must be filed only after al (30 MIRU. spot 55xsx of class c cmt @ 5 1/2" from 730' to surface v | multiple completion or recompletio I requirements, including reclamatio Rエムムナスタぞ 2230' w/ disp @ 1680' tag toc @ w/ 80 sxs of class c cmt., RD P & | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has b operator has detennined that the sit | |
| Completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 (2. 05/31/19) Pump surface via | ons. If the operation results in a tices must be filed only after al (30 MIRU. spot 55xsx of class c cmt @ 5 1/2" from 730' to surface v | multiple completion or recompletio I requirements, including reclamatio Rエムムナスタぞ 2230' w/ disp @ 1680' tag toc @ w/ 80 sxs of class c cmt., RD P & | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has b operator has detennined that the sit | |
| completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 (2. 05/31/19) Pump surface via 3. Cutoff Well Head, install Dry | ans. If the operation results in a types must be filed only after al (30 MIAU spot 55xsx of class c cmt (3 5 1/2" from 730' to surface v Hole Marker. Cle | nultiple completion or recompletio I requirements, including reclamatio RI 44 F Rg Q 2230' w/ disp @ 1680' tag toc @ w/ 80 sxs of class c cmt., RD P 8 m location. | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has b operator has detennined that the sit | |
| Completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 (2. 05/31/19) Pump surface via | ans. If the operation results in a types must be filed only after al (30 MIAU spot 55xsx of class c cmt (3 5 1/2" from 730' to surface v Hole Marker. Cle | nultiple completion or recompletio I requirements, including reclamatio RI 44 F Rg Q 2230' w/ disp @ 1680' tag toc @ w/ 80 sxs of class c cmt., RD P 8 m location. | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has b operator has detennined that the sit | |
| completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 (2. 05/31/19) Pump surface via 3. Cutoff Well Head, install Dry | ans. If the operation results in a types must be filed only after al (30 MIAU spot 55xsx of class c cmt (3 5 1/2" from 730' to surface v Hole Marker. Cle | ed/Typedj | n in a new Interval, a Form 316 n, have been completed and the チースし、ていて g 1690' | 0-4 must be filed once testing has b operator has detennined that the sit | |
| completion of the involved operating completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230' (2. 05/31/19) Pump surface via 3. Cutoff Well Head, install Dry 4. I hereby certify that the foregoing is Jimmy Bagley | If the operation results in a tices must be filed only after al (30 MIAU spot 55xsx of class c cmt (3 5 1/2" from 730' to surface v Hole Marker. Cle of the Marker. Cle of | enultiple completion or recompletion I requirements, including reclamation $RI + + + \pi g \in$ 2230' w/ disp @ 1580' tag toc @ w/ 80 sxs of class c cmt. , RD P 8 an location. ed/Typed). Title Agent | n in a new interval, a Form 316 n, have been completed and the シュンスレイ・ て ir こ g 1690' A equipment. | 0-4 must be filed once testing has b operator has detennined that the sit | |
| completion of the involved operating completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230' (2. 05/31/19) Pump surface via 3. Cutoff Well Head, install Dry 4. I hereby certify that the foregoing is Jimmy Bagley | If the operation results in a tices must be filed only after al (30 MIAU spot 55xsx of class c cmt (3 5 1/2" from 730' to surface v Hole Marker. Cle of the Marker. Cle of | ed/Typed) Title Agent Date 05/30/19 CR FEDERAL OR STATE | n in a new Interval, a Form 316 n, have been completed and the チーチスレイ・ て ir c a f f f f f f f f f f f f f f f f f f f | 0-4 must be filed once testing has b operator has detennined that the sit $\mathcal{A} = \mathcal{A} = \mathcal{A} = \mathcal{A}$ | |
| completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230' (2. 05/31/19) Pump surface via 3. Cutoff Well Head, install Dry 3. Cutoff Well Head, install Dry 4. I hereby certify that the foregoing is Jimmy Bagley Signature | ns. If the operation results in a lines must be filed only after al (30 MIRU . spot 55xsx of class c cmt @ 5 1/2" from 730' to surface v Hole Marker . Cle of Hole Marker . THE SPACE F THE SPACE F | ed/Typed) Title | n in a new interval, a Form 316 n, have been completed and the シュンスレイ・ て ir こ g 1690' A equipment. | 0-4 must be filed once testing has b operator has detennined that the sit $\mathcal{A} = \mathcal{A} = \mathcal{A} = \mathcal{A}$ | |
| completion of the involved operation completed Final Abandonment No is ready for final inspection.) 1. 05/31/19 Tag TOC @ 2230 2. 05/31/19 Pump surface via 3. Cutoff Well Head, install Dry 4. I hereby certify that the foregoing is Jimmy Bagley Signature Conditions of approval, if any, are attach ertify that the applicant holds legal or extended | If the operation results in a lines must be filed only after al (30 MIAU spot 55xsx of class c cmt (3) 5 1/2" from 730' to surface v Hole Marker. Cle of Hole Marker. Cle of THE SPACE F red Approval of this notice doe quitable title to those rights in t duct operations thereon U.S.C. Section 1212, make it a | multiple completion or recompletio I requirements, including reclamatio RI + + rg ? 2230' w/ disp @ 1580' tag toc @ w/ 80 sxs of class c cmt. RD P & M = 10 c + 10 - 10 Title Agent Date 05/30/19 COR FEDERAL OR STATE Title is not warrant or the subject lease Office orime for any person knowingly and | n in a new interval, a Form 316 n, have been completed and the シュンスレック・ て in c a equipment. OFICE USE | 0-4 must be filed once testing has be operator has detennined that the sit $\mathcal{A} = \mathcal{A} = \mathcal{A} = \mathcal{A} = \mathcal{A}$ | |

620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/mm

EPRIDE

MER

In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure) Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area

- 1 The Application for Permit to Drill or Reenter (APD. Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3.60-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3.60-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3 The operator must file a Subsequent Report Flug and Abandonment (Form 3160-5) following the plugging of a wen.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the ocation and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.

6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final-Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.

7 At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Evintronmental Protection Specialist 575-234-5996

Trishia Bad Bear Hobbs Field Station Natural Resource Specialist 575-393-3612