

RECEIVED

JUN 25 2019  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.**5. Lease Serial No.  
NMNM89172

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
Multiple--See Attached9. API Well No.  
Multiple--See Attached10. Field and Pool or Exploratory Area  
PURPLE SAGE-WOLFCAMP (GAS)11. County or Parish, State  
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator  
OXY USA INCORPORATEDContact: SARAH E CHAPMAN  
E-Mail: SARAH\_CHAPMAN@OXY.COM3a. Address  
5 GREENWAY PLAZA SUITE 110  
HOUSTON, TX 77046-05213b. Phone No. (include area code)  
Ph: 713-350-49974. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Multiple--See Attached

## 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

## TYPE OF ACTION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Hydraulic Fracturing☐ New Construction☐ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☒ Other,  
Drilling Operations

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

OXY USA Inc. respectfully requests the right to cement the intermediate casing strings (9.625" and 7.625") offline for the following wells:

30-015-45112 - Sunrise MDP1 8-5 Federal Com 174H - NMNM089172

30-015-45152 - Sunrise MDP1 8-5 Federal Com 175H - NMNM089172

30-015-45153 - Sunrise MDP1 8-5 Federal Com 176H - NMNM089172

Please find the updated documentation for more information.  
Thank you.

GC 6/26/19  
Accepted for record - NMOCDCarlsbad Field Office  
OCD Artesia

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #464496 verified by the BLM Well Information System

For OXY USA INCORPORATED, sent to the Carlsbad

Committed to AFMSS for processing by PRISCILLA PEREZ on 05/08/2019 (19PP1971SE)

Name (Printed/Typed) SARAH E CHAPMAN

Title REGULATORY SPECIALIST

Signature (Electronic Submission)

Date 05/08/2019

## THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By NDUNGU KAMAU

Title PETROLEUM ENGINEER

Date 05/21/2019

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

**Additional data for EC transaction #464496 that would not fit on the form**

**Wells/Facilities, continued**

<b>Agreement</b>	<b>Lease</b>	<b>Well/Fac Name, Number</b>	<b>API Number</b>	<b>Location</b>
NMNM89172	NMNM89172	SUNRISE MDP1 8-5 FEDERAL COM-075-45112-00-X1	10-075-45112-00-X1	Sec 17 T24S R31E NWNE 592FNL 1369FEL 32.222969 N Lat, 103.795731 W Lon
NMNM89172	NMNM89172	SUNRISE MDP1 8-5 FEDERAL COM-075-45152-00-X1	10-075-45152-00-X1	Sec 17 T24S R31E NWNE 592FNL 1334FEL 32.222969 N Lat, 103.795616 W Lon
NMNM89172	NMNM89172	SUNRISE MDP1 8-5 FEDERAL COM-075-45153-00-X1	10-075-45153-00-X1	Sec 17 T24S R31E NENE 592FNL 1299FEL 32.222969 N Lat, 103.795502 W Lon

## Revisions to Operator-Submitted EC Data for Sundry Notice #464496

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG NOI	DRG NOI
Lease:	NMNM89172	NMNM89172
Agreement:		
Operator:	OXY USA INC. P.O. BOX 4294 HOUSTON, TX 77210 Ph: 713-350-4997	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	SARAH E CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997	SARAH E CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997
Tech Contact:	SARAH E CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997	SARAH E CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997
Location:		
State:	NM	NM
County:	EDDY COUNTY	EDDY
Field/Pool:	PURPLE SAGE-WOLFCAMP (GAS)	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	SUNRISE MDP1 8-5 FEDERAL COM 174H Sec 17 T24S R31E NWNE 592FNL 1369FEL 32.222969 N Lat, 103.795731 W Lon	SUNRISE MDP1 8-5 FEDERAL COM 174H Sec 17 T24S R31E NWNE 592FNL 1369FEL 32.222969 N Lat, 103.795731 W Lon SUNRISE MDP1 8-5 FEDERAL COM 175H Sec 17 T24S R31E NWNE 592FNL 1334FEL 32.222969 N Lat, 103.795616 W Lon SUNRISE MDP1 8-5 FEDERAL COM 176H Sec 17 T24S R31E NENE 592FNL 1299FEL 32.222969 N Lat, 103.795502 W Lon

## Offline Cementing

Oxy requests a variance to cement the 7.625" intermediate casing strings offline on the following wells, in accordance to the approved variance, EC Tran 461365:

API #	Well Name	Lease Serial #
30-015-45112	Sunrise MDP1 8-5 Federal Com 174H	NMNM089172
30-015-45152	Sunrise MDP1 8-5 Federal Com 175H	NMNM089172
30-015-45153	Sunrise MDP1 8-5 Federal Com 176H	NMNM089172

The summarized operational sequence will be as follows:

1. Run casing as per normal operations. While running casing, conduct negative pressure test and confirm integrity of the float equipment (float collar and shoe).
2. Land casing.
3. Fill pipe with kill weight fluid, and confirm well is static.
  - a. If well is not static notify BLM and kill well.
  - b. Once well is static notify BLM with intent to proceed with nipple down and offline cementing.
4. Set and pressure test annular packoff.
5. After confirmation of both annular barriers and internal barriers, nipple down BOP and install cap flange. If any barrier fails to test, the BOP stack will not be nipped down until after the cement job is completed.
6. Skid rig to next well on pad.
7. Confirm well is static before removing cap flange.
8. If well is not static notify BLM and kill well prior to cementing or nipping up for further remediation.
9. Install offline cement tool.
10. Rig up cement equipment.
  - a. Notify BLM prior to cement job.
11. Perform cement job.
12. Confirm well is static and floats are holding after cement job.
13. Remove cement equipment, offline cement tools and install night cap with pressure gauge for monitoring.