

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy, Minerals and Natural Resources Department 9 2019

Submit Original to Appropriate District Office

Oil Conservation Division
1220 South St. Francis Dr. Santa Fe, NM 87505

			GAS CA	PTURE PL	AN			
Date	e: 9-17-18							
☒ (	Original		Operator	& OGRID N	No.: <u>Mewbo</u>	urne Oil Com	npany - 14744	
	Amended - Reason for	Amendment:_						
new	completion (new drill	, recomplete to	o new zone, re-fra	ac) activity.		•	facility flaring/venting	g for
	: Form C-129 must be su	••	•	ding 60 days a	llowed by Rul	e (Subsection A	1 of 19.15.18.12 NMAC).	
The	well(s) that will be loc						_	,
	Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments	
	Lindale 24/25 H3AH Fed #2H		A- 24-T26S-R30E	205' FNL & 530' FEL	0	NA	ONLINE AFTER FRAC	
	hering System and Pi							] 
	l(s) will be connected to the gas produced						as transporter system in and will be connected	
	stern low/h	igh pressure	gathering systen	n located in	EDDY (	County, New	Mexico. It will req	
	' of pipeline to o	connect the fa	cility to low/high	pressure ga	thering syst	em. <u>Mewbo</u>	urne Oil Company prov	/ides
							or wells that are schedule	
							have peri	
		s changes to	drilling and com	ipletion sche	dules. Gas	from these	wells will be processe	a at
	estern						unty, Texas. The actual	HOW
oi in	e gas will be based on c	ompression op	eraning parameters	s and gamenn	g system pre	ssures.		

### Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on \_\_\_western\_\_\_\_ system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

#### Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines



## U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

APD ID: 10400034213

Submission Date: 09/18/2018

PWD Data Report

08/16/2019

Operator Name: MEWBOURNE OIL COMPANY

Well Name: LINDALE 24/25 H3AH FED

Well Number: 2H

Well Type: CONVENTIONAL GAS WELL

Well Work Type: Drill

### Section 1 - General

Would you like to address long-term produced water disposal? NO

### **Section 2 - Lined Pits**

Would you like to utilize Lined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit specifications:

Pit liner description:

Pit liner manufacturers information:

Precipitated solids disposal:

Decribe precipitated solids disposal:

Precipitated solids disposal permit:

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule attachment:

Lined pit reclamation description:

Lined pit reclamation attachment:

Leak detection system description:

Leak detection system attachment: