## State Of New Mexico Energy, Minerals and Natural Resources Department

Michelle Lujan Grisham

Governor

Sarah Cottrell Propst

Cabinet Secretary

Todd E. Leahy, JD, PhD

Deputy Cabinet Secretary

Adrienne Sandoval

**Division Director** 



## "Response Required - Deadline Enclosed"

Field Inspection Program
"Preserving the Integrity of Our Environment"

27-Sep-19

## **DEVON ENERGY PRODUCTION COMPANY, LP**

333 West Sheridan Ave. Oklahoma City, OK 73102

333 West Sheridan Ave.

LETTER OF VIOLATION - Field Inspection

Dear Operator:

The following inspection indicates that the well, equipment, location or operational status of the well failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

## INSPECTION DETAIL SECTION

[30-005-63516] WHITE STATE #003

OGRID: 6137

A-35-15S-27E 990 FNL 330 FEL

**Inspection Date** 

**Type Inspection** 

Inspector

**Corrective Action Due By** 

Inspection No.

9/27/2019

Routine Inspection

[DRS] Danny Smolik

12/26/2019

iDRS1927032754

Violations:

Rule

Violation

19.15.16.8 Sign on Wells Inaccurate Information

**Comment:** 

No API number on sign

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely.

Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.