

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017						
		1. WELL API NO. 30-015-34535			2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN						
		3. State Oil & Gas Lease No. 18243									
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					5. Lease Name or Unit Agreement Name State "32" Com						
					6. Well Number: 3						
					RECEIVED						
7. Type of Completion: <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input checked="" type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER					AUG 28 2019						
8. Name of Operator Fasken Oil and Ranch, Ltd.					9. OGRID 151416						
10. Address of Operator 6101 Holiday Hill Road, Midland, TX 79707					11. Pool name or Wildcat Cemetery; Wolfcamp (Gas)						
12. Location		Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:		F	32	20S	25E		1980	N	1980	W	Eddy
BH:		F	32	20S	25E		1980	N	1980	W	Eddy
13. Date Spudded 7/17/2019		14. Date T.D. Reached 7/29/2019		15. Date Rig Released 7/29/2019		16. Date Completed (Ready to Produce) 7/29/2019 – shut in			17. Elevations (DF and RKB, RT, GR, etc.) 3618' GR		
18. Total Measured Depth of Well 9701'				19. Plug Back Measured Depth 7266'		20. Was Directional Survey Made? No			21. Type Electric and Other Logs Run None		
22. Producing Interval(s), of this completion - Top, Bottom, Name 7128'-7200' – Wolfcamp											
CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13 3/8"		48 H40		403'		17 1/2"		760 sx C			
9 5/8"		36 J55		2988'		12 1/4"		800 sx C			
4 1/2"		11.6 N80		9701'		8 3/4"		1000 sx Super H			
24. LINER RECORD											
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD				
							SIZE	DEPTH SET	PACKER SET		
							2 3/8"	7015'	7007'		
26. Perforation record (interval, size, and number) 7128'-7130' (2 JSPP, .23 shot size, 4 holes) 7150'-7172' (2 JSPP, .23 shot size, 44 holes) 7190'-7200' (2 JSPP, .23 shot size, 21 holes)											
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 7128'-7200' 2100 gals 15% NEFE Hcl acid											
28. PRODUCTION											
Date First Production 7/29/19 – Shut in		Production Method (Flowing, gas lift, pumping - Size and type pump) N/A					Well Status (Prod. or Shut-in) Shut in				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio				
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) none								30. Test Witnessed By			
31. List Attachments											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date: 7/29/19			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD83			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature <i>Addison Guelker</i>			Printed Name Addison Guelker			Title Regulatory Analyst			Date 8/26/19		
E-mail Address addisong@forl.com											

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northwestern New Mexico	
T. Anhy	T. Canyon	7767'	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	8000'	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	8395'	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss		T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian		T. Cliff House	T. Leadville
T. Queen	T. Silurian		T. Menefee	T. Madison
T. Grayburg	421'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	743'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	2488'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	2693'	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash		T. Dakota	
T. Tubb	T. Delaware Sand		T. Morrison	
T. Drinkard	T. Bone Springs	3391'	T. Todilto	
T. Abo	T.		T. Entrada	
T. Wolfcamp	6519'	T.	T. Wingate	
T. Penn	7580'	T.	T. Chinle	
T. Cisco (Bough C)	T.		T. Permian	

OIL OR GAS
SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	2488'	2488'	Limestone and Dolomite				
2488'	2693'	205'	Sandstone				
2693'	3391'	698'	Dolomite				
3391'	4190'	819'	Limestone				
4190'	5239'	1049'	Sandstone				
5239'	6404'	1165'	Limestone				
6404'	7580'	1176'	Shale				
7580'	7767'	187'	Limestone				
7767'	8000'	233'	Shale				
8000'	8395'	395'	Limestone				
8395'	TD	1306'	Limestone, Sandstone, and Shale				