
Form 3160-5 (June 2015)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS OF THE INTERIOR DATE OF THE INTERIOR DAT

abandoned we	II. Use form 3160-3 (APD) fo	r such profosils A	tesia	6. If Indian, Allottee o	or Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well				8. Well Name and No.	
☐ Oil Well  ☐ Gas Well ☐ Other				LOST TANK 4 FEDERAL 22	
2. Name of Operator Contact: DAVID STEWART OXY USA INCORPORATED E-Mail: david_stewart@oxy.com				9. API Well No. 30-015-40774-00-S1	
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521	Phone No. (include area code): 432.685.5717		10. Field and Pool or Exploratory Area LOST TANK UNKNOWN		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State	
Sec 4 T22S R31E SWNE 1774FNL 1480FEL 32.422817 N Lat, 103.778576 W Lon				EDDY COUNTY, NM	
12. CHECK THE AI	PPROPRIATE BOX(ES) TO	INDICATE NATURE OF	F NOTICE,	REPORT, OR OTH	HER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent     ■     Notice of Intent     Notice of	☐ Acidize	Deepen	☐ Producti	ion (Start/Resume)	■ Water Shut-Off
	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclama	ation	■ Well Integrity
☐ Subsequent Report	Casing Repair	■ New Construction	□ Recomp	lete	Other
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon		arily Abandon	
	☐ Convert to Injection	☐ Plug Back	■ Water D	Pisposal	
OXY USA Inc respectfully req evaluated for future recomple  1. Continue to work & POOH  2. RIH & set CIBP @ 12450',  3. Notify BLM/NMOCD of cas  4. RU pump truck, circulate w	bandonment Notices must be filed on inal inspection.  12766'M 12179'V. Perfs-1250 uests to temporarily abandon tion in the Delaware Brushy C. w/ prod equip, pkr is currently M&P 25sx Cl H cmt to 12200' sing integrity test 24hrs in advanced with treated water, pressur	ly after all requirements, including 22-12678  this well. It is currently be anyon.  stuck @ 10216'.  WOC-Tag ance.	ing reclamation	n, have been completed:	and the operator has
14. I hereby certify that the foregoing is true and correct.  Electronic Submission #483602 verified by the BLM Well Information System  For OXY USA INCORPORATED, sent to the Carlsbad  Committed to AFMSS for processing by PRISCILLA PEREZ on 09/17/2019 (19PP3375SE)  Name (Printed/Typed) DAVID STEWART  Title REGULATORY ADVISOR					
Signature (Electronic Submission) Da			019		
	THIS SPACE FOR F	EDERAL OR STATE	OFFICE U	SE	
/s/ Jon	Title PE			SEP <sub>Date</sub> 7 2019	
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to cond	ect lease Office CFO				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent			willfully to ma	ake to any department of	r agency of the United

OXY USA INC. - Proposed Lost Tank 4 Federal 22 API No. 30-015-40774



17-1/2" hole @ 715' 13-3/8" csg @ 715' w/ 830sx-TOC-Surf-Circ.

12-1/4" hole @ 4189' 9-5/8" csg @ 4181' w/ 2580sx-TOC-Surf-Circ. DVT @ 1121'

8-3/4" hole @ 9987' Lost BHA @ 4582-7523' 150sx cmt @ 7575-6675' 600sx cmt @ 4582-3890' Sidetrack @ 4196'


8-3/4" hole @ 11825' 7" csg @ 11815' DVT @ 7228', POST @ 4264' w/ 1420sx-TOC-Surf-Circ

6-1/8" hole @ 12908' 4-1/2" csg @ 12854' w/ 310sx-TOC-8861' calc.

Perfs @ 12502-12545' Perfs @ 12579-12678'

BP @ 12450' w/ 25sx cmt to 12200'

<sup>9</sup> Guns @ 12493' k pkr/fish @ 12566-12581' OXY USA INC. - Current Lost Tank 4 Federal 22 API No. 30-015-40774



17-1/2" hole @ 715' 13-3/8" csg @ 715' w/ 830sx-TOC-Surf-Circ.

12-1/4" hole @ 4189' 9-5/8" csg @ 4181' w/ 2580sx-TOC-Surf-Circ. DVT @ 1121'

8-3/4" hole @ 9987' Lost BHA @ 4582-7523' 150sx cmt @ 7575-6675' 600sx cmt @ 4582-3890' Sidetrack @ 4196'

8-3/4" hole @ 11825' 7" csg @ 11815' DVT @ 7228', POST @ 4264' w/ 1420sx-TOC-Surf-Circ

6-1/8" hole @ 12908' 4-1/2" csg @ 12854' w/ 310sx-TOC-8861' calc.

TCP Guns @ 12493' Stuck pkr/fish @ 12566-12581'

2-3/8" tbg & Stuck Pkr @ 10216'

Perfs @ 12502-12545' Perfs @ 12579-12678'

TD- 12908'M 12337'V

## **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## **Conditions of Approval for Temporary Abandonment of Wells**

**Definition:** A temporarily abandoned well is a completion that is not capable of production in paying quantities but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

**Note:** TA status "will be effective for a period up to 1 year from the date of NOI approval and can be renewed annually thereafter" per IM NM-2016-017.

- 1. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 2. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 3. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 4. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 5. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 6. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
  - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
  - b. A description of the temporary abandonment procedure.
  - c. A clear copy or the original of the pressure test chart.