Form 3 1 60-5 (June 2015)

Carlsbad F UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT


risbad OCD	Rial		~ -	FORM A	PPROVE 1004-01	D 37
OCD	Arte	5.	ease s	Expires: Jan	uary 31,	201
er an	THITTE	Sil	MLCO	48479A		

SUNDRY NOTICES AND REPORTS ON WELLS	
Do not use this form for proposals to drill or to re-enter an	

abandoned well. Use form 3160-3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name

SUBMIT IN T		7. If Unit or CA/Agreement, Name and/or No. NMNM128925A						
Type of Well Gas Well ☐ Oth		8. Well Name and No. ARTESIA YESO FEDERAL UNIT 26						
2. Name of Operator OXY USA WTP LP	Contact: LE E-Mail: LESLIE_REE	ESLIE REEVES EVES@OXY.COM	9. API Well No. 30-015-41336-	9. API Well No. 30-015-41336-00-S1				
3a. Address		Bb. Phone No. (include area code) Ph: 713-497-2492	10. Field and Pool of ARTESIA	Exploratory Area				
HOUSTON, TX 77210 4. Location of Well (Footage, Sec., T.	R M or Survey Description		11. County or Parish	State				
Sec 21 T17S R28E NWNE 96				EDDY COUNTY, NM				
380 21 1173 R20E NVVIVE 90	SHILL 1900FVVL		EDDY COONT	Y, INIVI				
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA								
TYPE OF SUBMISSION		TYPE OF	ACTION					
☐ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off				
_	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	■ Well Integrity				
Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete	☐ Other				
☐ Final Abandonment Notice	☐ Change Plans	Change Plans ☐ Plug and Abandon ☑ Temporarily Abandon						
13. Describe Proposed or Completed Ope	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal					
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or necompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. TD-4940'; PBTD-3723'; PERFS: 3994'-4729'; CIBP-3944' 9/23/19 Casing psi-Opsi. MIRU PUMP AND TEST EQUIPMENT. FILL AND LOADED 5-1/2" PRODUCTION CASING WITH 1/2 BBL FRESH WATER. PERFORMED MIT ON 5-1/2" CSG WITH 520PSIG FOR 30 MIN. OBSERVED NO LEAK OFF. RDMO PUMP AND TEST EQUIPMENT. OXY USA WTP LP RESPECTFULLY REQUESTS TO ALLOW THE WELL TO REMAIN CLASSIFIED AS T.A. FOR 1 YEAR UNTIL 09/30/2020. PLAN FORWARD FOR 2020 IS TO REMOVE CIBP AND RE-STIMULATE THE CURRENT PERFORATIONS FOLLOWED BY REINSTALLING LIFT EQUIPMENT AND RETURNING THE WELL TO PRODUCTION. WBD AND MIT RADIAL CHART ATTACHED. TA Status Approved this 9130/2020								
14. I hereby certify that the foregoing is true and correct. Electronic Submission #486014 verified by the BLM Well Information System For OXY USA WTP LP, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 10/02/2019 (20PP0013SE)								
Name (Printed/Typed) LESLIE R	EEVES	Title REGUL	ATORY ADVISOR					
Signature (Electronic S	Submission)	Date 10/01/20	019					
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
/s/ Jon	athon Shepard	Title PE		OCT 4 2019				
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduction)						
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.								
Instructions on page 2) ** BLM REVISED **								



AYFU) ARTESIA YESO FEDERAL UNIT #26 (API#30-015-4133.6) LENGTH OF TEST /2hour (30 min)

TEST PRESSURE = 520 psig.

TEST PERFORMOD 9/23/2019 5 1/2 CASING WITH CIBP 2 3944 + 25 SXS CMT TAGGED TOP 23723:

OXY USA WTP LP - Current Artesia Yeso Federal Unit #26 API No. 30-015-41336

11" hole @ 403' 8-5/8" csg @ 403' w/ 200sx-TOC-Surf-Circ

Perfs @ 3994-4729'

7-7/8" hole @ 4940' 5-1/2" csg @ 4940' w/ 800sx-TOC-Surf-Circ

PB-4897'

CIBP @ 3944' w/ 25sx to 3723' Tagged