√orm 3160-5 (June 2015)

(Instructions on page 2)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018

BOILETO OF BAIND MAINTENANCE MENT	
SUNDRY NOTICES AND REPORTS ON WELLS	
ot use this form for proposals to drill or to re-enter an	

5. Lease Serial No. NMNM081381A

Do not use this t	form for proposals t	o drill or to re	enter an		6. If Indian, Allottee o	or Tribe Name	
	Use Form 3160-3 (A	710	roposais,		T 1611 ' 66'A/A		
1. Type of Well	TRIPLICATE - Other instru	ictions on page 2			7. If Onit of CA/Agre	ement, Name and/or No.	
1. Type of Well Gas Well Other					8. Well Name and No	NE Square Lake Premier Unit #5	
2. Name of Operator Chevron North American Exploration & Production					9. API Well No. 30-0	15-04788	
3a. Address 15 Smith Road 3b. Phone No. (include area code)			)	10. Field and Pool or	Exploratory Area		
Midland, TX 79705 (432) 687-7100			NE Square Lake	•			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)				11. Country or Parish, State			
Sec 3, T16S, R31E 330'FSL & 330'FWL				Eddy County, NM			
12. CNE	CK THE APPROPRIATE BO	OX(ES) TO INDIÇA	TE NATURE	OF NOTI	CE, REPORT OR OTT	HER DATA	
TYPE OF SUBMISSION			TYP	E OF ACTION			
✓ Notice of Intent	Acidize	Deepen	Deepen Hydraulic Fracturing		uction (Start/Resume)	Water Shut-Off	_
<del></del>	Alter Casing	Hydraulic			amation	Well Integrity	
Subsequent Report	Casing Repair	New Cons		Reco	mplete	Other	
	Change Plans	✓ Plug and /		Temporarily Abandon			
Final Abandonment Notice  13. Describe Proposed or Completed O	Convert to Injection	Plug Back		-	r Disposal		
1. MIRU plugging equipment, POH w/ rods, pump, & tbg. 2. Set 5 1/2" CIBP @ 3595'. Circulate hole w/ MLF. Pressure test csg. Spot 25 sx class (3. Spot 25 sx cmt @ 2300 2100', (7 Rivers & Yates)				SEE ATTACHED FOR CONDITIONS OF APPROVAL			
14. I hereby certify that the foregoing is	true and correct. Name (Pri.		~	1	1		
- Higail Ande	rson	Title	Rec	<u>jula</u>	tory_		
Signature Alnamil	Inderson	Date	1012	8/10	7		
		FOR FEDERA	L OR STA	ATE OF	ICE USE		
Approved by fame	s a. am	es :	Title 5	DE T		Date 11.23-19	_
Conditions of approval, if any, are attact certify that the applicant holds legal or c which would entitle the applicant to con	quitable title to those rights i duct operations thereon.	n the subject lease		160		776.5	
Title 18 J.S.C Section 1001 and Title 42 any fase, fictitious or fraudulent statement	3 U.S.C Section 1212, make ents or representations as to a	it a crime for any per any matter within its	son knowingl jurisdiction.	y and will	fully to make to any de	epartment or agency of the United State	25

	ASSET TEAM:			
	FIELD:	C ral North Square Lake (Grayburg)	ATE: BY:	Oct. 09, 2019
	LEASE/UNIT: COUNTY:	Northeast Square Lake Premier Unit	WELL:	MKHS #5
-	The second secon	Eddy	STATE:	NM
	Location: 330' FSL & 336 Spud Date: 11/07/61	O' FWL, Sec 3, T-16S, R-31E Comp Date: 11/18/61	KB =	
	Current Status; \$1 Injecto	or	GL≔ API≂	4,180' 30-015-04788
	Formerly well #1		Unit No. =	U
		Sgrid and the Code		
		Sqz'd csg lks @ 155-186' (20)	•	011700
			<del>-</del>	0-015-04788
			32	2.9445076
			-10	3.8651047
		5. 5 pot 30 sx @ 262	1 to suchace	a
		212' 8-5/8" 24# J-55	10 3 W. +W.C.	,
		w/ 125sx (circ 15sx to surf)		
	7/////	11" hole size		
		4. Spot 40 sx @ 1835-14	1001 A	T40
			185, 0000 9	·
		(B) Salt + T/Salt)		
•				,
		3.5pot 25 sx @ 2300-21	00'. (7 RVS	+ Yates)
			•	
			. 11	1
		2. Set 51/2" CIBP@ 3595	s. Circ hole	w/ MLF. Pressure
		test csq. Spot 25 sx	k (0) 3595-	3395'
	XXX			
		Grayburg-San Andres:		
		3645-48, 3652-56, 3678-86		
		1. MIRU. POH w/ rods &	Tha	
		3726' 4-1/2" 11.6# J-55 w/ 590sx (circ 5sx to surf)	V	
,		6-3/4" hole size		
Ļ	PBTD - 3695' TD - 37	28'		
				ì

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Permanent Abandonment of Federal Wells Conditions of Approval (LPC Habitat)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification</u>: Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of brine water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. Below Ground Level Cap (Lesser Prairie-Chicken Habitat): All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off. Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ½ inch thick and welded in place. A weep hole shall be left in the plate and/or casing.

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

- 7. Subsequent Plugging Reporting: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. Show date well was plugged.
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

<u>Timing Limitation Stipulation/ Condition of Approval for Lesser Prairie-Chicken:</u>
From March 1<sup>st</sup> through June 15<sup>th</sup> annually, abandonment activities will be allowed except between the hours from 3.00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted