		reu	IVEL	р г		
Form 3160-5 (June 2015)	UNITED STATES	NTERIOR	1 2 202		OMBN	APPROVED IO. 1004-0137 anuary 31, 2018
B	UREAU OF LAND MANA	GEEMNRD-C	ÇDA	RTESIA	<ol> <li>Lease Serial No. NMNM100549</li> </ol>	andary 51, 2018
SUNDRY NOTICES AND REPORTS ON WELL Do not use this form for proposals to drill or to re-ente abandoned well. Use form 3160-3 (APD) for such prop					6. If Indian, Allottee	or Tribe Name
SUBMIT IN	RIPLICATE - Other inst	tructions on page 2			7. If Unit or CA/Agre	ement, Name and/or No.
<ol> <li>Type of Well</li> <li>☐ Oil Well</li></ol>					8. Well Name and No MultipleSee Atta	
2. Name of Operator CHEVRON USA INCORPOR	LAURA BECERRA A@CHEVRON.COM			9. API Well No. MultipleSee A	ttached	
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706	3b. Phone No. (include Ph: 432-687-7665	area code)		10. Field and Pool or Exploratory Area POKER LAKE-DELAWARE, EAST PURPLE SAGE-WOLFCAMP (GAS)		
4. Location of Well (Footage, Sec., 7	, R., M., or Survey Description	)			11. County or Parish,	
MultipleSee Attached					EDDY COUNT	Y, NM
12. CHECK THE AI	PROPRIATE BOX(ES)	TO INDICATE NA	TURE OF	F NOTICE,	REPORT, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION			
Notice of Intent	🗖 Acidize	Deepen		Product	ion (Start/Resume)	☐ Water Shut-Off
Subsequent Report	Alter Casing	🗖 Hydraulic F	-	🗖 Reclam		Well Integrity
☐ Final Abandonment Notice	Casing Repair	New Constr		Recomp		Other Change to Original A
	<ul> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	Plug and Al Plug Back	andon	U Tempor	arily Abandon Disposal	PD
HH SO 8 5 FED 004 1H - 30-( HH SO 8 5 FED 004 2H - 30-( HH SO 8 5 FED 004 2H - 30-( HH SO 8 5 FED 004 3H - 30-( HH SO 8 5 FED 004 4H - 30-( HH SO 8 5 FED 004 5H - 30-( HH SO 8 5 FED 004 6H - 30-( HH SO 8 5 FED 004 6H - 30-(	015-45988 015-45989 015-45990 015-45991 015-45992		OCI	d Fiel D Art	esia	
to allow the 9-5/8" & 7" casing than the lead slurry 500 psi C during the cement jobs (returr	S time. We have proven o	on other wells that the	0 psi CS pre were r	time rather no issues		
	ALL PREV	ions Con	45	Still	APPLY.	
14. I hereby certify that the foregoing is Con Name (Printed/Typed) LAURA B	Electronic Submission # For CHEVRON I Imitted to AFMSS for proc	JSA INCORPORATED	sent to t PEREZ or	the Carlsbad	(20PP0514SE)	
	· · · · · · · · · · · · · · · · · · ·	Doto				
Signature (Electronic)	<u></u>	Date DR FEDERAL OR	11/25/20 STATE (		SE	
		Tist- C				Date 12/05/0010
_Approved_By_NDUNGU KAMAU_ Conditions of approval, if any, are attache ertify that the applicant holds legal or eq		not warrant or		UM ENGINI		Date 12/05/2019
which would entitle the applicant folds legal of equivalent to conduct the second seco	ict operations thereon.	Office	Carisbac		ake to any department of	r agency of the United
States any false, fictitious or fraudulent						
(Instructions on page 2) ** BLM REV	ISED ** BLM REVISE	D ** BLM REVISE	o ** BLN		O ** BLM REVISE	D **
				ЛС	cepted	2-14-20
					repres	

6 d **P** 

## Additional data for EC transaction #493625 that would not fit on the form

## Wells/Facilities, continued

Agreement NMNM100549	Lease NMNM100549	Well/Fac Name, Number HH SO 8 5 FED 004 1H	<b>API Number</b> 30-015-45987-00-X1	Location Sec 17 T26S R27E NWNE 783FNL 1584FEL
NMNM100549	NMNM100549	HH SO 8 5 FED 004 2H	30-015-45988-00-X1	32.047600 N Lat, 104.208832 W Lon Sec 17 T26S R27E NWNE 783FNL 1559FEL 32.047600 N Lat, 104.208755 W Lon
NMNM100549	NMNM100549	HH SO 8 5 FED 004 3H	30-015-45989-00-X1	Sec 17 T26S R27E NWNE 783FNL 1534FEL 32.047600 N:Lat, 104.208672 W Lon
NMNM100549	NMNM100549	HH SO 8 5 FED 004 4H	30-015-45990-00-X1	Sec 17 T26S R27E NWNE 783FNL 1509FEL 32.047596 N Lat. 104.208588 W Lon
NMNM100549	NMNM100549	HH SO 8 5 FED 004 5H	30-015-45991-00-X1	Sec 17 T26S R27E NWNE 783FNL 1484FEL 32.047596 N Lat, 104.208511 W Lon
NMNM100549	NMNM100549	HH SO 8 5 FED 004 6H	30-015-45992-00-X1	Sec 17 T26S R27E NWNE 783FNL 1459FEL 32.047596 N Lat, 104.208427 W Lon

## 32. Additional remarks, continued

The 9-5/8" lead slurry 500 psi CS time is 33 hours and the tail slurry 500 psi CS time is 9.5 hours. The tail slurry is designed to cover the last 1,000 ft of the 9-5/8" casing string.

The 7" lead slurry 500 psi CS time is 20 hours and tail slurry 500 psi CS time is 6.5 hours. The tail slurry is designed to cover the last 1,000 ft of the 7" casing string.

## Revisions to Operator-Submitted EC Data for Sundry Notice #493625

۲

J

•

÷

	Operator Submitted	BLM I	Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH NOI	i
Lease:	NMNM100549	NMNM	100549
Agreement:	NMNM138618		
Operator:	CHEVRON USA INC 6301 DEAUVILLE BLVD MIDLAND, TX, 79706 Ph: 432-687-7665	6301 DI MIDLAI	RON USA INCORPORATED EAUVILLE BLVD ND, TX 79706 2 687 7100
Admin Contact:	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM	REGUL	BECERRA LATORY SPECIALIST LBECERRA@CHEVRON.COM
	Ph: 432-687-7665	Ph: 43	2-687-7665
Tech Contact:	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM	REGUL	BECERRA ATORY SPECIALIST LBECERRA@CHEVRON.COM
	Ph: 432-687-7665	Ph: 43	2-687-7665
Location: State: County:	NM EDDY	NM EDDY	
Field/Pool:	PURPLE SAGE;WOLFCAMP (GAS		R LAKE-DELAWARE, EAST E SAGE-WOLFCAMP (GAS)
Well/Facility:	HH SO 8 5 FED 004 1H Sec 17 T26S R27E Mer NMP NWNE 783FNL 1584FEL	Sec 17 32.0476 HH SO Sec 17 32.0476 HH SO Sec 17 32.0476 HH SO Sec 17 32.0475 HH SO Sec 17 32.0475 HH SO Sec 17 32.0476	8 5 FED 004 1H T26S R27E NWNE 783FNL 1584FEL 600 N Lat, 104.208832 W Lon 8 5 FED 004 2H T26S R27E NWNE 783FNL 1559FEL 600 N Lat, 104.208755 W Lon 8 5 FED 004 3H T26S R27E NWNE 783FNL 1534FEL 600 N Lat, 104.208672 W Lon 8 5 FED 004 4H T26S R27E NWNE 783FNL 1509FEL 596 N Lat, 104.208588 W Lon 8 5 FED 004 5H T26S R27E NWNE 783FNL 1484FEL 596 N Lat, 104.208511 W Lon 8 5 FED 004 6H T26S R27E NWNE 783FNL 1459FEL 596 N Lat, 104.208427 W Lon