

RECEIVED

Form 3160-5
(June 2015)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FEB 19 2020

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS FOR THE EMERALD ARTESIA

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM43744

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

8. Well Name and No.
PLATINUM MDP1 34-3 FEDERAL COM 23H

9. API Well No.
30-015-46192-00-X1

10. Field and Pool or Exploratory Area
COTTONWOOD DRAW-BONE SPRING

11. County or Parish, State
EDDY COUNTY, NM

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
OXY USA INCORPORATED
Contact: LESLIE REEVES
E-Mail: LESLIE_REEVES@OXY.COM

3a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-0521
3b. Phone No. (include area code)
Ph: 713-497-2492

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 34 T23S R31E NENW 765FNL 2565FWL
32.266083 N Lat, 103.765907 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

1/20/20 MIRU, NU BOP and test 250psi low/ 5000psi high, good test. Test 13-3/8" casing to 1500psi for 30min, good test. RIH and drill new formation to 698', perform FIT to EMW 19.5ppg, good test. Drill 12-1/4" hole to 4465'. RIH and set 9-5/8" 40# HCL-80 BTC casing at 4450'. Skid 1/25/20. Perform offline cement job. Pump 80bbbs spacer then cement with 1303sx (383bbbs) class c with additives 12.9ppg 1.65yield cement followed by 175sx (41bbbs) class c with additives 14.8ppg 1.33 yield cement. Full returns during job, circ. 476sx (140bbbs) cement to surface. RD cements 1/25/20.

1/28/20 Skid to the Platinum MDP1 34-3 Federal Com 23H. NU and test BOP, 250psi low/ 5000psi high, good test. Test 9-5/8" casing to 2500psi for 30min, good test. RIH and drill new formation to 4475', perform FIT to EMW 14.5ppg, good test. Drill 8-3/4" hole to 8876'. RIH and set 7-5/8" 26.4# HCL-80 FJ/SF casing at 8852'. RR 2/1/20. Perform offline cement job. Pump first stage of 40bbbs

14. I hereby certify that the foregoing is true and correct.
**Electronic Submission #502117 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 02/06/2020 (20PP116SE)**
Name (Printed/Typed) LESLIE REEVES Title REGULATORY ADVISOR
Signature (Electronic Submission) Date 02/05/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By **ACCEPTED** Title JONATHON SHEPARD
PETROLEUM ENGINEER Date 02/13/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2) **** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

2-20-20
Accepted and

Additional data for EC transaction #502117 that would not fit on the form

32. Additional remarks, continued

MPE spacer then cement with 143sx (39bbls) class c with additives 13.2ppg 1.53 yield cement. Pump second stage of 10bbls spacer then cement with 340sx (115bbls) class c with additives 13.2ppg 1.91 yield cement followed by 149sx (45bbls) class c with additives 12.8ppg 1.7yield cement. Waited and checked cement, showed at 17'. Pumped 10sx (3bbls) class c with additives 12.8ppg 1.7 yield cement. Cement to surface. RD cementers 2/2/20.

Revisions to Operator-Submitted EC Data for Sundry Notice #502117

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM43744	NMNM43744
Agreement:		
Operator:	OXY USA INC PO 4294 HOUSTON, TX 77210 Ph: 713-497-2492	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492
Tech Contact:	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	COTTON DRAW; BONE SPRING	COTTONWOOD DRAW-BONE SPRING
Well/Facility:	PLATINUM MDP1 34-3 FEDERAL COM 23H Sec 34 T23S R31E Mer NMP NENW 765FNL 2565FWL 32.266083 N Lat, 103.765907 W Lon	PLATINUM MDP1 34-3 FEDERAL COM 23H Sec 34 T23S R31E NENW 765FNL 2565FWL 32.266083 N Lat, 103.765907 W Lon