



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office
620 E. Greene St.
Carlsbad, NM 88220-6292

In Reply Refer To:

3162.4 (080)
LC-028936-D, NM-0437522,
NM-0437523, NM-93, NM-17225-A,
NM-100559

JUN 05 2003



EOG Resources, Inc.
P. O. Box 2267
Midland, TX 79702

Gentlemen:

Your Applications for Permit to Drill (APDs), for the following wells have expired because drilling has not commenced within one year of the approval date as stated in the General Requirements for Oil and Gas Operations on Federal Leases.

LC-028936-D Sand Tank "31" Fed. Com. #3 660'N & 1300'W
APD was approved on 02/21/02

30-015-32057
Sec. 31, T.17S, R.30E

LC-028936-D Sand Tank "33" Fed. Com. #1 860'S & 1750'E
APD was approved on 08/10/01

30-015-31959
Sec. 33, T.17S, R.30E

NM-0437522 Peanut Butter "13" Fed. Com. #1 1623'S & 695'E
APD was approved on 02/21/02

30-015-32214
Sec. 13, T.18S, R.29E

NM-0437523 Oreo "25" Fed. Com. #2 670'N & 1970'E
APD was approved on 05/29/02

30-015-32315
Sec. 25, T.18S, R.29E

NM-93 Corbin "18" Fed. Com. #2 1970'S & 980'W
APD was approved on 10/01/01

Sec. 18, T.18S, R.33E Hobbs

NM-17225-A Ross Draw "30" Fed. Com. #1 990'S & 1300'E
APD was approved on 11/13/01

30-015-32101
Sec. 30, T.26S, R.30E

NM-100559 Ross Draw "29" Fed. Com. #1 1290'S & 990'W
APD was approved on 11/15/01

30-015-32106
Sec. 29, T.26S, R.30E

If drilling operations have commenced on the referenced wells, please contact this office at (505) 234-5972 and send all necessary reports (spud, casing/cementing, etc., 1 original and 5 copies for each well) to the Roswell Field Office, 2909 West Second Street, Roswell, New Mexico 88202, so we may correct our records.

If the wells have not been spudded, but site construction activities have occurred, please contact this office at the above telephone number for surface reclamation instructions.

If you wish to drill these wells at a later date, please submit a complete application (1 original and 5 copies for each well) to the Roswell Field Office. Since the original APDs have expired, the resubmitted APDs will be subject to