



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Lori Wrotenbery

Director

Oil Conservation Division

Field Office Report
Report by: [Signature] Date: 8/28/2003

28-Jul-03

B & W OIL CO

R-252 N HALDEMAN RD

ARTESIA, NM 88210-0000

NOTICE OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

ARTESIA METEX UNIT 003		H-24-18S-27E	30-015-00938-00-00			
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/25/2003	Routine/Periodic	Mike Bratcher	Yes	No	8/28/2003	iMLB0320649856
Comments on Inspection: No well sign. Violation Rule 103. No motor on pumpjack.						

ARTESIA METEX UNIT 002		G-24-18S-27E	30-015-00939-00-00			
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/25/2003	Routine/Periodic	Mike Bratcher	Yes	No	8/28/2003	iMLB0320650914
Comments on Inspection: No well sign. Violation Rule 103.						

ARTESIA METEX UNIT 001		B-24-18S-27E	30-015-00940-00-00			
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/25/2003	Routine/Periodic	Mike Bratcher	Yes	No	8/28/2003	iMLB0320650455
Comments on Inspection: No well sign. Violation Rule 103.						

ARTESIA METEX UNIT 019

O-24-18S-27E

30-015-01195-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/25/2003	Routine/Periodic	Mike Bratcher	Yes	No	8/28/2003	iMLB0320646894
Comments on Inspection: No well sign. Violation Rule 103.						

ARTESIA METEX UNIT 007

J-24-18S-27E

30-015-01197-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/25/2003	Routine/Periodic	Mike Bratcher	Yes	No	8/28/2003	iMLB0320648819
Comments on Inspection: No well sign. Violation Rule 103.						

ARTESIA METEX UNIT 010

3-19-18S-28E

30-015-01943-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/25/2003	Routine/Periodic	Mike Bratcher	Yes	No	8/28/2003	iMLB0320649347
Comments on Inspection: No well sign. Violation Rule 103.						

ARTESIA METEX UNIT 004

2-19-18S-28E

30-015-01944-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/25/2003	Routine/Periodic	Mike Bratcher	Yes	No	8/28/2003	iMLB0320649586
Comments on Inspection: No well sign. Violation Rule 103.						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,



Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.