Form 3160-5 (April2004)

UNITEDSTATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

5. Lease Serial No. NMLC 068545

	OM B No Expires:	March 31, 2007
_		


FORMAPPROVED

SUNDRY NOTICES AND REPORTS ON

Do not use the abandoned we	6. If Indian, Allottee or Tribe Name NA				
SUBMIT IN TRI	7. If Unit or CA/Agreement, Name and/or No. NMNM 71016				
1. Type of Well Z Oil Well 2. Name of Operator BEPCO, L. P.	Gas Well Other		RECEIVED JUN 2 0 2006 GU-ARITESIA		
3a. Address P. O. Box 2760 - Midlan	e area code) 77	30-015-32928 10. Field and Pool, or Exploratory Area Nash Draw (Delaware, BS, Avalon)			
4. Location of Well (Footage, Sec SESW, 660' FSL, 1980' F Lat - N 32.226667 deg, Lo	11. County or Parish, State Eddy New Mexico				
12. CHECK AF	PROPRIATE BOX(ES)T	O INDICATE NATUR	E OF NOTICE, R	EPORT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION			
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize AlterCasing Casing Repair Change Plans Convert to Injection	Deepen FractureTreat New Construction Plug and Abandon Plug Back	Production (Sta Reclamation Recomplete Temporarily Ab	Well Integrity OtherDrilling	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Spudded well at 4:30 am CST on 5/16/06. Drilled 12-1/4" hole to 667'. Ran 15 its 8-5/8", 32#, J-55, LTC casing set at 659'. Cemented with 300 sx 35:65 Poz Class C + 3% S1 + 6% D20 + 1/4 pps D29 lead (12.6 ppg, yld 1.99) and 200 sx Class C + 2% S1 tail (14.8 ppg, yld 1.32). Circulated 112 sx to surface. WOC 19 hrs. Test casing to 1000 psi for 30 min. Drilled 7-7/8" hole to 7450'. Ran 134 jts 5-1/2", 15.50# & 32 jts 17#, J-55 LTC casing & set at 7448'. Cemented with 682 sx LiteCrete + 2 pps D153 + 2 pps D24 + 0.05 gps D604 + 0.03 gps M45 + 0.04 gps D801 lead (10.2 ppg, yld 2.37). 140 sx LiteCrete + 2 pps D153 + 2 pps D24 + 0.05 gps D604AM + 0.03 gps M45 + 0.04 gps D801 tail (10.5 ppg, yld 2.04). Full returns while cementing. TOC by temperature survey 3357'. Released rig at 10:00 am CST on 5/28/06. Prep for completion.



14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)	1						
Annette Childers	Title	Administrative A	ssistant				
Signature multle Guilders	Date	05/31/2006					
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
Approved by		Title	Date				
Conditions of approval, if any, are attached. Approval of this notice does not was certify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.	Office						
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for States any false, fictitious or fraudulent statements or representations as to any	any perso	n knowingly and willfully	to make to any department of	or agency of the United			

PRECISION PRESSURE DATA, INC.

TEMPERATURE SURVEY REPORT

Company	BASS ENTERPRIS		Lease	POKER LAKE UNIT	Well #	NEW MEXICO		
Field	POKER LAKE		County	EDDY	State			
Survey Date	5/28/06		Time	9:53	Company Rep.	HECTOR CANO		
		Top of Cem	ent	3357				
		Total Depth		7352				
		Zero @		GL				
d.		Plug Down (g	5/28/06 @ 8:00				
		Casing Size		5 1/2				
		Hole Size		7 7/8				
		Sacks of Cer	ment	682 LEAD 140 TAIL				
		Ran By		C. HOMER				
		Calculated B	y	D. WEST				



TEMPERATURE SURVEY REPORT

