
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCPODistrict Officeroffice

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

| Type of action: Registration of a pit | or below-grade tank \[\] Closure of a pit or below-grade | e tank Systel 21/10/2 |
|---|---|--|
| | | STELSIVE STORY |
| Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail address: mikes@ypcnm.com | | |
| Address: 105 South 4 th Street, Artesia, N.M. 88210 | | |
| Facility or well name: Checker BIC Federal Com #1 API #: 30-015-34758 U/L or Qtr/Qtr D Sec 9 T 198 R 31E County: Eddy Latitude 32,68021 Longitude 103,87937 NAD: 1927 ☑ 1983 □ | | |
| | 87937 NAD: 1927 ⊠ 1983 □ | |
| Surface Owner: Federal State Private Indian | | |
| <u>Pit</u> | Below-grade tank | |
| Type: Drilling Production Disposal | Volume:bbl Type of fluid: | |
| Work over | Construction material: | |
| Lined Unlined | Double-walled, with leak detection? Yes If not, explain why not. | |
| Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ | | |
| Pit Volume 20,000 bbl | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet | (20 points) |
| | 50 feet or more, but less than 100 feet | (10 points) |
| | 100 feet or more | (0 points) XXXX |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes | (20 points) |
| | No | (0 points) XXXX |
| | Less than 200 feet | (20 points) |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | 200 feet or more, but less than 1000 feet | (10 points) |
| | 1000 feet or more | (0 points) XXXX |
| | 1000 feet of more | (o points) 10 dd |
| | Ranking Score (Total Points) | 0 POINTS |
| | | |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's rela | tionship to other equipment and tanks. (2) Indicate disp | oosal location: (check the onsite box if you are burying |
| in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility \(\sum_{NA} \) | (3) Attach a general description of remedial action | taken including remediation start date and end date. |
| (4) Groundwater encountered: No Tyes Tif yes, show depth below ground surface ft. and attach sample results. | | |
| (5) Attach soil sample results and a diagram of sample locations and excavations. | | |
| Additional Comments: Closure workplan for drilling pit. The drilling pit contents will be mixed to stiffen the pit contents. A encapsulation trench will be excavated and lined with a 12 | | |
| | | |
| mil synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil synthetic liner will then be placed over the pit contents | | |
| with a minimum of a 3' over lap of the underlying trench areas. The encapsulation trench will then be backfilled to grade using a minimum of 3' of clean soil and like material. A one call | | |
| and 48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin. | | |
| Pit Closure actions to begin by NA. Ending date NA | | |
| | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has | | |
| been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . | | |
| Date: 7/27/06 | | |
| Printed Name/Title Mike Stubblefield / Regulatory Agent Signature | | |
| Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. | | |
| endanger paste health of the current one does it reflere the operator of its responsionity for comphanics with any other feather, state, or local laws and/or regulations. | | |
| | | |
| Approval: Printed Name/Title Askirt TI Segundary Date: 812/06 | | |
| Approval: Printed Name/Title Date: G 7 706 | | |
| | | |



New Mexico Office of the State Engineer **POD Reports and Downloads** THECKER BIC Com #1 Township: 198 Range: 31E Sections: NAD27 X: Zone: **Y**: Search Radius: Suffix: County: Basin: Number: Owner Name: (First) O Non-Domestic O Domestic (Last) @ All POD / Surface Data Report Avg Depth to Water Report Water Column Report Clear Form **iWATERS Menu** Help

AVERAGE DEPTH OF WATER REPORT 07/25/2006

| CP | 19S | 31E | 36 | CDepth Water in Feet) | CDepth

Record Count: 1

