Submit 3 Copies To Appropriate District  Office  State of New Mexico	Form C-103		
District I Energy, Minerals and Natural Resources	May 27, 2004		
1625 N French Dr. Hobbs NM 88240	WELL API NO.		
District II 1301 W. Grand Ave., Artesia, NM 88210  OIL CONSER VATION IS VISION	30-015-34941		
District III 1220 South St. Francisco	5. Indicate Type of Lease		
District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV  OIL CONSER VATION INVISION  1220 South St. Francis St. Santa F., NM	STATE FEE 🖂		
	6. State Oil & Gas Lease No.		
1220 S. St. Francis Dr., Santa Fe, NM 87505			
CLINIDRY MOTICES AND DEDORTS ON GVELLS	7. Lease Name or Unit Agreement Name		
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OF PLUG BACK TO A	Ocotillo 6 State		
DITTERENT RESERVOIR. USE ATTECATION TORTERWIT (TORM C-104) 16.50 CT			
PROPOSALS.)	8. Well Number		
1. Type of Well: Oil Well Gas Well Other	1		
2. Name of Operator	9. OGRID Number		
Devon Energy Production Company, LP	6137		
3. Address of Operator	10. Pool name or Wildcat		
20 North Broadway Oklahoma City, Oklahoma 73102-8260 (405) 552-7802	Morrow		
4. Well Location			
Unit Letter A: 660 feet from the _north line and1020			
1	MPM County Eddy		
11. Elevation (Show whether DR, RKB, RT, GR, etc.			
3379'			
Pit or Below-grade Tank Application or Closure			
Pit type Depth to Groundwater Distance from nearest fresh water well D	stance from nearest surface water		
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; (	onstruction Material		
12. Check Appropriate Box to Indicate Nature of Notice	Report or Other Data		
NOTICE OF INTENTION TO:	OCCOLIENT DEDODT OF		
	BSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WO			
<del></del>	RILLING OPNS. P AND A		
PULL OR ALTER CASING	IT JOB		
OTHER: OTHER: P	roration Correction		
OTHER: OTHER: P  13. Describe proposed or completed operations. (Clearly state all pertinent details, a			
of starting any proposed work). SEE RULE 1103. For Multiple Completions: A			
	mach wendone diagram of proposed completion		
or recompletion	0		
or recompletion.	<b>G</b>		
·			
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit.			
·			
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.			
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit.			
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. I standup.  The attached amended plat reflects the correct E/2 320 acre unit.	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer	t should be a E/2 320 acre proration unit,		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer the property of the proper	t should be a E/2 320 acre proration unit,  ence.		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer	t should be a E/2 320 acre proration unit,  ence.		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. It standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer the original APD, sh	ge and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer the property of the proper	ge and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. It standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer the original APD, sh	ge and belief. I further certify that any pit or below- l or an (attached) alternative OCD-approved plan . Technician DATE08/28/06		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitte	ge and belief. I further certify that any pit or below- lor an (attached) alternative OCD-approved plan . Technician DATE08/28/06		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the standard of the initial plat submitted with the original APD, should you need to refer the standard of the standard of the stand	ge and belief. I further certify that any pit or below- lor an (attached) alternative OCD-approved plan .  Technician DATE 08/28/06  vn.com Telephone No. (405) 552-7802		
The Ocotillo 6 State 1 was initially permitted 06/15/06 as a N/2 320 acre proration unit. standup.  The attached amended plat reflects the correct E/2 320 acre unit.  Also, attached is the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitted with the original APD, should you need to refer the standard of the standard of the initial plat submitted with the original APD, should you need to refer the standard of the initial plat submitte	ge and belief. I further certify that any pit or below- lor an (attached) alternative OCD-approved plan . Technician DATE08/28/06		

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 DISTRICT II 811 South First, Artesia, NM 86210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV 2040 South Pacheco, Santa Fe, NM 67505

## State of New Mexico

Energy, Minerals and Natural Resources Department

## OIL CONSERVATION DIVISION

2040 South Pacheco Santa Fe, New Mexico 87504-2088 Submit to Appropriate District Office

Copies

## WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name Sheep Draw; Morrow
Property Code	Property Name OCOTILLO "6" STATE	Well Number
ogrid no. 6137	Operator Name DEVON ENERGY PRODUCTION CO.,	Elevation , L.P. 3379'

#### Surface Location

1	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	LOT 1	· 6	23 S	26 E		660	NORTH	1020	EAST	EDDY

## Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	i	r Infill Co	nsolidation (	Code Or	der No.				

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

