

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Oil Cons.
N.M. DIV-Dist. 2
1301 W. Grand Avenue
Artesia, NM 88210

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Chevron USA Inc.

3. Address and Telephone No.

15 Smith Rd, Midland, TX 79705, (432) 687-7153

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

760' FSL, 1980' FWL

Section 1, Township 25-S, Range 26-E Unit N

5. Lease Designation and Serial No.

NM - 14124

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Marquardt Federal

8. Well Name and No.

4

9. API Well No.

30-015-23446

10. Field and Pool, or Exploratory Area

Black River Delaware

11. County or Parish, State

South

Eddy, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other
- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Notify BLM 24 hrs prior to MI & RU.

as amended below
2. Set 7 5/8 CIBP @ 2975', spot 25sx plug 2975-2875 (Delaware)
WOC Tag.

3. Displace hole w/MLF, 9.5# brine w/25# gel P/BBL.

4. Perf 4 holes @ 1835, sqz 85sx plug 1835-1700 (10 3/4 shoe, B-salt)
WOC Tag.

5. Spot 25sx plug 625-525 (T-salt).

6. 10sx surf, install dry hole marker.

1 A) REMOVE RBP @ 3793'

B) SPOT 100' PLUG AT TOP OF
LINER, 8440'-8340'

C) SET CIBP @ 4820' w/35' OF
CEMENT ON TOP

Continue w/# 2

APPROVAL SUBJECT TO
GENERAL REQUIREMENTS AND
SPECIAL STIPULATIONS ATTACHED

14. I hereby certify that the foregoing is true and correct

Signed

Title

HES Specialist

Date

8-12-03

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

(ORIG SGD.) ALEXIS C. SWOBODA

PETROLEUM ENGINEER

Date

AUG 19 2003

PLUGGING & ABANDONMENT WORKSHEET

(2 STRING CSNG)

OPERATOR CHEVRON USA INC.

LEASE NAME MAEQUAGDT FEDERAL


WELL # 4

SECT 1 TWN 25-S RNG 26-E

FROM 760 NSL 1980 EWL

TD 11,824 FORMATION @ TD

PBTD 5398 FORMATION @ PBTD DELAWARE



10 3/4
@ 1785
TOC SURF

7 5/8
@ 8700
TOC 5500

CIBP @ 10,350 w/10' CMT

CIBP @ 10,615

CICE @ 10,615 w/10' CMT

TD 11,824

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	10 3/4	1785	SURF	Circ
INTMED 1	7 5/8	8700	5500	T.S
INTMED 2				
PROD				

	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1	5	8390	11,822	8390	Circ
LINER 2					

	CUT & PULL	TOP - BOTTOM
INTMED 1	PERFS	3033 - 3058
INTMED 2	OPENHOLE	4816 - 4828
PROD		

*REQUIRED PLUGS DISTRICT


	PLUG	TYPE PLUG	SACKS CEMENT	DEPTH
RUSTLER (ANHYD)	1	CIBP	25	2975
YATES	2	7 5/8 S	85	1835
QUEEN	3	T-SALT	25	625
GRAYBURG	4	SURF	10	10
SAN ANDRES				
CAPITAN REEF				
DELAWARE				
BELL CANYON				
CHERRY CANYON				
BRUSHY CANYON				
BONE SPRING				
GLORIETA				
BUNBRY				
TUBB				
DRINKARD				
ABO				
WC				
PENN				
STRAWN				
ATOKA				
MORROW				
MISS				
DEVONIAN				

PROPOSED WELLBORE DIAGRAM

LEASE: Marquardt Federal #4 WELL: 4 FIELD: White City Penn
 LOC: T2S R26E SEC: 1 BLK: _____
 SVY: _____ GL: 3315 CTY/ST: Eddy County/NM
 CURRENT STATUS: Producing KB: 16.5 DF: _____

API: 30-015-23446
 REF NO: _____
 SPUD: 06/29/80
 TD DATE: 02/5/82
 COMP. DATE: _____


COMMENTS:
 (see attached well history)



BY: Brian Huxney
 Revised by: REB 11/95

CURRENT WELLBORE DIAGRAM

LEASE: <u>Marquardt Federal #4</u>	WELL: <u>4</u>	FIELD: <u>White City Perm</u>	API: <u>30-015-23446</u>
LOC: <u>T258 R26E</u>	SEC: <u>1</u>	BLK: _____	REF NO: _____
SVY: _____	GL: <u>3315</u>	CTY/ST: <u>Eddy County/NM</u>	SPUD: <u>08/29/80</u>
CURRENT STATUS: <u>Producing</u>	KB: <u>16.5</u>	DF: _____	TD DATE: <u>02/5/82</u>
			COMP. DATE: _____



COMMENTS:
(see attached well history)

BY: Brian Huxley
Revised by: REB 11/95