Submit to Appropriate District Office State of New Mexico Form C-105 State Lease - 6 copies Energy, Minerals and Natural Resources Revised March 25, 1999 Fee Lease - 5 copies WELL API NO. District I 1625 N. French, Hobbs, NM 88240 30-015-34598 OIL CONSERVATION DIVISION District II 5. Indicate Type Of Lease 811 South First, Artesia, NM 87210 1220 South St. Francis Dr. STATE | FEE District III Santa Fe. NM 87505 1000 Rio Brazos Rd., Aztec, NM 87410 6. State Oil & Gas Lease No. District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a. Type of Well: 7. Lease Name or Unit Agreement Name GAS WELL X DRY [] OIL WELL OTHER. b. Type of Completion: RECEIVED NEW WELL WORK DEEPEN DEEPEN DIFF. OTHER Congo B 10 Fee PLUG BACK JUL 18 2006 8. Well No. 2. Name of Operator EOG Resources Inc. QUUMATED 9. Pool name or Wildcat 3. Address of Operator P.O. Box 2267 Midland, Texas 79702 Cottonwood Creek, WC, (Gas) 4. Well Location Line and \_\_\_\_\_\_ 180 Feet From The South East Unit Letter P: 660 Feet From The Line Township 16S Range 25E NMPM County 10. Date Spudded 11. Date T.D. Reached 12. Date Compl. (Ready to Prod.) 13. Elevations (DF & RKB, RT, GR, etc.) 14. Elev. Casinghead 7/3/06 3452 GR 4/10/06 5/04/06 18. Intervals Drilled By 17. If Multiple Compl. How Cable Tools 15. Total Depth 16. Plug Back T.D. Rotary Tools Many Zones? 8563 8700 M - 4859 V 20. Was Directional Survey Made 19. Producing Interval(s), of this completion - Top, Bottom, Name 5150'-8550' Wolfcamo 22. Was Well Cored 21. Type Electric and Other Logs Run CASING RECORD (Report all strings set in well) HOLE SIZE CEMENTING RECORD AMOUNT PULLED WEIGHT LB./FT. **DEPTH SET CASING SIZE** 12 1/2 1160 Prem Plus 32 953 8 5/8 7 7/8 8700 600 Interfill C, 510 ASC 5 1/2 17 24. LINER RECORD TUBING RECORD SIZE TOP BOTTOM SACKS CEMENT SCREEN SIZE **DEPTH SET** PACKER SET 2 7/8 5047 27. ACID, SHOT, FRACTURE, CEMENT, SQEEZE, ETC. 26. Perforation record (interval, size, and number) DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 8053'- 8550', 0.48", 36 holes 5150'- 5469' 48 holes 5150'- 8550' Frac w/ 21778 bbls slick water: 6950'- 7650', 0.42", 48 holes 64750 1bs 30/70 Ottawa sand; 6000'- 6600', 0.42", 48 holes 1109290 lbs 20/40 Ottawa sand. PRODUCTION 28 Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) Date First Production 7/3/06 Flowing Producing Gas - MCF Gas - Oil Ratio Hours Tested Prod'n For Oil - Rhl Water - Bbl. Date of Test Choke Size Test Period 7/12/06 3664 89 24 Open Flow Tubing Calculated 24-Gas - MCF Water - Bbl. Casing Pressure Oil - Bhl Oil Gravity - API -(Corr.) Press.

30. List Attachments C-103, C-104, Directional Survey 31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Name Signature

690

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

350

Sold

Stan Wagner

Title Regulatory Analyst Date

Test Witnessed By

7/13/06

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE Northeastern New Mexico

Southeastern New Mexico

T Anhy			T Canyon	T Oio	Alamo		T Dann "D"
				T. Ojo Alamo			T. Penn. "C"
B. Salt							T. Penn. "D"
T. Yates				T. Cliff House			
				T. Menefee			
				T. Point Lookout			
-				T. Mancos			
T. San Andres <u>645'</u>							
T. Glorieta 1922'			T. McKee	Base Greenhorn			
T. Paddock				T. Dakota			
T. Blinebry							
T. Tubb 3206'			T. Delaware Sand	T. Todilto			Т
T. Drinkard							T
		3897					T
T. Wolfcamp 4904'				T. Chinle			T
T. Penn				T. Permain			T
T. Cisco (Bough C)			Т	T. Penn "A"			T
							OIL OR GAS SANDS OR ZONES
				No. 3, from			to
No. 2, from			to	No. 4, from			to
No. 1, fr No. 2, fr	om om		to			- · feet	if necessary)
From	То	Thickness in Feet	Lithology	From	То	Thickness in Feet	Lithology
		MI Y CCL				III T CCT	