

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED
OMB NO. 1004-0137
Expires: March 31, 2007

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Otherb. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____2. Name of Operator **Marbob Energy Corporation**3. Address **PO Box 227
Artesia, NM 88211-0227**3a. Phone No. (include area code)
505-748-3303

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface **2615 FNL 2615 FWL, Unit F**At top prod. interval reported below **Same**At total depth **Same**14. Date Spudded
10/08/200615. Date T.D. Reached
10/14/200616. Date Completed **11/02/2006**
☐ D & A ☒ Ready to Prod.5. Lease Serial No.
NMLC028784C

6. If Indian, Allottee or Tribe Name

Unit or CA Agreement Name and No.
NMNM88525X8. Lease Name and Well No.
Burch Keely Unit #3909. AFI Well No.
30-015-3379910. Field and Pool, or Exploratory
Grbg Jackson SR Q Grbg SA11. Sec., T., R., M., on Block and
Survey or Area **Sec. 13-T17S-R29E**12. County or Parish **Eddy** 13. State
NM17. Elevations (DF, RKB, RT, GL)*
3627' GL18. Total Depth: MD **4630'**
TVD **4630'**19. Plug Back T.D.: MD **4609'**
TVD **4609'**20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

DLL, Csng22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cement Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12 1/4"	8 5/8"	24#	0	362'		300 sx		0	None
7 7/8"	5 1/2"	17#	0	4629'		1200 sx		0	None

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2 7/8"	4199'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Yeso	4199'	4429'	4199' - 4429'		20	
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
4199' - 4429'	Acidz w/ 2000 gal NE Fe 15% HCl

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
11/14/2006	11/15/2006	24	→	71	40	332			Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						Producing

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

*(See instructions and spaces for additional data on page 2)

ACCEPTED FOR RECORD

DEC 7 2006

WESLEY W. INGRAM
PETROLEUM ENGINEER

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
				Yates Seven Rivers Bowers Queen San Andres Glorieta Yeso	1070' 1330' 1708' 1936' 2638' 4055' 4122'

32. Additional remarks (include plugging procedure):

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd.)
 ☐ Geologic Report
 ☐ DST Report
 ☒ Directional Survey
☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☐ Other:


34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) **Diana J. Briggs**Title **Production Analyst**

Signature

Date **11/17/2006**

Title 18 U.S.C Section 1001 and Title 18 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Permian Drilling Corporation

P. O. Box 726 (505)397-3798 Fax (505)393-2448 Hobbs, New Mexico 88241

INCLINATION REPORT

DATE: 10/19/2006

WELL NAME AND NUMBER: BKU #390
LOCATION: Eddy Co., NM
OPERATOR: MARBOB ENERGY CORP.
DRILLING CONTRACTOR: PERMIAN DRILLING CORPORATION

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

DEGREE	DEPTH	DEGREE	DEPTH	DEGREE	DEPTH
0.75	365				
0.75	844				
0.75	1344				
0.75	1823				
1.25	2324				
1.00	2830				
1.50	3341				
1.50	3848				
2.00	4319				
1.75	4604				

Drilling Contractor:
Permian Drilling Incorporation

By: Sherry Coskrey
Sherry Coskrey
Regulatory Clerk

Subscribed and sworn to before me on this 19th day of October, 2006.

My Commission Expires:

June 12, 2010

Angel Black